## Samsung Galaxy Tab S9 FE WiFi Gray 6+128GB Samsung Exynos 27.7 cm (10.9") 6 GB Wi-Fi 6 (802.11ax) Android 13 Grey

**Brand :** Samsung **Product family:** Galaxy Tab **Product code:** SM-X510NZAAEUB

**Product name :** Galaxy Tab S9 FE WiFi Gray 6+128GB

- 10.9" 90Hz LCD Display
- The families most useful S Pen
- Powerful Exynos 1380 processor for fast multi-tasking

SM-X510NZAAEUB

Samsung Galaxy Tab S9 FE WiFi Gray 6+128GB. Display diagonal: 27.7 cm (10.9"), Display resolution: 2304 x 1440 pixels. Internal storage capacity: 128 GB. Processor frequency: 2.4 GHz, Processor family: Samsung Exynos, Processor model: 1380. Internal memory: 6 GB. Rear camera resolution (numeric): 8 MP, Rear camera type: Single camera, Front camera resolution (numeric): 12 MP. Top Wi-Fi standard: Wi-Fi 6 (802.11ax). Card reader integrated. Weight: 523 g. Operating system installed: Android 13. Product colour: Grey





Display		Battery	
Display diagonal * Display resolution * Panel type Display brightness Display glass type Anti-glare screen	27.7 cm (10.9") 2304 x 1440 pixels TFT 600 cd/m² Gorilla Glass	Battery recharge time Continuous video playback time Continuous audio playback time Browsing time (Wi-Fi) Rechargeable battery Battery level indicator	1.5 h 18 h 113 h 16 h
Pixel density	249 ppi	Weight & dimensions	
HD type Native aspect ratio Display number of colours Processor	WUXGA+ 16:10 16 million colours	Width Depth Height Weight	254.3 mm 6.5 mm 165.8 mm 523 q
Processor family * S Processor model * 1 Processor cores 8	Samsung Samsung Exynos 1380 8	Package width Package depth Package height Package weight	273.9 mm 184.5 mm 21.4 mm 789 g
Processor frequency * Processor code	2.4 GHz 1380	Packaging content	
Memory		Keyboard included	X
Internal memory *	6 GB	Stylus pen Cables included	✓ USB Type-C
Storage		Headphones included	×
Internal storage capacity * Card reader integrated *	128 GB	Quick start guide Warranty card	✓ ✓
Compatible memory cards  Maximum memory card size	MicroSD (TransFlash) 1 TB	Supplier features	
Graphics	110	Number of packages	1
Graphics card	Mali-G68	Logistics data	
Audio		Products per shipping (inner) case Shipping (inner) cases per master	1 pc(s) 10 pc(s)
Built-in speaker(s) Built-in microphone Number of built-in speakers Speakers manufacturer	2 AKG	(outer) case Shipping (inner) case length Shipping (inner) case width Shipping (inner) case height Quantity per pack	27.4 cm 18.4 cm 2.14 cm 1 pc(s)
Audio system	Dolby Atmos	Pallet net height	120 cm

Camera		Logistics data	
			115.8 cm
Rear camera	•	Pallet net length Pallet net width	80 cm
Rear camera type *	Single camera	Pallet net weight	412 kg
Rear camera resolution (numeric) *	8 MP	Pallet weight (US)	412 kg
Built-in camera		Layers per pallet (US)	5 pc(s)
Digital zoom	4x	Master (outer) cases per pallet layer	·
Auto focus	•	(US)	10 pc(s)
Rear camera flash	×	Products per pallet (US)	500 pc(s)
Video recording	✓	Pallet gross width	120 cm
Maximum video resolution	3840 x 2160 pixels	Pallet gross length	80 cm
Video recording modes	2160p	Pallet gross height	115.8 cm
Resolution at capture speed	3840x2160@30fps	Pallet gross weight	412 kg
Video capturing speed	30 fps	Products per pallet	500 pc(s)
Face detection	•	Products per pallet layer	100 pc(s)
Front camera *	<b>✓</b>	Layers per pallet Master (outer) cases per pallet layer	5 pc(s)
Second camera resolution	12 MP	Master (outer) cases per panet layer  Master (outer) case width	282 mm
Front camera resolution (numeric)	12 MP	Master (outer) case length	226 mm
Front camera aperture number	2.4	Master (outer) case height	201 mm
Network		Master (outer) case gross weight	8.23 kg
Mobile network connection *	×	Products per master (outer) case	10 pc(s)
Bluetooth	<b>✓</b>	Harmonized System (HS) code	8471300000
Bluetooth version	5.3	Other features	
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Bluetooth profiles	A2DP
	802.11a, 802.11b, 802.11g, Wi-Fi 4	SIM card support	X
Wi-Fi standards	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Package dimensions (WxDxH)	273.9 x 184.5 x 21.4 mm
Wi-Fi Direct	✓ (552:11ax)	Pen weight	8.7 g
Near Field Communication (NFC)	×	Dimensions (WxDxH)	165.8 x 254.3 x 6.5 mm
	^	Battery type	Built-in Lithium-ion
Ports & interfaces		Battery recharge time (off)	1.5 h
USB 2.0 Type-C ports quantity	1	Speakers	stereo
Microphone in	×	Wi-Fi	✓
Headphone connectivity	Bluetooth	Volume control	Buttons
Combo headphone/mic port	×	Display viewable area (HxV)	234.87 x 146.79 mm
Design		Rechargeable	✓
Device type *	Mobile tablet	USB cable	C
Form factor *	Slate	Maximum RAM supported	
		• •	6 GB
Product colour *	Grey	Charging time	1.5 h
Product colour * International Protection (IP) code	Grey IP68	Charging time Display type	1.5 h TFT
	•	Charging time Display type Resolution	1.5 h TFT 2304 x 1440 pixels
International Protection (IP) code	•	Charging time Display type Resolution Package weight	1.5 h TFT 2304 x 1440 pixels 0.789 kg
International Protection (IP) code  Performance  Accelerometer	IP68	Charging time Display type Resolution Package weight Power cord included	1.5 h  TFT  2304 x 1440 pixels  0.789 kg  ✓
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor	IP68	Charging time Display type Resolution Package weight Power cord included Batteries included	1.5 h TFT 2304 x 1440 pixels 0.789 kg
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope	IP68	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof	1.5 h  TFT  2304 x 1440 pixels  0.789 kg  ✓
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor	IP68	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof	1.5 h TFT 2304 x 1440 pixels 0.789 kg  ✓
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor  Proximity sensor	IP68	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity	1.5 h TFT 2304 x 1440 pixels 0.789 kg  ✓ ✓ ✓ 6 GB
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor  Proximity sensor  Position location *	IP68  ✓ ✓ ✓ ✓ ✓	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour	1.5 h TFT 2304 x 1440 pixels 0.789 kg
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor  Proximity sensor  Position location *  Country of origin	IP68	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material	1.5 h TFT 2304 x 1440 pixels 0.789 kg
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor  Proximity sensor  Position location *	IP68  ✓ ✓ ✓ ✓ ✓	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material Manufacturer	1.5 h TFT 2304 x 1440 pixels 0.789 kg
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor  Proximity sensor  Position location *  Country of origin	IP68  ✓ ✓ ✓ ✓ ✓	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material Manufacturer Power plug type	1.5 h  TFT  2304 x 1440 pixels  0.789 kg
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor  Proximity sensor  Position location *  Country of origin  Security	IP68	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material Manufacturer Power plug type LCD brightness (AC adaptor, bright)	1.5 h TFT 2304 x 1440 pixels 0.789 kg
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor  Proximity sensor  Position location *  Country of origin  Security  Fingerprint reader	IP68	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material Manufacturer Power plug type LCD brightness (AC adaptor, bright) Total storage capacity	1.5 h  TFT  2304 x 1440 pixels  0.789 kg
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor  Proximity sensor  Position location *  Country of origin  Security  Fingerprint reader  Password protection	IP68	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material Manufacturer Power plug type LCD brightness (AC adaptor, bright) Total storage capacity  Technical details	1.5 h TFT 2304 x 1440 pixels 0.789 kg
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor  Proximity sensor  Position location *  Country of origin  Security  Fingerprint reader  Password protection  Face recognition  Software	IP68  V Vietnam	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material Manufacturer Power plug type LCD brightness (AC adaptor, bright) Total storage capacity	1.5 h TFT 2304 x 1440 pixels 0.789 kg
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor  Proximity sensor  Position location *  Country of origin  Security  Fingerprint reader  Password protection  Face recognition  Software  Platform *	IP68	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material Manufacturer Power plug type LCD brightness (AC adaptor, bright) Total storage capacity  Technical details	1.5 h TFT 2304 x 1440 pixels 0.789 kg
International Protection (IP) code  Performance  Accelerometer  Ambient light sensor  Gyroscope  Orientation sensor  Proximity sensor  Position location *  Country of origin  Security  Fingerprint reader  Password protection  Face recognition  Software	IP68   V  Vietnam  Android	Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof Waterproof RAM capacity Colour Material Manufacturer Power plug type LCD brightness (AC adaptor, bright) Total storage capacity  Technical details Integrated sensors	1.5 h TFT 2304 x 1440 pixels 0.789 kg

## Battery

Battery technology \* Lithium-lon (Li-lon)
Battery capacity \* 8000 mAh

Number of battery cells2Battery voltage10 VBattery weight117.5 g

Fast charging



8806095163604

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.