

ernitec

Ernitec 0070-24122-POE computer monitor 55.9 cm (22") 1920 x 1080 pixels Full HD LCD Black

Brand : Ernitec

Product code: 0070-24122-POE

Product name : 0070-24122-POE

- 24/7


- Security monitor

- Display

- Power monitor with PoE

22" 24/7 Full-HD Surveillance monitor. POE & PSU possible power sources. PSU incl.

Ernitec 0070-24122-POE. Display diagonal: 55.9 cm (22"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, 3D, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display

Display diagonal *	55.9 cm (22")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
LED backlight	✓
Display brightness (typical)	250 cd/m ²
Display brightness	250 cd/m ²
Response time *	5 ms
Aspect ratio	16:9
Contrast ratio (typical) *	10000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.248 x 0.248 mm
Viewable size, horizontal	47.7 cm
Viewable size, vertical	26.8 cm
3D	✓

Performance

Operating hours (hours/days)	24/7
------------------------------	------

Multimedia

Number of speakers	2
RMS rated power	6 W

Design

Market positioning *	Industrial
Product colour *	Black
Front bezel colour	Black

Ergonomics

VESA mounting *	✓
Panel mounting interface	100 x 100 mm
On Screen Display (OSD) languages	English

Power

Power consumption (typical) *	25 W
Power consumption (average)	25 W

Operational conditions

Operating temperature (T-T)	-30 - 85 °C
-----------------------------	-------------

Packaging data

Package dimensions (WxDxH)	550 x 108 x 413 mm
Package width	413 mm
Package depth	108 mm
Package height	550 mm
Package weight	3.6 kg

Packaging content

Stand included	✓
Power adapter included	✗
Screws included	✓
Quick start guide	✓

Other features

Dimensions (WxDxH)	500 x 48 x 310 mm
Analog signal format system	PAL
Picture enhancement	DNLe digital image processing
RJ-45 ports quantity	2
Comb filter	3D
Noise filter	✓

Design		Other features	
Detachable stand	✓	Weight	2.3 kg
Ports & interfaces		Height	310 mm
VGA (D-Sub) ports quantity	1	Width	500 mm
HDMI ports quantity	2	Depth	48 mm
HDMI version	2.0	Mean time between failures (MTBF)	50000 h
		Certification	EMC Class A



5715063081341

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.