

ernitec

Ernitec 0070-05403-VAXALPR security camera Bullet IP security camera Indoor & outdoor 1920 x 1080 pixels Ceiling/Wall/Pole



Brand : Ernitec

Product code: 0070-05403-VAXALPR

Product name : 0070-05403-VAXALPR

- 1/2.7" Progressive Scan CMOS
- 1920 x 1080 @ 30fps HDR (2MP)
- SONY® STARVIS™ Sensor
- Multi Codec support (H.265/ H.264/ MJPEG)
- HDR Engine Gen3
- IR LED working distance up to 45m
- All Aluminium Housing
- IP66, IK10
- ONVIF Profile S/ G/ T/M support
- 5 year Warranty

Halo Pro 2MP Bullet Camera with 2.7-12mm Motorized Lens & IR 45m, incl. Vaxtor LPR license. PoE, IP66, IK10 - NDAA


[Ernitec 0070-05403-VAXALPR security camera Bullet IP security camera Indoor & outdoor 1920 x 1080 pixels Ceiling/Wall/Pole:](#)

HALO-DX-402M

Ernitec 0070-05403-VAXALPR. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired. Mounting type: Ceiling/Wall/Pole, Product colour: White, Form factor: Bullet. Minimum illumination: 0.001 lx, Camera pixel size: 2.9 µm, Camera shutter speed: 1~1/10.000 s. Sensor type: CMOS, Optical sensor size: 25.4 / 2.8 mm (1 / 2.8"), Number of effective pixels (H x V): 1920 x 1080 pixels. Focal length range: 2.7mm - 12, Focus: Motorized/Manual

Performance		Video	
Type *	IP security camera	Video streaming	✓
Placement supported *	Indoor & outdoor	Noise reduction	✓
Connectivity technology *	Wired	Noise reduction technology	3D noise reduction
Day/night mode	✓	Audio	
Infrared (IR) cut-off filter	✓	Audio system	2-way
Alarm input/output	✓	Audio input channels	1.0 channels
Remote viewing	✓	Audio output channels	1.0 channels
Design		Audio formats supported	AAC, G.711, G.726, LPCM
Form factor *	Bullet	Audio detection	✓
Mounting type *	Ceiling/Wall/Pole	Network	
Product colour *	White	Ethernet LAN *	✓
Housing material	Metal	Storage	
International Protection (IP) code	IP66	Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC
IK code	IK10	Ports & interfaces	
Country of origin	Taiwan	Ethernet LAN (RJ-45) ports	1
Camera		Security	
Minimum illumination	0.001 lx	Alarm input channels	1
Camera pixel size	2.9 µm	Alarm output channels	1
Camera shutter speed	1~1/10.000 s	Video motion detection	✓
Image sensor		Security algorithms	HTTPS
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Network access storage (NAS)	✓
Progressive scan	✓	Management features	
Sensor type *	CMOS	Remotely operated	✓
Number of effective pixels (H x V)	1920 x 1080 pixels	Power	
Lens system		Power source type *	PoE
Zoom capability	✓		
Focal length range	2.7mm - 12		

Lens system		Power	
Auto focus	✓	Power consumption (max)	13.97 W
Focus	Motorized/Manual	Power consumption (Power over Ethernet (PoE))	12.95 W
Night vision		DC output voltage	12
Night vision *	✓	Operational conditions	
Night vision distance	45 m	Operating temperature (T-T)	-30 - 55 °C
Infra-red wavelength	850 nm	Operating relative humidity (H-H)	10 - 90%
Video		Weight & dimensions	
Maximum resolution *	1920 x 1080 pixels	Width	234 mm
Total megapixels *	2 MP	Diameter	10.5 cm
Video compression formats	H.264, H.265, M-JPEG	Weight	1 kg
Video recording	✓	Packaging data	
Frame rate	30 fps	Package weight	1.2 kg
Analog signal format system	NTSC, PAL	Packaging content	
		Number of cameras *	1
		Other features	
		Warranty period	5 year(s)



5715063164242

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.