



Lindy USB 3.2 Gen 2x2 Dual M.2 NVMe SSD Enclosure with Clone Feature

Brand : Lindy

Product code: 43382

Product name : USB 3.2 Gen 2x2 Dual M.2 NVMe SSD Enclosure with Clone Feature



USB 3.2 Gen 2x2 Dual M.2 NVMe SSD Enclosure with Clone Feature

Lindy USB 3.2 Gen 2x2 Dual M.2 NVMe SSD Enclosure with Clone Feature:

The Lindy USB 3.2 Dual M.2 NVMe SSD Enclosure allows the user to install two PCIe/NVMe based M.2 SSDs as an external drive to USB hosts like laptops or PCs. The additional Clone feature enables duplicating M.2 NVMe SSDs - even without connection to a computer ('offline cloning'). Support for the USB 3.2 Gen 2x2 standard guarantees SuperSpeed 20Gbps data transfer rates. UASP support also ensures faster speeds for UASP enabled computers.

This Lindy enclosure is compatible with PCIe/NVMe based M.2 SSDs with M key in 42, 60 and 80mm lengths. The tool-free design makes installation very easy. An included external power adapter guarantees safe power supply.

* Please note that that 20Gbps full support is only possible with a USB 3.2 2x2 host controller.

Storage		Operational conditions	
Number of storage drives supported *	2	Operating temperature (T-T)	5 - 35 °C
Storage drive size *	M.2	Storage temperature (T-T)	-10 - 90 °C
Supported storage drive interfaces *	M.2, PCI Express 3.0	Operating relative humidity (H-H)	10 - 90%
Supported storage drive lengths	42,60,80 mm	Weight & dimensions	
NVMe	✓	Width	143 mm
Ports & interfaces		Depth	77 mm
USB connectivity *	✓	Height	17.5 mm
USB version	3.2 Gen 2 (3.1 Gen 2)	Weight	174 g
USB connector type	USB Type-C	Cable length	0.25 m
USB connector gender	Female	Package width	160 mm
USB ports quantity	1	Package depth	100 mm
DC-in jack	✓	Package height	110 mm
Design		Package weight	450 g
Product type *	SSD enclosure	Packaging content	
Product colour *	Silver	Package type	Box
Material	Acrylonitrile butadiene styrene (ABS), Aluminium	Cables included	USB
LED indicators	✓	Manual	✓
Certification	CP65	Packaging content	USB 3.2 Dual M.2 NVMe SSD Enclosure 0.25m USB 3.2 Gen 2x2 Type C to C cable Multi-Country Power Supply 12VDC 2A with country adapters (EU, UK; US, AUS) 2x thermal conductive pad 2x thermal conductive plate 4x M.2 rubber retainer Lindy Manual
Performance			
Chipset	JMS586U		
UASP support	✓		
TRIM support	✓	Technical details	
Power		Sustainability compliance	✓
Power source type	DC	Warranty period	2 year(s)
Input voltage	12 V		

Technical details

Compliance certificates

CE, Federal Communications
Commission (FCC), REACH, RoHS



4002888433822

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.