Samsung SM-X610NLIAEUB tablet Samsung Exynos 128 GB 31.5 cm (12.4") 8 GB Wi-Fi 6 (802.11ax) Android 13 Lilac

Brand : Samsung Product code: SM-X610NLIAEUB

Product name: SM-X610NLIAEUB

- 12.4" 90Hz LCD Display
- The families most useful S Pen
- Powerful Exynos 1380 processor for fast multi-tasking

SM-X610NLIAEUB

Samsung SM-X610NLIAEUB. Display diagonal: 31.5 cm (12.4"), Display resolution: 2560 x 1600 pixels. Internal storage capacity: 128 GB. Processor frequency: 2.4 GHz, Processor family: Samsung Exynos, Processor model: 1380. Internal memory: 8 GB. Rear camera resolution (numeric): 8 MP, Rear camera type: Dual camera, Front camera resolution (numeric): 12 MP. Top Wi-Fi standard: Wi-Fi 6 (802.11ax). Card reader integrated. Weight: 627 g. Operating system installed: Android 13. Product colour: Lilac





	Battery	
Display Display diagonal * 31.5 cm (12.4") Display resolution * 2560 x 1600 pixels TFT Display brightness 600 cd/m² Display glass type Gorilla Glass Anti-glare screen X Dixel density 243 ppi	Fast charging Battery recharge time Continuous video playback time Continuous audio playback time Browsing time (Wi-Fi) Rechargeable battery Battery level indicator	1.5 h 20 h 131 h 18 h
•	Weight & dimensions	
16 million colours	Width	285.4 mm
Samsung	Depth Height	6.5 mm 185.4 mm 627 g
Samsung Exynos 1380 8 2.4 GHz	Package width Package depth Package height Package weight	305.1 mm 204.1 mm 21 mm 907 g
1300	Packaging content	
0.00	Keyboard included	×
8 GB	Stylus pen	✓
128 GB ✓ MicroSD (TransFlash) 1 TB	Cables included Headphones included Quick start guide Warranty card	USB Type-C
	• •	1
Mali-G68		1
	· ·	
	Products per shipping (inner) case	1 pc(s)
*	Shipping (inner) cases per master (outer) case Shipping (inner) case length	10 pc(s) 30.5 cm
	2560 x 1600 pixels TFT 600 cd/m² Gorilla Glass x 243 ppi WQXGA 16:10 16 million colours Samsung Samsung Exynos 1380 8 2.4 GHz 1380 8 GB 128 GB MicroSD (TransFlash) 1 TB	31.5 cm (12.4") 2560 x 1600 pixels TFT Continuous video playback time 600 cd/m² Continuous audio playback time Gorilla Glass Browsing time (Wi-Fi) Rechargeable battery 243 ppi WQXGA 16:10 Weight & dimensions Width Depth Height Samsung Samsung Exynos Package width Package depth Package height 2.4 GHz 1380 8 GB Packaging content Keyboard included Stylus pen Cables included 128 GB MicroSD (TransFlash) 1 TB Fast charging Battery recharge time Continuous video playback time Continuous audio playback time Continuous audio playback time Continuous video playback time Continuous audio playback time Continuous video playback time Continuous audio playback time Continuous video playback time Rechargeable battery Battery rechargeabl

Rear camera	Camara		Logistics dot-	
Rear camera type	Camera		Logistics data	120
Second ramer resolution (numeric) Second racramers resolution (numeric) Second racramers resolution (numeric) Second racramers resolution (numeric) Second racramers resolution As (possible racramers) Second racramers resolution As (possible racramers) As (poss			_	
Second rear camera resolution g MP	**		· ·	
Sample S		8 MP		
Digital zoom	(numeric)	8 MP	J	•
Auto Tocos	Built-in camera	✓	Layers per pallet (US)	5 pc(s)
Autor focus Video recording Assert camera flash Video recording Assert camera resolution Assert camera flash Video capturing speed 3840×2150 gixels Pallet gross height Pallet gross height Assert (outor) assert Video capturing speed 3840×2150 gixels Pallet gross height Assert (outor) assert Products per pallet layer Assert (outor) case problet layer Assert (outor) case problet layer Assert (outor) case width 314 mm Assert (outor) case height 220 mm Assert (outor) case height As	Digital zoom	4x		8 pc(s)
Rear camera fisish	Auto focus	✓	(03)	
Video recording Y Pallet gross length 80 cm Maximum video resolution 3840 x 2160 jöxels Pallet gross height 11.5.8 cm Resolution at capture speed 38 0x 2160 jöxels Pallet gross weight 454 kg Video capturing speed 30 fps Products per pallet aver 400 pc(s) Front camera resolution 12 MP Layers per pallet layer 80 pc(s) Front camera resolution 12 MP Master (outer) case length 314 mm Network 12 MP Master (outer) case length 220 mm Network X Master (outer) case length 220 mm Network X Master (outer) case weight 9.39 kg Bluetooth Y Master (outer) case weight 9.39 kg Bluetooth version 5.3 Harmonized System (HS) code 847300000 Wi-Fi standard* 9.3 802.11a, Wi-Fi s (802.11a, Wi-Fi s 1802.11a, Wi-Fi s </td <td>Rear camera flash</td> <td>×</td> <td></td> <td>• • •</td>	Rear camera flash	×		• • •
Maximum video resolution 3840 x 150 pixels Pallet grass height 11.5.8 cm Resolution at capturing speed 30 fps Products per pallet 400 pc(s) From camers 2 Products per pallet layer 80 pc(s) From camers resolution (numeric) 12 MP Master (outer) cases per pallet layer 8 pc(s) From camers resolution (numeric) 12 MP Master (outer) cases per pallet layer 8 pc(s) From camers resolution (numeric) 12 MP Master (outer) case per pallet layer 8 pc(s) Network V Master (outer) case per pallet layer 8 pc(s) Mobile network connection* X Master (outer) case length 20 mm Bluebooth V Products per master (outer) case with 314 mm Bluebooth version 5.3 5.0 3.1 3.0 3.0 Bluebooth version 5.3 5.0 3.1 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0	Video recording	1	_	
Resolution at Capture speed 3840x1260@30fps Pallet gross weight 4.5 kg Face detection / Products per pallet ayer 80 pc(s) Foce detection / Incompany and the products per pallet ayer 80 pc(s) Front camera ** / Layers per pallet layer 80 pc(s) Second camera resolution 12 MP Master (outer) case per pallet yer 80 pc(s) Front camera resolution (numeric) 12 MP Master (outer) case penght upon 20 pm 20 mm Metwork - Master (outer) case ength upon 20 pm 20 mm Metwork (outer) case penght version 5.3 10 pc(s) Bluetooth version 5.3 10 pc(s) Products per master (outer) case seros weight upon 20 pm 3.0 kg Wi-Fi standards 802.11a, 90.21.1g, Wi-Fi and 20 pm 447.300000 Wi-Fi standards 806.21.1ax) 6(802.11ax) 448.00000 Wi-Fi Direct X 518 card support X Wi-Fi Direct X 518 card support X Wi-Fi Direct X 158 card support X	Maximum video resolution	3840 x 2160 pixels		
Face detection	Resolution at capture speed	3840x2160@30fps		454 kg
Front camera " Second camera resolution 12 MP Master (outer) case width 314 mm Network Master (outer) case height 220 mm Master (outer) case yross weight 9.39 kg Billuetooth version 5.3 mm Mister istandard 802.11a, 802.11a, Wi-Fi Mister istandard 802.11a, 80	Video capturing speed	30 fps	Products per pallet	400 pc(s)
Second camera resolution 12 MP Master (outer) cases per pallet layer 8 pcls	Face detection	1	Products per pallet layer	80 pc(s)
Front camera resolution (numeric) 12 MP	Front camera *	1		• • •
Network Master (outer) case length 220 mm Mobile network connection * X Master (outer) case helight 220 mm Bluetooth X Master (outer) case welght 9.39 kg Bluetooth Y Products per master (outer) case 10 pc(s) Bluetooth version S.3 4871300000 Top Wi-Fi standard * Wi-Fi 6(802.11a, Wi-Fi 6(802.11a, Wi-Fi 6(802.11a, Wi-Fi 6(802.11a), Wi-Fi 6(802.11	Second camera resolution			·
Master (outer) case height	Front camera resolution (numeric)	12 MP		
Mobile network connection* X Master (outer) case gross weight Products per master (outer) case 10 pcts) 9.39 kg Bluetooth version 5.3 Harmonized System (HS) code 17 1000000 TOP WI-Fi standard* WI-Fi 6 (802.11a, 802.11b, 802.11g, WI-Fi 6 (802.11ax) Other features WI-Fi Standards (802.11a, 802.11b, 802.11g, WI-Fi 6 (802.11ax) Bluetooth profiles AZDP WI-Fi Direct V Package dimensions (WXDXH) 273.9 x 184.5 x 21.4 mm We-Fi Direct V Pen weight 8.7 g Wi-Fi Direct X Pen weight 185.4 x 285.4 x 6.5 mm Near Field Communication (NFC) X Pen weight 185.4 x 285.4 x 6.5 mm Wi-Fi Direct X Pen weight 15.5 ms Wi-Fi Orype-C ports quantity Buttooth 15.5 ms Microphone in X Speakers wither (Inthium-Intimul-Intervention Post of the features 8 GB Colour and Protection	Network		=	
Blueboth	Mobile network connection *	×		
Bluebooth version	Bluetooth	1		•
March Marc	Bluetooth version	5.3	•	•
Sep. 2.11.s. 802.11.s. 802.11.s. Wi-Fi Glo2.11ax) Wi-Fi Glo2.11ax) Wi-Fi Glo2.11ax) Wi-Fi Glo2.11ax) Wi-Fi Glo2.11ax) Wi-Fi Glo2.11ax) SiM card support X Sim card support	Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Other features	
Wi-Fi Direct Dirensions (WxDxH) Dirensions (WxDxH) Battery type Built-in Lithium-ion USB 2.0 Type-C ports quantity Wi-Fi Volume control Buttons Design Colour name Lavender Beckargeable Volume control Display viewable area (HxV) Display viewable ar	Wi_Fi standards			A2DP
Wi-Fi Direct Y Package dimensions (WxDxH) 273.9 x 184.5 x 21.4 mm Near Field Communication (NFC) X Pen weight 8.7 g Ports & interfaces Dimensions (WxDxH) 185.4 x 28.5 x x 6.5 mm USB 2.0 Type-C ports quantity 1 Battery type Built-in Lithium-Ion Microphone in X Speakers stereo Headphone connectivity Bluetooth Wi-Fi Y Combo headphone/mic port X Volume control Buttons Design Lavender Rechargeable Y Colour name Lavender Rechargeable Y Device type * Mobile tablet USB cable C Form factor * Slate Maximum RAM supported 8 GB Product colour * Lilac Charging time 1.5 h Profestion features Usb scientification (IP) code IP68 Resolution 2560 x 160.0 pixels Performance Package weight O.907 kg O.907 kg Power cord included Y Ambient light sensor Y <	Wi-i i Standards		·	
Near Field Communication (NFC) Ports & Interfaces USB 2.0 Type-C ports quantity ISB 4.2 Type-C ports quantity ISB 2.0 Ty	Wi-Fi Direct	1		
Battery type Built-in Lithium-ion Battery type Built-in Lithium-ion Battery recharge time (off) Speakers stereo Microphone in X Speakers Speakers Stereo Wi-Fi Volume control Buttons Design Colour name Lavender Device type * Mobile tablet Slate Maximum RAM supported Battery type Maximum RAM supported Battery Charging time 1.5 h TFT International Protection (IP) code IP68 Resolution Destreosiant, Water resistant Ip68 Resolution Dust resistant, Water resistant Display type TFT International Protection (IP) code IP68 Resolution Display type TFT International Protection Display type TFT International Protection Power cord included V Ambient light sensor V Oyroscope V Waterproof V Waterproof V Proximity sensor V Power plug type No plug Fingerprint reader Veltam Manufacturer Deswer plug type No plug Fingerprint reader Password protection V Technical details Software Platform * Android Packaging content Android Packaging content Accelerometer, Camera, Gyroscope Packaging content Accelerometer Android Packaging content Accelerometer Android Packaging content Accelerometer Android Packaging content Accelerometer Android Packaging content Accelerometer Accelerometer Accelerometer Android Packaging content Accelerometer Accele	Near Field Communication (NFC)	×		8.7 g
Battery type Built-in Lithium-ion Microphone in X Microphone i	Ports & interfaces		Dimensions (WxDxH)	185.4 x 285.4 x 6.5 mm
Microphone in X Headphone connectivity Bluetooth Wi-Fi Volume control Buttons Design Colour name Device type * Mobile tablet Form factor * Slate Maximum RAM supported Buttons Charging time Liliac Charging time Liliac Charging time Lish Age weight Dust resistant, Water resistant Display type Protection features Dust resistant, Water resistant Display type Protection features Dust resistant, Water resistant Display type Protection features Dust resistant, Water resistant Display type Design Dust resistant, Water resistant Display type Dust resistant Display type TFT Display type TFT Display type TFT Display type Dust resistant Display typ		1	Battery type	Built-in Lithium-ion
Headphone connectivity Combo headphone/mic port X Volume control Display viewable area (HxV) Design Colour name Lavender Rechargeable V Device type * Mobile tablet USB cable Charging time Liliac Charging time Liliac Charging time Lish h Protection features Dust resistant, Water resistant International Protection (IP) code IP68 Resolution Performance Accelerometer Accelerometer Accelerometer Gyroscope V Orientation sensor V Power cord included V Materproof RAM capacity Prosimity sensor V Orientation location * V Position location * V Position location * V Postion location * Vietnam Manufacturer Security Fingerprint reader Password protection V Technical details Face recognition Android Operating system version 13 Screen lock V Volume control Buttons Acceleromate V Accelerometer Accelerome			· -	1.5 h
Combo headphone/mic port X Volume control Buttons Pesign	·		•	
Volume Control Buttons Colour name Lavender Rechargeable ✓ Device type * Mobile tablet USB cable C Form factor * Slate Maximum RAM supported 8 GB Product colour * Lilac Charging time 1.5 h Protection features Dust resistant, Water resistant Display type TFT International Protection (IP) code IP68 Resolution 2560 x 1600 pixels Performance Package weight 0,907 kg Accelerometer ✓ Batteries included ✓ Accelerometer ilight sensor ✓ Batteries included ✓ Arcelerometer ilight sensor ✓ Waterproof ✓ Orientation sensor ✓ Waterproof ✓ Proximity sensor ✓ RAM capacity 8 GB Proximity sensor ✓ Colour ✓ Position location * ✓ Material Aluminium, Glass Country of origin Vietnam Manufacturer Samsung	•			
Colour name Lavender Device type * Mobile tablet Device type * Mobile tablet Device type * Slate Mobile tablet USB cable C Form factor * Slate Maximum RAM supported 8 GB Product colour * Liliac Charging time 1.5 h TFT International Protection (IP) code IP68 Resolution Peackage weight Power cord included * Accelerometer Ambient light sensor Gyroscope * Orientation sensor * Orientation sensor * Proximity sensor Proximity sensor * Orientation origin * Vietnam * Manufacturer Samsung Security Fingerprint reader * Power plug type LCD brightness (AC adaptor, bright) Face recognition * Technical details * Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Packaging content * Android Operating system version 13 Screen lock * Vietnan Caclerometer Android Screen lock * Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card				
Device type * Mobile tablet USB cable C Form factor * Slate Maximum RAM supported 8 GB Product colour * Lilac Charging time 1.5 h Protection features Dust resistant, Water resistant Display type TFT International Protection (IP) code IP68 Resolution 2560 x 1600 pixels Performance Performance Power cord included Power cord i		Lavondor	, ,	
Form factor * Slate Maximum RAM supported 8 GB Product colour * Lilac Charging time 1.5 h Protection features Dust resistant, Water resistant International Protection (IP) code IP68 Resolution 2560 x 1600 pixels Performance Package weight 0.907 kg Power cord included Power ord			-	
Product colour * Lilac Charging time 1.5 h Protection features Dust resistant, Water resistant Display type TFT International Protection (IP) code IP68 Resolution 2560 x 1600 pixels Performance Power cord included Power cord	* *			
International Protection (IP) code IP68 Resolution 2560 x 1600 pixels Performance Accelerometer	Product colour *		• • • • • • • • • • • • • • • • • • • •	
Performance Accelerometer Accelerometer Ambient light sensor Gyroscope Orientation sensor Proximity sensor V Colour Position location * Country of origin Vietnam Vietnam Manufacturer Power plug type No plug Fingerprint reader Password protection Face recognition V Software Platform * Android Operating system version 13 Accelerometer Paskage weight O.907 kg Power cord included V Anderial Batteries included V Aduminium Anderial Aluminium, Glass Samsung Aluminium, Glass Samsung No plug LCD brightness (AC adaptor, bright) Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Operating system version 13 Screen lock ✓ Power plug type Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card	Protection features	Dust resistant, Water resistant	Display type	TFT
Accelerometer Accelerometer Accelerometer Ambient light sensor Gyroscope V Dustproof V Waterproof RAM capacity RAM capacity RAM capacity Rountry of origin Vietnam Vietnam Manufacturer Power plug type No plug Fingerprint reader Password protection V Password protection V Face recognition V T Cofficial details Face recognition Android Operating system version 13 Power cord included V Adv	International Protection (IP) code	IP68	Resolution	2560 x 1600 pixels
Accelerometer Ambient light sensor Gyroscope Orientation sensor Proximity sensor Position location * Country of origin Security Fingerprint reader Password protection Face recognition Face recognition Plafform * Android Android Android Android Austeries included Austerial Waterproof Android Austerial Aluminium, Glass Aluminium, G	Performance			0.907 kg
Ambient light sensor Ambient light sensor Gyroscope ✓ Orientation sensor Orientation sensor ✓ Proximity sensor Proximity sensor Position location * Country of origin Vietnam Material Manufacturer Manufacturer Power plug type No plug No plug Material Mopula Country Fingerprint reader Face recognition ✓ Face recognition Face recognition Mandroid Operating system version Android Android Batteries included Waterial Waterproof RAM capacity Adapacity Android Material Android Manufacturer Manufacturer Android Manufacturer Android Manufacturer Manufacturer Manufacturer Manufacturer Manufacturer Aluminium, Glass Samsung No plug Aluminium, Glass Addinnium, Glass Android Aluminium, Glass Android Aluminium, Glass Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Start Guide, Warranty Card	Accelerometer	1	Power cord included	✓
Gyroscope Gyroscope V Orientation sensor Proximity sensor Position location * Country of origin Vietnam Vietnam Manufacturer Power plug type LCD brightness (AC adaptor, bright) Fingerprint reader Password protection Face recognition V Software Platform * Android Operating system version J Android Dustproof Waterjoof Waterproof RAM capacity RAM capacity RAM capacity Android Material Android Material Android Material Android Manufacturer Power plug type LCD brightness (AC adaptor, bright) Android Android Packaging content Screen lock V Android Android Screen lock V Android V Android Screen lock V Android V Android Screen lock V Android	Ambient light sensor	✓	Batteries included	✓
Orientation sensor Orientation sensor Orientation sensor Orientation sensor Proximity sensor Position location * Country of origin Vietnam Material Manufacturer Power plug type No plug Fingerprint reader Password protection Password protection Face recognition Software Platform * Android Android Waterproof RAM capacity Material Aluminium, Glass Aluminium, Glass Aluminium, Glass Colour Fower plug type No plug No plug CDD brightness (AC adaptor, bright) Footal storage capacity Total storage capacity Technical details Technical details Integrated sensors Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Operating system version 13 Screen lock	<u> </u>	✓	Dustproof	✓
Proximity sensor Proximity sensor Position location * Country of origin Vietnam Material Manufacturer Power plug type No plug Fingerprint reader Password protection Face recognition Software Platform * Android Android Android Packaging content Solour Colour Material Manufacturer Samsung No plug No plug 600 cd/m² 128 GB Technical details Technical details Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Operating system version 13 Screen lock ✓ Colour Material Aluminium, Glass Samsung No plug No plug Total storage capacity 128 GB Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card	,	/	Waterproof	✓
Position location * Colour Material Maufacturer Samsung No plug Fingerprint reader Password protection Face recognition Software Platform * Android Android Android Android Material Manufacturer Power plug type LCD brightness (AC adaptor, bright) Colour Material Aluminium, Glass Aluminium, Glass Samsung No plug LCD brightness (AC adaptor, bright) Foot adaptor Foot adaptor, bright) Foot adaptor, bright) Foot adaptor		· •	RAM capacity	8 GB
Country of origin Vietnam Material Manufacturer Samsung No plug Fingerprint reader Password protection Face recognition ✓ Technical details Integrated sensors Packaging content Packaging content Start Guide, Warranty Card Aluminum, Glass Andunicum, Glass Andunicum, Glass Aluminum, Glass Andunicum, Class	•		Colour	
Security Power plug type LCD brightness (AC adaptor, bright) 600 cd/m² Password protection Face recognition Face recognition Face recognition Face recognition Face recognition Android Packaging content Sanisung No plug 600 cd/m² 128 GB Technical details Integrated sensors Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Operating system version 13 Screen lock		Vietnam		
Fingerprint reader Password protection Face recognition Technical details Integrated sensors Packaging content Packaging content Sorten version Total storage capacity Technical details Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Screen lock				=
Password protection Face recognition ✓ Total storage capacity Technical details Integrated sensors Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Operating system version 13 Screen lock ✓	,		. 5 , .	· -
Face recognition Technical details Integrated sensors Platform * Android Android Packaging content Screen lock Face recognition Technical details Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card		✓		
Software Platform * Android Packaging content Start Guide, Warranty Card Operating system version 13 Screen lock Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card	·	✓		
Platform * Android Packaging content Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card Operating system version 13 Screen lock ✓	Face recognition	✓		Annalamanta : O S
Platform * Android Packaging content Start Guide, Warranty Card Operating system version 13 Screen lock ✓	Software		integrated sensors	
Operating system version 13 Screen lock	Platform *	Android	Packaging content	
Operating system installed * Android 13	Operating system version		Screen lock	•
	Operating system installed *	Android 13		

Battery

Battery technology * Lithium-Ion (Li-Ion)
Battery capacity * 10090 mAh

Number of battery cells 2
Battery voltage 10 V
Battery weight 150 g



8806095165127

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.