Lenovo ThinkPad E16 AMD G1 T + 3Y Onsite from 2Y Courier/Carry In PHP (CPN)

Brand: Lenovo Product family: ThinkPad Product code: 21JT0038MH-B1

Product name : E16 AMD G1 T + 3Y Onsite from 2Y Courier/Carry In PHP (CPN)



- Windows 11 Pro

Decian

- AMD Ryzen 5 7530U (16MB Cache, 2GHz)
- 40.6 cm (16") WUXGA 1920 x 1200 IPS
- 8GB (3200MHz) DDR4-SDRAM & 256GB SSD

AMD Ryzen 5 7530U (16MB Cache, 2GHz), 8GB DDR4-SDRAM, 256GB SSD, 40.6 cm (16") WUXGA 1920 x 1200 IPS, AMD Radeon Graphics, LAN, WLAN, Webcam, Windows 11 Pro \pm 3Y Onsite from 2Y Courier/Carry In PHP (CPN)

Lenovo ThinkPad E16 AMD G1 T + 3Y Onsite from 2Y Courier/Carry In PHP (CPN). Product type: Laptop, Form factor: Clamshell. Processor family: AMD Ryzen™ 5, Processor model: 7530U, Processor frequency: 2 GHz. Display diagonal: 40.6 cm (16"), HD type: WUXGA, Display resolution: 1920 x 1200 pixels. Internal memory: 8 GB, Internal memory type: DDR4-SDRAM. Total storage capacity: 256 GB, Storage media: SSD. On-board graphics card model: AMD Radeon Graphics. Operating system installed: Windows 11 Pro. Product colour: Black



Design		Network	
Colour name Product type * Product colour * Form factor * Housing material Display	Graphite Black Laptop Black Clamshell Aluminium	Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Near Field Communication (NFC) WWAN	✓ 100,1000 Mbit/s ✓ 5.1 × Not installed
Display diagonal *	40.6 cm (16")	Ports & interfaces	
Display resolution * Touchscreen * HD type	1920 x 1200 pixels X WUXGA	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C	2
Panel type	IPS	ports quantity *	1
LED backlight	1	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
Native aspect ratio	16:10	Ethernet LAN (RJ-45) ports	1
Anti-glare screen		HDMI ports quantity *	1
Display brightness	300 cd/m²	HDMI version	1.4b
RGB colour space	NTSC	Combo headphone/mic port	✓
Colour gamut Contrast ratio (typical)	45% 800:1	USB Type-C DisplayPort Alternate Mode	/
Processor		USB Sleep-and-Charge	✓
Processor manufacturer *	AMD	USB Sleep-and-Charge ports	1
Processor family *	AMD Ryzen™ 5	Performance	
Processor generation	AMD Ryzen 7000 Series	Motherboard chipset	AMD SoC
Processor model *	7530U	Keyboard	
Processor cores Processor boost frequency	6 4.5 GHz	Pointing device	ThinkPad UltraNav
Processor frequency *	4.5 GHz	Numeric keypad *	✓
Processor cache	16 MB	Keyboard backlit	√
Processor cache type	L3	• • • • • • •	

Notwork

Mamani		Vouhoand	
Memory	0.00	Keyboard	
Internal memory *	8 GB	Spill-resistant keyboard	✓
Internal memory type Memory clock speed	DDR4-SDRAM 3200 MHz	Keyboard language	English
Memory form factor	On-board + SO-DIMM	Software	
Memory slots	1x SO-DIMM 40 GB	Operating system language	Dutch, French, English, Italian, German
Maximum internal memory * Memory channels	Dual-channel	Operating system installed *	Windows 11 Pro
Storage	2 44. 6.14.1115.	Battery	
Total storage capacity * Storage media *	256 GB SSD	Battery technology Battery capacity *	Lithium Polymer (LiPo) 57 Wh
Total SSDs capacity	256 GB	Fast charging	✓
Number of SSDs installed	1	Power	
SSD capacity	256 GB	AC adapter power	65 W
SSD interface	PCI Express 4.0	AC adapter frequency	50/60 Hz
NVMe	V	AC adapter input voltage	100 - 240 V
SSD form factor	M.2	USB Power Delivery (USB PD)	✓
Optical drive type *	X	Security	
Card reader integrated	X	Cable lock slot	✓
Graphics		Cable lock slot type	Kensington
Discrete graphics card model *	Not available	Fingerprint reader	✓
On-board graphics card *	✓	Smart card reader	×
On-board GPU manufacturer	AMD	Windows Hello	✓
Discrete graphics card *	×	Trusted Platform Module (TPM)	✓
On-board graphics card model *	AMD Radeon Graphics	Trusted Platform Module (TPM)	2.0
Audio		version Password protection	✓
Audio chip	Conexant CX11880	Password protection Password protection type	BIOS, Power on, SSD, Supervisor
Audio system	Dolby Atmos		Bios, Fower on, 33D, Supervisor
Number of built-in speakers	2	Operational conditions	
Speaker power	2 W	Operating temperature (T-T)	5 - 35 °C
Built-in microphone Number of microphones	2	Storage temperature (T-T) Operating relative humidity (H-H)	5 - 43 °C 8 - 95%
	2	Storage relative humidity (H-H)	5 - 95%
Camera		Maximum shipping altitude	3048 m
Front camera	✓	Certificates	
Front camera resolution	1920 x 1080 pixels	Compliance certificates	RoHS
Front camera HD type	Full HD	Certification	ErP Lot 6 ErP Lot 26 MIL-STD-810H
Privacy tune	Privacy chystrae		EN ESC S EN ESC ES MIE STB STON
Privacy type	Privacy shutter	Sustainability Sustainability sortificates	TOO ENERGY CTAR FREAT COLD
Network		Sustainability certificates	TCO, ENERGY STAR, EPEAT Gold
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax) 802.11a, 802.11g, Wi-Fi 5	Weight & dimensions Width	356.1 mm
Wi-Fi standards	(802.11ac), 802.11b, Wi-Fi 4	Depth	247.7 mm
Mobile network connection *	(802.11n), Wi-Fi 6 (802.11ax)	Height	19.9 mm
Mobile network connection *	X 2v2	Weight *	1.97 kg
Antenna type	2x2		

