

ernitec

## Ernitec 0070-24219-BNC computer monitor 48.3 cm (19") 1920 x 1080 pixels Full HD LED Black

Brand : Ernitec

Product code: 0070-24219-BNC

Product name : 0070-24219-BNC

- 2 BNC input + 1 BNC output


- EU + UK Power cord included

19" 24/7 Full-HD Surveillance monitor. 1x HDMI, 1x VGA, 2x BNC inputs. 1x BNC output, 2x Speakers  
Ernitec 0070-24219-BNC. Display diagonal: 48.3 cm (19"), Display resolution: 1920 x 1080 pixels, HD  
type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle,  
horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	48.3 cm (19")	BNC input ports	1
Display resolution *	1920 x 1080 pixels	<b>Ergonomics</b>	
HD type *	Full HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LED	<b>Power</b>	
Panel type *	TFT	Energy efficiency class (SDR) *	E
Display brightness (typical)	350 cd/m <sup>2</sup>	Energy efficiency class (HDR) *	Not available
Response time *	5 ms	Energy consumption (SDR) per 1000 hours *	14 kWh
Screen shape *	Flat	Power consumption (standby) *	0.4 W
Contrast ratio (typical) *	10000:1	Power consumption (average)	25 W
Viewing angle, horizontal	178°	Power supply type	External
Viewing angle, vertical	178°	<b>Packaging data</b>	
Display number of colours *	16.7 million colours	Package width	420 mm
Pixel pitch	0.248 x 0.248 mm	Package depth	110 mm
Viewable size, horizontal	47.7 cm	Package height	550 mm
Viewable size, vertical	26.8 cm	Package weight	3.5 kg
Display diagonal (metric)	48 cm	<b>Packaging content</b>	
<b>Multimedia</b>		Stand included	✓
Number of speakers	2	Cables included	Power
RMS rated power	6 W	Screws included	✓
Built-in speaker(s) *	✓	Quick start guide	✓
Built-in camera *	✗	<b>Other features</b>	
<b>Design</b>		Picture enhancement	DNiE digital image processing
Market positioning *	Industrial	Speakers	2 x 3W Stereo
Product colour *	Black	Comb filter	3D

Ports & interfaces		Other features	
USB Type-A downstream ports quantity	1	Weight	2.5 kg
VGA (D-Sub) ports quantity	1	Height	580 mm
HDMI *	✓	Width	310 mm
HDMI ports quantity	1	Depth	48 mm
HDMI version	2.0	Mean time between failures (MTBF)	50000 h
Audio input	✓		
Audio output	✓		



5715063176009

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.