



Lindy 4K30 HDMI and USB over IP System - Controller

Brand : Lindy

Product code: 38395

Product name : 4K30 HDMI and USB over IP System - Controller

- Controller module for the Lindy 4K30 HDMI and USB over IP System
- Allows a wide variety of custom AV and KVM distribution systems to be implemented
- Supports 4K30 HDMI, audio, RS-232, IR remote, LAN, KVM and 3rd party control systems
- Built-in Web GUI browser interface supporting drag and drop operations and image preview
- 2 year warranty

4K30 HDMI and USB over IP System - Controller

Lindy 4K30 HDMI and USB over IP System - Controller. Type: AV repeater, Maximum resolution: 3840 x 2160 pixels, Cable types supported: Cat6. Connectivity technology: Wired, Serial interface type: RS-232. Power source type: DC, Operating voltage: 12 V, Output current: 1 A. Width: 204 mm, Depth: 98.5 mm, Height: 21.5 mm. Quantity per pack: 1 pc(s), Package width: 255 mm, Package depth: 157 mm



Features		Operational conditions	
Type *	AV repeater	Operating relative humidity (H-H)	20 - 90%
Maximum resolution *	3840 x 2160 pixels	Storage relative humidity (H-H)	20 - 90%
Cable types supported	Cat6	Weight & dimensions	
Maximum transfer distance	100 m	Width	204 mm
Maximum refresh rate	30 Hz	Depth	98.5 mm
Supported network protocols	IP	Height	21.5 mm
Infrared (IR) frequency range	20 - 60 kHz	Weight	740 g
Product colour	Black	Packaging data	
Ports & interfaces		Quantity per pack	1 pc(s)
Connectivity technology *	Wired	Package width	255 mm
Ethernet LAN	✓	Package depth	157 mm
RJ-45 input ports	1	Package height	77 mm
RJ-45 output ports	1	Package weight	950 g
Serial ports quantity	1	Package type	Box
Serial interface type	RS-232	Packaging content	
DC-in jack	✓	AC adapter included	✓
Power		Cables included	IR
Power source type	DC	Included power plug types	AU, EU, UK, US
Operating voltage	12 V	Manual	✓
Output current	1 A	Mounting kit	✓
Power over Ethernet (PoE)	✓	Technical details	
Operational conditions		Sustainability compliance	✓
Operating temperature (T-T)	0 - 40 °C	Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA
Storage temperature (T-T)	-20 - 60 °C		



4002888383950

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.