



## Lindy 150m Cat.6 4x4 HDMI 4K60 HDBaseT Matrix Extender

**Brand :** Lindy

**Product code:** 38345

**Product name :** 150m Cat.6 4x4 HDMI 4K60 HDBaseT Matrix Extender



- HDBaseT Matrix Extender that extends and distributes HDMI, IR and RS-232 signals to 4 displays at distances of up to 150m
- Supports resolutions up to 4K60Hz with HDR
- Features loop-through HDMI outputs for local monitoring
- Supports power over Cable (PoC), EDID management, downscaler and Audio de-embedding functions
- 2 year warranty

### 150m Cat.6 4x4 HDMI 4K60 HDBaseT Matrix Extender

Lindy 150m Cat.6 4x4 HDMI 4K60 HDBaseT Matrix Extender. Type: AV transmitter & receiver, Maximum resolution: 3840 x 2160 pixels, Cable types supported: Cat6. Connectivity technology: Wired. Power source type: AC, AC input voltage: 100 - 240 V, AC input frequency: 50/60 Hz. Width: 440 mm, Depth: 200 mm, Height: 45 mm. Package width: 510 mm, Package depth: 401 mm, Package height: 98 mm



### Features

Type *	AV transmitter & receiver
Maximum resolution *	3840 x 2160 pixels
Cable types supported	Cat6
Maximum transfer distance	150 m
High Dynamic Range (HDR) supported	✓
EDID management	✓
HDCP pass-through	✓
Infrared (IR) frequency range	20 - 60 kHz
Supported video modes	1080p
Bandwidth	18 Gbit/s
Audio formats supported	LPCM
On/off switch	✓
HDCP	✓
Material	Metal
Signal-to-Noise Ratio (SNR)	90 dB
HDCP version	2.2
Product colour	Black
Certification	California Proposition 65

### Ports & interfaces

Connectivity technology *	Wired
RJ-45 output ports	4
HDBaseT port	✓
HDMI in	4
Number of HDMI outputs	5
HDMI version	2.0
RS-232 input ports	2
Digital audio coaxial out	4

### Power

Power source type	AC
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power requirements	60 W

### Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 90%

### Weight & dimensions

Width	440 mm
Depth	200 mm
Height	45 mm
Weight	5.31 kg
Receiver dimensions (WxDxH)	140 x 65 x 18 mm

### Packaging data

Package width	510 mm
Package depth	401 mm
Package height	98 mm
Package weight	6.33 kg
Package type	Box

### Packaging content

Manual	✓
--------	---

Ports & interfaces		Packaging content
Audio (L/R) out	4	4x4 HDBaseT Extender Matrix - Transmitter 4 x HDBaseT Receivers
3.5 mm (1/8-inch) in	✓	5 x IR Emitter Cable, 1.5m 5 x IR
3.5 mm (1/8-inch) out	✓	Receiver Cable, 1.5m 10 x Mounting
Audio RCA outputs	4	Ears & Screws 4 x 3-Pin Terminal Block 4 x 5-Pin Terminal Block
		RS-232 Male to Female cable, 1.5m
		4 x mains cables (EU, UK, US & AUS), 1.5m Lindy Manual
Technical details		
Sustainability compliance		✓
Warranty period		2 year(s)
Compliance certificates		CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA



4002888383455

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.