

**Ernitec 0070-08300 security camera Covert IP security camera Indoor & outdoor 4000 x 3000 pixels**



**Brand :** Ernitec

**Product code:** 0070-08300

**Product name :** 0070-08300

- 1/1.7" progressive scan CMOS
  - 4000x3000 @ 25fps (12MP)
  - 1.8 mm Fixed Iris Focal Length. Angle of View 180° x 180°
  - Smart IR distance up to 15 m
  - Multi dewarping modes and front end image correction
  - Support human and vehicle detection, DWDR, 3D DNR, ROI, Defog, HLC
  - 1/1 audio in/out, 1/1 alarm in/out. Built-in microphone
  - Power Supply DC12V / POE (IEEE 802.3af)
  - IK10, IP66
  - 5 Year Warranty
- Saturn Pro 12MP Fisheye Camera with 1.8mm Lens & IR 15m, PoE, IP66, IK10 - NDAA

[Ernitec 0070-08300 security camera Covert IP security camera Indoor & outdoor 4000 x 3000 pixels:](#)

Saturn-PX-5112IR

Ernitec 0070-08300. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired. Product colour: White, Form factor: Covert, Protection features: Vandal proof. Minimum illumination: 0.01 lx, Field of view (FOV) angle: 360°, Camera shutter type: Electronic. Sensor type: CMOS, Optical sensor size: 25.4 / 1.7 mm (1 / 1.7"). Fixed focal length: 1.8 mm

Performance		Network	
Type *	IP security camera	Ethernet LAN *	✓
Placement supported *	Indoor & outdoor	Ethernet interface type	Gigabit Ethernet
Connectivity technology *	Wired	Wi-Fi *	✗
Wide Dynamic Range (WDR)	✓	Bluetooth *	✗
Day/night mode	✓	Cabling technology	10/100/1000Base-T(X)
Infrared (IR) cut-off filter	✓	Quality of Service (QoS) support	✓
Design		Works with Apple HomeKit	✗
Form factor *	Covert	Works with the Google Assistant	✗
Product colour *	White	Storage	
Protection features	Vandal proof	Built-in HDD *	✗
International Protection (IP) code	IP66	Built-in SSD	✗
IK code	IK10	Ports & interfaces	
Weatherproof	✓	Ethernet LAN (RJ-45) ports	1
Camera		Microphone in	✓
Camera pan control	✗	Security	
Minimum illumination	0.01 lx	Password protection	✓
Field of view (FOV) angle	360°	Password protection type	User
Camera shutter type	Electronic	Video motion detection	✓
Camera shutter speed	1/5 to 1/20,000s	Active tampering alarm	✓
Image sensor		Privacy protection	✓
Optical sensor size	25.4 / 1.7 mm (1 / 1.7")	Heartbeat	✓
Progressive scan	✓	Management features	
Sensor type *	CMOS	Web-based management	✓
Lens system		Reset button	✓
Fixed focal length	1.8 mm	Power	
Night vision		Power source type *	PoE
Night vision *	✓	Power consumption (max)	9 W
Night vision distance	15 m		
LED type	IR		

<b>Night vision</b>		<b>Power</b>	
Infra-red wavelength	850 nm	Power consumption (Power over Ethernet (PoE))	9 W
<b>Video</b>		<b>Operational conditions</b>	
Maximum resolution *	4000 x 3000 pixels	Operating temperature (T-T)	-30 - 60 °C
Total megapixels *	12 MP	Operating relative humidity (H-H)	10 - 90%
Megapixels per lens	12 MP	<b>Weight &amp; dimensions</b>	
Video compression formats	H.264	Width	130 mm
Frame rate	25 fps	Depth	130 mm
Video streaming	✓	Height	38 mm
Noise reduction	✓	Weight	500 g
Noise reduction technology	3D noise reduction	<b>Packaging data</b>	
3D NR (Noise Reduction)	✓	Package width	200 mm
Full HD	✓	Package depth	200 mm
Image quality adjustment	Brightness	Package height	90 mm
Privacy masking	✓	Package weight	1 kg
Smart IR	✓	<b>Packaging content</b>	
<b>Audio</b>		Number of cameras *	1
Built-in speaker(s)	✓	Quick installation guide	✓
Built-in microphone	✓		



5715063288658

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.