



HP Color LaserJet Pro MFP 3302sdw

Brand : HP

Product family: Color LaserJet Pro Product code: 499Q6F#B19

Product name : Color LaserJet Pro MFP 3302sdw

Color LaserJet Pro MFP 3302sdw

[HP Color LaserJet Pro MFP 3302sdw:](#)



Reliable, high-quality colour printing, scanning, and copying. Designed for business work teams that need professional performance with fast, high-quality two-sided colour printing with scanning and copying, plus award-winning reliability in a compact design.^[11]

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Printing		Performance	
Duplex printing mode	Auto	Sound pressure level (scanning)	41 dB
Print resolution colour	600 x 600 DPI	Sound power level (printing)	6.3 dB
Print resolution black	600 x 600 DPI	Design	
Print technology *	Laser	Product colour *	Blue, Grey
Printing *	Colour printing	Market positioning *	Business
Duplex printing *	✓	Built-in display *	✓
Maximum resolution *	600 x 600 DPI	Display	TFT
Print speed (black, normal quality, A4/US Letter) *	25 ppm	Display diagonal	10.9 cm (4.3")
Print speed (colour, normal quality, A4/US Letter)	25 ppm	Control type	Touch
Warm-up time	55 s	Colour display	✓
Time to first page (black, normal)	10.9 s	Power	
Time to first page (colour, normal)	11 s	Power consumption (PowerSave)	0.05 W
Copying		Power consumption (printing)	416 W
Duplex copying *	✓	Power consumption (ready)	7.6 W
Copying *	Colour copying	Power consumption (sleep)	0.95 W
Maximum copy resolution *	600 x 600 DPI	Power consumption (off)	0.05 W
Copy speed (black, normal quality, A4)	25 cpm	Energy Star Typical Electricity Consumption (TEC)	0.338 kWh/week
Copy speed (colour, normal quality, A4)	25 cpm	AC input voltage	110 - 240 V
Time to first copy (black, normal)	9.7 s	Brand-specific features	
Time to first copy (colour, normal)	13.9 s	HP Auto-On/Auto-Off	✓
Maximum number of copies	999 copies	HP Dynamic security	✓
Copier resize	25 - 400%	HP Security tools	Unique Admin Password; Enable/Disable USB; EWS Session Time Out; Control Panel Inactivity Timeout; Role Based Access Control; WebScan Disabled by default.
Auto fit function	✓	HP GTIN (EAN/UPC) with options	(ABT) 196786388446; (ABY) 196786388477; (B19) 196786388484; (BAZ) 196786388491
Scanning		HP GTIN (EAN/UPC)	196786388446, 196786388477, 196786388484, 196786388491
Duplex scanning *	✗	System requirements	
Scanning *	Colour scanning	Windows operating systems supported	Windows 10, Windows 11
Optical scanning resolution *	1200 x 1200 DPI		
Optical scanning resolution (black)	1200 x 1200 ppi		
Optical scanning resolution (colour)	1200 x 1200 ppi		
Optical scanning resolution (ADF)	300 x 300 DPI		
Maximum scan area	216 x 297 mm		
Scanner type *	Flatbed & ADF scanner		
Scan technology	CIS		

Scanning		System requirements	
Scan to	E-mail, Network folder, PC, USB	Mac operating systems supported	Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Scan speed (colour)	8 ppm	Other operating systems supported	Android, iOS
Scan speed (black)	19 ppm	Operational conditions	
Image formats supported	JPG, TIFF	Operating relative humidity (H-H)	10 - 80%
Document formats supported	PDF	Recommended humidity operating range	30 - 70%
Input colour depth	24 bit	Recommended operating temperature range (T-T)	15 - 27 °C
Greyscale levels	256	Storage temperature (T-T)	-20 - 60 °C
Scan drivers	TWAIN	Operating temperature (T-T)	15 - 30 °C
Features		Certificates	
Recommended duty cycle	150 - 2500 pages per month	Certification	EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other EMC approvals as required by individual countries.
Maximum duty cycle *	40000 pages per month		
Duplex functions *	Print, Copy	Sustainability	
Digital sender	✓	Sustainability compliance	✓
Number of print cartridges *	4	Sustainability certificates	Blue Angel
Printing colours *	Black, Cyan, Magenta, Yellow	Sustainable technologies and materials	Contains post-consumer recycled plastic
Page description languages	PDF, JPEG, PCLm, PWG, URF, PCL 5, PCL 6	Carbon footprint	
Printer fonts	Scalable, TrueType	Total carbon footprint (kg of CO2e)	260
All-In-One-multitasking	✓	Carbon emissions, manufacturing (kg of CO2e)	177
Country of origin	Vietnam	Carbon emissions, logistics (kg of CO2e)	20
Replacement cartridges	HP 219A Black Original LaserJet Toner Cartridge (~1,300 pages) W2190A; HP 219A Cyan Original LaserJet Toner Cartridge (~1,200 pages) W2191A; HP 219A Yellow Original LaserJet Toner Cartridge (~1,200 pages) W2192A; HP 219A Magenta Original LaserJet Toner Cartridge (~1,200 pages) W2193A; HP 219X High Yield Black Original LaserJet Toner Cartridge (~3,200 pages) W2190X; HP 219X High Yield Cyan Original LaserJet Toner Cartridge (~2,500 pages) W2191X; HP 219X High Yield Yellow Original LaserJet Toner Cartridge (~2,500 pages) W2192X; HP 219X High Yield Magenta Original LaserJet Toner Cartridge (~2,500 pages) W2193X	Carbon emissions, end-of-life (kg of CO2e)	33
	HP segment	Small medium business	Total carbon emissions, w/o use phase (kg of CO2e)
Input & output capacity		Weight & dimensions	
Total number of input trays *	2	Width	418 mm
Total input capacity *	251 sheets	Depth	419.1 mm
Total output capacity *	100 sheets	Height	341.3 mm
Paper tray 1 input capacity	250 sheets	Weight	17.1 kg
Paper tray 2 input capacity	250 sheets	Packaging data	
Multi-Purpose tray	✓	Package width	497 mm
Auto document feeder (ADF)	✓	Package depth	398 mm
Auto document feeder (ADF) input capacity	50 sheets	Package height	532 mm
Maximum number of input trays	2	Package weight	20.6 kg
Maximum input capacity	251 sheets	Packaging content	
Maximum output capacity	100 sheets	Cartridge(s) included	✓
Paper handling		Included cartridge capacity (black)	600 pages
Maximum ISO A-series paper size *	A4	Included cartridge capacity (CMY)	500 pages
Maximum print size	216 x 355.6 mm	Cables included	AC
Paper tray media types *	Plain paper, Glossy paper, Bond paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Heavy paper, Lightweight paper, Rough paper, Letterhead	Manual	✓
	ISO A-series sizes (A0...A9) *	User guide	✓
ISO B-series sizes (B0...B9)	B5, B6	Bundled software	HP Printer Software downloadable from www.hp.com/hp-app
ISO C-series sizes (C0...C9)	C5	Logistics data	
		Harmonized System (HS) code	8443310000
		Pallet gross weight	495.4 kg
		Layers per pallet	4 pc(s)

Paper handling		Logistics data	
Non-ISO print media sizes	Oficio, 16K	Products per pallet	24 pc(s)
JIS B-series sizes (B0...B9)	B5, B6	Technical details	
Envelopes sizes	B5, C5, DL	Box contents	HP Color LaserJet Pro MFP 3302sdw; Power cord; Toner cartridge; User Guide; Flyers
Photo paper sizes	10x15 cm	Master (outer) cases per pallet layer	6 pc(s)
Custom media width	76 - 216 mm	Compliance certificates	GS mark, CCC, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI
Custom media length	127 - 356 mm	General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/details/hp-color-laserjet-pro-mfp-3301-3304-3388-printer-series/model/2101440359?sku=49906F : https://kaas.hpcloud.hp.com/pdf-public/pdf_7579882_en-US-1.pdf ; https://kaas.hpcloud.hp.com/pdf-public/pdf_7579882_en-US-1.pdf
Paper tray media weight	60 - 176 g/m ²	Other features	
Ports & interfaces		Number of users	10 user(s)
Direct printing *	✓	Custom media sizes	76 x 127 mm to 216 x 356 mm
USB port	✓	Pallet dimensions (W x D x H)	1200 x 1000 x 2129 mm
USB 2.0 ports quantity	2	Power supply type	Internal (Built-in) power supply
Network		Recommended system requirements	Microsoft Windows 11; 10; 32-bit or 64-bit; 2 GB available hard disk space; Internet connection. Apple macOS 12.0 Monterey; macOS 13.0 Ventura; macOS v14 Sonoma; 2GB HD; Internet required.
Wi-Fi *	✓	Compatible operating systems	Windows 11; Windows 10; Android; iOS; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Linux
Ethernet LAN *	✓	Pallet dimensions (W x D x H) (imperial)	1199.9 x 1000 x 2129 mm (47.2 x 39.4 x 83.8")
Cabling technology	10/100Base-T(X)	Pallet weight (imperial)	495.4 kg (1092.2 lbs)
Ethernet LAN data rates	10,100,1000 Mbit/s	Acoustic power emissions (ready)	23 dB
Wi-Fi standards	Wi-Fi 5 (802.11ac)	Acoustic pressure emissions bystander (ready)	16 dB
Wi-Fi Direct	✓	Typical electricity consumption (TEC) number	0.338 kWh/week (Energy Star)
Mobile printing technologies	Mopria Print Service, Apple AirPrint	UNSPSC-code	43212110
Performance		Processor frequency	1.2 GHz
Maximum internal memory	512 MB	Manufacturer warranty	One-year limited warranty. For more information please visit us at https://www.support.hp.com [14].
Internal memory *	512 MB	Electromagnetic compatibility	EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other EMC approvals as required by individual countries.
Built-in processor	✓		
Processor frequency	1200 MHz		
Sound pressure level (printing)	51 dB		



0196786388484



196786388484

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.