

**ernitec**

## Ernitec 0070-24143-L surveillance monitor 109.2 cm (43") 1920 x 1080 pixels



**Brand :** Ernitec

**Product code:** 0070-24143-L

**Product name :** 0070-24143-L

43" 24/7 Full-HD surveillance monitor. 1x HDMI 2.0, 1x VGA, 2x BNC Input, 1x BNC Output, Speaker 2x3W

[Ernitec 0070-24143-L surveillance monitor 109.2 cm \(43"\) 1920 x 1080 pixels:](#)

Screen Size: 43 inches  
Active Display Area: 941.184mm (W) × 529.146mm (H)  
Display Mode: 16:9  
LED Type: TFT-LED  
Resolution: 1920 × 1080  
Display Color: 1.073 billion  
Pixel Pitch: 0.294mm (H) × 0.294mm (V)  
Brightness: 350 nits  
Contrast Ratio: 1000:1  
Viewing Angle: 178° (H) / 178° (V)  
Response Time: 5ms  
Backlight: LED  
Input & Output: 1 x HDMI 2.0: 1 x VGA: 2 x BNC Input: 1 x BNC Output: Speaker: 2x3W (Stereo)  
VideoColor System: PAL/NTSC/SECAMSD Control: Auto adjust, Brightness, Contrast, Horizontal/Vertical Position, Clock, Phase, Color, Language3D Comb Filter: YesVideo Noise Reduction: Yes  
Power & Mounting: Power Supply: AC 100V~240V, 50/60Hz  
Working Temperature: -30 to +85°CPower Consumption: 40W  
Menu Languages: English (other languages supported)Mounting Options: Stand mount, VESA mount  
MTBF: 50,000 hours  
Included Accessories:  
Industrial PSU  
Screws  
Cable holder  
Quick start guide

Design		Ports & interfaces	
Product colour *	Black	HDMI version	2.0
Certification	EMC Class A	VGA (D-Sub) ports quantity	1
Display		Power	
Display diagonal *	109.2 cm (43")	Power consumption (typical)	40 W
Display resolution *	1920 x 1080 pixels	AC input voltage	100-240 V
Display brightness	350 cd/m <sup>2</sup>	AC input frequency	50/60 Hz
Viewing angle, horizontal	178°	Operational conditions	
Viewing angle, vertical	178°	Operating temperature (T-T)	-30 - 85 °C
Display number of colours	1.073 billion colours	Weight & dimensions	
Pixel pitch	0.294 x 0.294 mm	Weight	7 kg
Contrast ratio (typical)	1000:1	Height	564 mm
Response time	5 ms	Depth	82 mm
Performance		Width	958 mm
Analog signal format system	PAL	Package width	1085 mm
VESA mounting	✓	Package depth	152 mm
Panel mounting interface	200 x 100 mm	Package height	638 mm
On Screen Display (OSD) languages	English	Package weight	9 kg
Ports & interfaces		Packaging content	
HDMI ports quantity	1	Cables included	HDMI
		Quick start guide	✓



5715063163306

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.