ernitec

Ernitec 0070-24132-PVMIP computer monitor 81.3 cm (32") 1920 x 1080 pixels Full HD LED Black

Brand : Ernitec

Product code: 0070-24132-PVMIP

Product name : 0070-24132-PVMIP

- Industrial level DID LCD panel, suitable for extensive 7×24 continuous works
- Physical resolution of 1920×1080
- 5ms fast response time, no image ghosting
- Adapt newest 3D digital filtering and 3D digital noise reduction technology
- Built in 1080p HD IP camera
- High fidelity digital processing, brilliant and vivid video
- 120dB true WDR to provide balanced images, ensuring highly detailed images are seen
32" PVM 24/7 Full-HD monitor. Built-In IP 2MP camera NDAA - PSU/POE
Ernitec 0070-24132-PVMIP. Display diagonal: 81.3 cm (32"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black

Display

Display diagonal *	81.3 cm (32")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	TFT
Touchscreen *	✗
Display brightness (typical)	350 cd/m²
Response time *	5 ms
Screen shape *	Flat
Supported video modes	1080p
Contrast ratio (typical) *	1300:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°

Performance

NVIDIA G-SYNC *	✗
AMD FreeSync *	✗
Operating hours (hours/days)	24/7

Multimedia

Number of speakers	2
RMS rated power	6 W
Built-in speaker(s) *	✔
Megapixel (approx.)	2 MP
Built-in camera *	✔

Design

Market positioning *	Industrial
Product colour *	Black

Network

Ethernet LAN	✔

Ergonomics

VESA mounting *	✔
Panel mounting interface	200 x 200 mm
Cable lock slot *	✗
Height adjustment *	✗
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	English

Power

Energy efficiency class (SDR) *	E
Energy consumption (SDR) per 1000 hours *	25 kWh
Power consumption (average)	40 W
Energy efficiency scale	A to G

Packaging data

Package width	780 mm
Package depth	220 mm
Package height	540 mm
Package weight	24 kg
Package type	Box
Mounting brackets included	✔

Packaging content

Screws included	✔
Quick start guide	✔

Other features

Picture enhancement	DNIe digital image processing

Ports & interfaces

USB 2.0 Type-A ports quantity	1
Built-in USB hub *	✘
VGA (D-Sub) ports quantity	1
HDMI *	✔
HDMI ports quantity	2
HDMI version	2.0
Headphone out *	✘

Other features

Comb filter	3D
Noise filter	✔
USB ports quantity	1
Weight	22 kg
Height	460 mm
Width	730 mm
Depth	100 mm
Warranty period	5 year(s)
Mean time between failures (MTBF)	50000 h

5715063361863

Catalog Object Cloud