



## DELL Pro Plus P2725HE computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

**Brand :** DELL

**Product family:** Pro Plus

**Product code:** DELL-P2725HE

**Product name :** P2725HE

- 68.6cm (27") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 300cd/m<sup>2</sup>, 1500:1
- USB, HDMI, DisplayPort
- 68.6cm (27") Full HD 1920 x 1080 LED IPS, 16:9, 300cd/m<sup>2</sup>, 16.7M, 8ms, 178°/178°, 1500:1

DELL Pro Plus P2725HE computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black:

Connect to productivity. Certified by TÜV for 4-star eye comfort, this 27-inch FHD hub monitor offers enhanced visual comfort and offers up to 90W of power delivery.

DELL Pro Plus P2725HE. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black




Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100 mm
HD type *	Full HD	Cable management	✓
Native aspect ratio *	16:9	Cable lock slot *	✓
Display technology *	LCD	Cable lock slot type	Kensington
Panel type *	IPS	Height adjustment *	✓
LED backlight	✓	Adjustable height (max)	15 cm
Backlight type	LED	Pivot	✓
Touchscreen *	✗	Pivot angle	-90 - 90°
Display brightness (typical)	300 cd/m <sup>2</sup>	Swivelling	✓
Response time *	8 ms	Swivel angle range	-45 - 45°
Anti-glare screen	✓	Tilt adjustment	✓
Screen shape *	Flat	Tilt angle range	-5 - 21°
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	On Screen Display (OSD)	✓
Supported video modes	480p, 576p, 720p, 1080p	Plug and Play	✓
Contrast ratio (typical) *	1500:1	LED indicators	✓
Maximum refresh rate *	100 Hz	<b>Power</b>	
Viewing angle, horizontal	178°	Power consumption (typical) *	16.2 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.4 W
Display number of colours *	16.7 million colours	Power consumption (max)	180 W
Response time (fast)	5 ms	Power consumption (off)	0.3 W
Pixel pitch	0.3114 x 0.3114 mm	AC input voltage	100 - 240 V
Pixel density	81.57 ppi	AC input frequency	50/60 Hz
Horizontal scan range	30 - 110 kHz	Input current	2 A
Vertical scan range	48 - 100 Hz	<b>Operational conditions</b>	
Viewable size, horizontal	59.8 cm	Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C

<b>Display</b>		<b>Operational conditions</b>	
Viewable size, vertical	33.6 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size diagonal	68.6 cm	Storage relative humidity (H-H)	5 - 90%
Surface hardness	3H	Operating altitude	0 - 5000 m
sRGB coverage (typical)	99%	Non-operating altitude	0 - 12192 m
Dell ComfortView technology	✓	<b>Weight &amp; dimensions</b>	
<b>Performance</b>		Width (with stand)	610.7 mm
NVIDIA G-SYNC *	✗	Depth (with stand)	192.3 mm
AMD FreeSync *	✗	Height (with stand)	384.6 mm
Flicker-free technology	✓	Weight (with stand)	6.01 kg
Low Blue Light technology	✓	Width (without stand)	610.7 mm
Windows operating systems supported	Windows 10, Yes	Depth (without stand)	50 mm
Mac operating systems supported	MacOS	Height (without stand)	354.7 mm
<b>Multimedia</b>		Weight (without stand)	4.36 kg
Built-in speaker(s) *	✗	Bezel width (side)	6.4 mm
Built-in camera *	✗	Bezel width (top)	6.4 mm
<b>Design</b>		Bezel width (bottom)	1.2 cm
Product colour *	Black	<b>Packaging data</b>	
Front bezel colour	Black	Package weight	8.67 kg
Feet colour	Grey	<b>Packaging content</b>	
<b>Ports &amp; interfaces</b>		Stand included	✓
Built-in USB hub *	✓	<b>Sustainability</b>	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability compliance	✓
Number of USB Type-C upstream ports quantity	1	Sustainability certificates	ENERGY STAR, TCO
USB Type-A downstream ports quantity	3	Doesn't contain	Arsenic, Mercury, PVC/BFR
USB Type-C downstream ports quantity	1	<b>Carbon footprint</b>	
USB Type-C DisplayPort Alternate Mode	✓	Total carbon footprint (kg of CO2e)	207
USB Power Delivery (USB PD)	✓	Carbon emissions, manufacturing (kg of CO2e)	102.051
USB Power Delivery up to	90 W	Carbon emissions, logistics (kg of CO2e)	16.353
HDMI *	✓	Carbon emissions, energy usage (kg of CO2e)	79.902
HDMI ports quantity	1	Carbon emissions, end-of-life (kg of CO2e)	8.694
HDMI version	1.4	PAIA version	GaBi version 1, 2024
DisplayPorts quantity	2	<b>Other features</b>	
DisplayPort version	1.4	RJ-45 ports quantity	1
Headphone out *	✗	Compliance certificates	RoHS, TÜV mark
HDCP	✓	<b>Brand-specific features</b>	
HDCP version	1.4	Dell Display Manager (DDM) compatibility	✓
AC (power) in	✓		



5397184821763



0884116468769



884116468769

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.