

Display		Operational conditions	
Viewable size, vertical	29.6 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size diagonal	60.5 cm	Storage relative humidity (H-H)	5 - 90%
Surface hardness	3H	Operating altitude	0 - 5000 m
sRGB coverage (typical)	99%	Non-operating altitude	0 - 12192 m
Dell ComfortView technology	✓	Weight & dimensions	
Performance		Width (without stand)	538.6 mm
NVIDIA G-SYNC *	✗	Depth (without stand)	50 mm
AMD FreeSync *	✗	Height (without stand)	314.2 mm
Flicker-free technology	✓	Weight (without stand)	3.69 kg
Low Blue Light technology	✓	Bezel width (side)	5.8 mm
Windows operating systems supported	Windows 10, Yes	Bezel width (top)	5.8 mm
Mac operating systems supported	MacOS	Bezel width (bottom)	1.2 cm
Multimedia		Packaging data	
Built-in speaker(s) *	✗	Package weight	5.8 kg
Built-in camera *	✗	USB cable length	1 m
Design		Packaging content	
Product colour *	Black	Stand included	✗
Front bezel colour	Black	Cables included	DisplayPort, USB Type-C
Ports & interfaces		Quick start guide	✓
Built-in USB hub *	✓	DisplayPort cable length	1.8 m
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability	
Number of USB Type-C upstream ports quantity	1	Sustainability compliance	✓
USB Type-A downstream ports quantity	3	Sustainability certificates	TCO, ENERGY STAR
USB Type-C downstream ports quantity	1	Doesn't contain	Arsenic, Mercury, PVC/BFR
USB Type-C DisplayPort Alternate Mode	✓	Carbon footprint	
USB Power Delivery (USB PD)	✓	Total carbon footprint (kg of CO2e)	159
USB Power Delivery up to	90 W	Carbon emissions, manufacturing (kg of CO2e)	75.684
HDMI *	✓	Carbon emissions, logistics (kg of CO2e)	10.812
HDMI ports quantity	1	Carbon emissions, energy usage (kg of CO2e)	68.37
HDMI version	1.4	Carbon emissions, end-of-life (kg of CO2e)	4.134
DisplayPorts quantity	2	PAIA version	GaBi version 1, 2024
DisplayPort version	1.4	Other features	
Headphone out *	✗	RJ-45 ports quantity	1
HDCP	✓	Compliance certificates	TÜV mark, RoHS
HDCP version	1.4	Brand-specific features	
AC (power) in	✓	Dell Display Manager (DDM) compatibility	✓
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		



5397184821732

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.