



LG 32UN880K-B.AEK

Brand : LG

Product code: 32UN880K-B.AEK

Product name : 32UN880K-B.AEK

- 31.5" UHD 4K (3840x2160) IPS
- DCI-P3 95% (Typ.) with HDR10
- Ergonomic stand with C-clamp
- Extend, Retract, Swivel, Pivot, Height, Tilt
- USB-C (60W Power delivery)


31.5" UHD 4K Ergo IPS Monitor with USB-C

LG 32UN880K-B.AEK. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



| Display | | Ports & interfaces | |
|-------------------------------------|---|---|--------------|
| Display diagonal * | 80 cm (31.5") | DisplayPorts quantity | 1 |
| Display resolution * | 3840 x 2160 pixels | DisplayPort version | 1.4 |
| HD type * | 4K Ultra HD | Headphone out * | ✓ |
| Native aspect ratio * | 16:9 | Ergonomics | |
| Display technology * | LCD | VESA mounting * | ✓ |
| Panel type * | IPS | Panel mounting interface | 100 x 100 mm |
| Touchscreen * | ✗ | Height adjustment * | ✓ |
| Display brightness (typical) | 350 cd/m ² | Adjustable height (max) | 13 cm |
| Response time * | 5 ms | Pivot | ✓ |
| Response time measurement type | GTG (Gray to Gray) | Pivot angle | 0 - 90° |
| Screen shape * | Flat | Swivelling | ✓ |
| Contrast ratio (typical) * | 1000:1 | Swivel angle range | -280 - 280° |
| Maximum refresh rate * | 60 Hz | Tilt adjustment | ✓ |
| Viewing angle, horizontal | 178° | Tilt angle range | -25 - 25° |
| Viewing angle, vertical | 178° | Power | |
| Display number of colours * | 1.07 billion colours | Energy efficiency class (SDR) * | G |
| Response time (fast) | 5 ms | Energy efficiency class (HDR) * | G |
| Pixel pitch | 0.18159 x 0.18159 mm | Energy consumption (SDR) per 1000 hours * | 33 kWh |
| Display diagonal (metric) | 80 cm | Energy consumption (HDR) per 1000 hours * | 56 kWh |
| High Dynamic Range (HDR) supported | ✓ | Power consumption (typical) * | 210 W |
| High Dynamic Range (HDR) technology | HDR Effect, High Dynamic Range 10 (HDR10) | Power consumption (standby) * | 0.5 W |
| Colour depth | 10 bit | Power consumption (off) | 0.3 W |
| Colour gamut standard | DCI-P3 | AC input voltage | 100 - 240 V |
| DCI-P3 coverage | 95% | AC input frequency | 50/60 Hz |
| Performance | | AC adapter output voltage | 19.5 V |
| Flicker-free technology | ✓ | Power supply type | External |
| Multimedia | | Energy efficiency scale | A to G |
| Number of speakers | 2 | | |
| RMS rated power | 10 W | | |

| Multimedia | | Weight & dimensions | |
|---------------------------------------|-----------------------|-----------------------------|-------------------------------------|
| Built-in speaker(s) * | ✓ | Width (with stand) | 714.3 mm |
| Built-in camera * | ✗ | Depth (with stand) | 406.8 mm |
| Design | | Height (with stand) | 641.1 mm |
| Product colour * | Black | Weight (with stand) | 10.3 kg |
| Ports & interfaces | | Width (without stand) | 714.3 mm |
| Built-in USB hub * | ✓ | Depth (without stand) | 45.7 mm |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Height (without stand) | 420.1 mm |
| USB upstream port type | USB Type-C | Weight (without stand) | 6.5 kg |
| USB Type-A downstream ports quantity | 2 | Packaging data | |
| USB Type-C downstream ports quantity | 1 | Package width | 821 mm |
| USB Type-C DisplayPort Alternate Mode | ✓ | Package depth | 247 mm |
| USB Power Delivery (USB PD) | ✓ | Package height | 507 mm |
| USB Power Delivery up to | 60 W | Package weight | 14.6 kg |
| HDMI * | ✓ | Packaging content | |
| HDMI ports quantity | 2 | Cables included | AC, HDMI, USB Type-C |
| | | HDMI cable length | 1.8 m |
| | | Other features | |
| | | Brand specific technologies | Black Stabiliser, Super+ Resolution |
| | | Warranty period | 2 year(s) |



8806096227886

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.