

ASUS VA34VCPSR computer monitor 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD LCD Black

Brand : ASUS

Product code: 90LM08JJ-B02170

Product name : VA34VCPSR



- 34-inch WQHD (3440x1440) 1500R Curvature with 178° wide viewing angle panel
- Extensive connectivity with HDMI, USB-C, DisplayPort, earphone jack, USB hub and RJ45 LAN port for the most flexibility
- USB-C port allows simple laptop docking for data transmission and video signal to the display, as well as up to 96W charging the laptop via just one cable
- Ergonomic design with tilt, swivel and height adjustments for a comfortable viewing experience
- ASUS Eye Care monitors feature TÜV Rheinland-certified Flicker-free and Low Blue Light technologies to ensure a comfortable viewing experience
- Green Sustainability: paper packaging and energy-efficient environmental standards
- 34" WQHD 3440 x 1440, 1500R, 21:9, 100Hz, 1073.7M, 4ms, USB-C, DisplayPort, HDMI, RJ-45, 32W, 100-240V, 50/60Hz

Display		Ports & interfaces	
Display diagonal *	86.4 cm (34")	HDMI version	2.0
Display resolution *	3440 x 1440 pixels	DisplayPorts quantity	1
HD type *	Wide Quad HD	DisplayPort out version	1.4
Native aspect ratio *	21:9	Headphone out *	✓
Display technology *	LCD	Headphone outputs	1
Panel type *	VA	Headphone connectivity	3.5 mm
LED backlight	✓	HDCP	✓
Touchscreen *	✗	HDCP version	2.2
Display brightness (typical)	300 cd/m²	Ergonomics	
Response time *	4 ms	VESA mounting *	✓
Response time measurement type	GTG (Gray to Gray)	Panel mounting interface	100 x 100 mm
Display surface	Gloss	Cable lock slot *	✓
Screen shape *	Curved	Cable lock slot type	Kensington
Screen curvature rating	1500R	Height adjustment *	✓
Contrast ratio (typical) *	3000:1	Adjustable height (max)	13 cm
Maximum refresh rate *	100 Hz	Swivelling	✓
Viewing angle, horizontal	178°	Swivel angle range	180 - -180°
Viewing angle, vertical	178°	Tilt adjustment	✓
Display number of colours *	1.073 billion colours	Tilt angle range	35 - -5°
Pixel pitch	0.2318 x 0.2318 mm	Power	
Viewable size, horizontal	79.7 cm	Energy efficiency class (SDR) *	F
Viewable size, vertical	33.4 cm	Energy efficiency class (HDR) *	G
Digital horizontal frequency	30 - 225 kHz	Energy consumption (SDR) per 1000 hours *	31 kWh
Digital vertical frequency	48 - 100 Hz	Energy consumption (HDR) per 1000 hours *	50 kWh
Display diagonal (metric)	86 cm	Power consumption (typical) *	32 W
High Dynamic Range (HDR) supported	✓	Power consumption (standby) *	0.5 W
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)		

Display		Power	
Colour depth	10 bit	Power consumption (off)	0.3 W
Performance		Power consumption (PowerSave)	0.5 W
NVIDIA G-SYNC *	✗	AC input voltage	100 - 240 V
AMD FreeSync *	✗	AC input frequency	50/60 Hz
VESA Adaptive Sync support	✓	Power supply type	Internal
Flicker-free technology	✓	Energy efficiency scale	A to G
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	809.3 mm
Number of speakers	2	Depth (with stand)	264.9 mm
RMS rated power	4 W	Height (with stand)	511 mm
Built-in speaker(s) *	✓	Weight (with stand)	9.32 kg
Built-in camera *	✗	Width (without stand)	809.3 mm
Design		Depth (without stand)	106.7 mm
Market positioning *	Business	Height (without stand)	365.8 mm
Product colour *	Black	Weight (without stand)	6.4 kg
Feet colour	Black	Packaging data	
Ports & interfaces		Package width	1070 mm
Built-in USB hub *	✓	Package depth	186 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package height	490 mm
USB upstream port type	USB Type-C	Package weight	14.1 kg
Number of upstream ports	1	Package type	Box
Number of USB Type-C upstream ports quantity	1	Packaging content	
USB Type-A downstream ports quantity	3	Stand included	✓
USB Type-C DisplayPort Alternate Mode	✓	Sustainability	
USB Power Delivery (USB PD)	✓	Sustainability certificates	ENERGY STAR, EPEAT Gold, Forest Stewardship Council (FSC) Mix, TCO
USB Power Delivery up to	96 W	Other features	
HDMI *	✓	Brand specific technologies	Eye Care+, SPLENDID
HDMI ports quantity	1	Ethernet LAN (RJ-45) ports	1
		Technical details	
		Native refresh rate	60 Hz



4711387620748



0197105620759



197105620759



0197105620742



197105620742

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.