

## Epson EcoTank Pro ET-5185

**Brand :** Epson

**Product family:** EcoTank

**Product code:** C11CJ88407BA

**Product name :** EcoTank Pro ET-5185

- Fast, time-saving printing: Enjoy print speeds up to 13.8ipm\*
- A4 multifunction printer with fax, touchscreen and ADF: High quality print, copy, scan and fax in one machine, plus large paper tray to save you time. Also supports PostScript PCL.
- Multiple connectivity options let you print from anywhere with ease\*: Use the Epson Smart Panel app to set up, monitor, print and more from your mobile\*
- The included inks print up to 13,300 pages in black and 5,200 pages in colour\*: Just add paper for low intervention printing!
- Number 1 ink tank printer brand worldwide\*: 100m EcoTank printers sold worldwide\*
- Simple hassle-free ink tank system lets you refill from bottles: Plus the EcoTank key-lock bottle system ensures it's mess-free too

A4, 4800 x 1200 DPI, Wi-Fi, USB, Ethernet, 55 dB, 100 - 240 V, 50 - 60 Hz, 375 x 347 x 346 mm, 7.3 kg



### Printing

|                                                           |                 |
|-----------------------------------------------------------|-----------------|
| Duplex printing mode                                      | Auto            |
| Print technology *                                        | Inkjet          |
| Printing *                                                | Colour printing |
| Duplex printing *                                         | ✓               |
| Maximum resolution *                                      | 4800 x 1200 DPI |
| Print speed (black, normal quality, A4/US Letter) *       | 37 ppm          |
| Print speed (colour, normal quality, A4/US Letter)        | 23 ppm          |
| Print speed (ISO/IEC 24734) black                         | 13.8 ppm        |
| Print speed (ISO/IEC 24734) colour                        | 8.9 ppm         |
| Duplex print speed (black, normal quality, A4/US Letter)  | 6.9 ppm         |
| Duplex print speed (colour, normal quality, A4/US Letter) | 4.9 ppm         |
| Duplex print speed (ISO/IEC 24734, A4) black              | 6.9 ppm         |
| Duplex print speed (ISO/IEC 24734, A4) colour             | 4.9 ppm         |
| Time to first page (black, normal)                        | 10 s            |
| Time to first page (colour, normal)                       | 13.5 s          |

### Copying

|           |                |
|-----------|----------------|
| Copying * | Colour copying |
|-----------|----------------|

### Scanning

|                               |                 |
|-------------------------------|-----------------|
| Duplex scanning *             | ✓               |
| Scanning *                    | Colour scanning |
| Optical scanning resolution * | 1200 x 2400 DPI |
| Scan technology               | CIS             |
| Scan to                       | Cloud           |

### Network

|                              |                                                                                                         |
|------------------------------|---------------------------------------------------------------------------------------------------------|
| Wi-Fi *                      | ✓                                                                                                       |
| Ethernet LAN *               | ✓                                                                                                       |
| Wi-Fi standards              | 802.11b, 802.11g, Wi-Fi 4 (802.11n)                                                                     |
| Security algorithms          | 64-bit WEP, 128-bit WEP, WPA-PSK                                                                        |
| Mobile printing technologies | Apple AirPrint, Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Epson Scan to Cloud |

### Performance

|                                 |       |
|---------------------------------|-------|
| Sound pressure level (printing) | 55 dB |
|---------------------------------|-------|

### Design

|                      |               |
|----------------------|---------------|
| Product colour *     | Black, White  |
| Market positioning * | Home & office |
| Built-in display *   | ✓             |
| Display              | LCD           |
| Display diagonal     | 6.1 cm (2.4") |
| Control type         | Touch         |
| Colour display       | ✓             |

### Power

|                                                   |               |
|---------------------------------------------------|---------------|
| Power consumption (copying)                       | 12 W          |
| Power consumption (ready)                         | 5.5 W         |
| Power consumption (sleep)                         | 1 W           |
| Power consumption (off)                           | 0.2 W         |
| Energy Star Typical Electricity Consumption (TEC) | 0.17 kWh/week |
| AC input voltage                                  | 100 - 240 V   |
| AC input frequency                                | 50/60 Hz      |

| Scanning                                  |                                               | System requirements                                 |                                                                                                                                                 |
|-------------------------------------------|-----------------------------------------------|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Image formats supported                   | BMP, JPEG, PICT, TIFF, MTIFF, PNG             | Windows operating systems supported                 | ✓                                                                                                                                               |
| Document formats supported                | PDF                                           | <b>Weight &amp; dimensions</b>                      |                                                                                                                                                 |
| Scan speed (black, normal quality)        | 6 ipm with ADF scan 12 sec. with flatbed scan | Width                                               | 375 mm                                                                                                                                          |
| Scan speed (colour, normal quality)       | 5 ipm with ADF scan 27 sec. with flatbed scan | Depth                                               | 375 mm                                                                                                                                          |
| <b>Fax</b>                                |                                               | Height                                              | 346 mm                                                                                                                                          |
| Faxing *                                  | Colour faxing                                 | Weight                                              | 7.3 kg                                                                                                                                          |
| Fax transmission speed                    | 3 sec/page                                    | <b>Packaging data</b>                               |                                                                                                                                                 |
| Modem speed                               | 33.6 Kbit/s                                   | Package width                                       | 410 mm                                                                                                                                          |
| Fax memory                                | 180 pages                                     | Package depth                                       | 435 mm                                                                                                                                          |
| Auto-redialing                            | ✓                                             | Package height                                      | 420 mm                                                                                                                                          |
| Speed dialling                            | ✓                                             | Package weight                                      | 9.65 kg                                                                                                                                         |
| Fax forwarding                            | ✓                                             | Quantity per pack                                   | 1 pc(s)                                                                                                                                         |
| Error Correction Mode (ECM)               | ✓                                             | <b>Logistics data</b>                               |                                                                                                                                                 |
| <b>Features</b>                           |                                               | Harmonized System (HS) code                         | 84433100                                                                                                                                        |
| Ink tank system                           | ✓                                             | Pallet gross width                                  | 80 cm                                                                                                                                           |
| Printing colours *                        | Yellow, Magenta, Cyan, Black                  | Pallet gross length                                 | 120 cm                                                                                                                                          |
| Country of origin                         | Philippines                                   | Pallet gross height                                 | 2.25 m                                                                                                                                          |
| <b>Input &amp; output capacity</b>        |                                               | Products per pallet layer                           | 2 pc(s)                                                                                                                                         |
| Total number of input trays *             | 1                                             | Products per pallet                                 | 10 pc(s)                                                                                                                                        |
| Total input capacity *                    | 250 sheets                                    | Pallet width (UK)                                   | 100 cm                                                                                                                                          |
| Total output capacity *                   | 30 sheets                                     | Pallet length (UK)                                  | 120 cm                                                                                                                                          |
| Auto document feeder (ADF)                | ✓                                             | Pallet height (UK)                                  | 2.25 m                                                                                                                                          |
| Auto document feeder (ADF) input capacity | 35 sheets                                     | Products per pallet layer (UK)                      | 2 pc(s)                                                                                                                                         |
| <b>Paper handling</b>                     |                                               | Products per pallet (UK)                            | 10 pc(s)                                                                                                                                        |
| Maximum ISO A-series paper size *         | A4                                            | <b>Technical details</b>                            |                                                                                                                                                 |
| Paper tray media types *                  | Envelopes, Photo paper, Plain paper           | Box contents                                        | 1 set of ink (1x 127ml BK, 3x 70ml CMY) + Extra Black, Main unit, Power cable, Setup guide, Warranty document                                   |
| ISO A-series sizes (A0...A9) *            | A4, A5, A6                                    | Safety warning                                      |                                                                                                                                                 |
| ISO B-series sizes (B0...B9)              | B5                                            |                                                     |                                                                                                                                                 |
| Non-ISO print media sizes                 | Legal, Letter                                 |                                                     |                                                                                                                                                 |
| Envelopes sizes                           | 10, C6, DL                                    |                                                     |                                                                                                                                                 |
| Photo paper sizes                         | 9x13,10x15,13x18,13x20,20x25                  | Always follow the information on the product label. |                                                                                                                                                 |
| Paper tray media weight                   | 64 - 300 g/m²                                 |                                                     |                                                                                                                                                 |
| <b>Ports &amp; interfaces</b>             |                                               | <b>Other features</b>                               |                                                                                                                                                 |
| Direct printing *                         | ✓                                             | Printing method                                     | Epson PrecisionCore                                                                                                                             |
| USB port                                  | ✓                                             | Colour printing technology                          | DURABrite™ ET, Pigment ink                                                                                                                      |
|                                           |                                               | Compatible operating systems                        | Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP, XP Professional x64 Edition                 |
|                                           |                                               | Emulations                                          | PCL3, PCL5c, PCL5e, PCL6, PostScript 3, PDF 1.7                                                                                                 |
|                                           |                                               | Ink drop                                            | 3.3 pl, With Variable-Sized Droplet Technology                                                                                                  |
|                                           |                                               | Print head nozzles                                  | 400 Nozzles Black, 128 Nozzles per Color                                                                                                        |
|                                           |                                               | Printer features                                    | Touchscreen                                                                                                                                     |
|                                           |                                               | All-in-one functions                                | Scan, Copy, Fax, Print                                                                                                                          |
|                                           |                                               | Interface                                           | Wi-Fi Direct, Wireless LAN IEEE 802.11b/g/n, Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10 Base-T) |
|                                           |                                               | Print speed                                         | 23 pages/min Colour (plain paper 75 g/m²), 37 pages/min Monochrome (plain paper 75 g/m²)                                                        |



8715946734903

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.