



Viewsonic XG275D1-4K computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LED Black



Brand : Viewsonic

Product code: XG275D1-4K

Product name : XG275D1-4K

- Switch between UHD@160Hz for stunning visuals or FHD@320Hz for insane speed
- Scale down from 27" to a laser-focused 24.5" Esports setting built for competitive precision
- Outpace rivals with a blazing-fast 0.5ms (MPRT) response time
- Enjoy smooth, tear-free, and stutter-free gameplay with AMD FreeSync™ Premium and NVIDIA G-Sync Compatible
- Marathon your sessions in comfort with the ergonomic design and Eye ProTech software
- Gear up your setup with flexible connectivity for all your gaming needs

27" Dual Mode Gaming Monitor, Black

Viewsonic XG275D1-4K. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black

| Display | | Ergonomics | |
|-------------------------------------|-------------------------------|---|-------------|
| Display diagonal * | 68.6 cm (27") | Cable lock slot * | ✓ |
| Display resolution * | 3840 x 2160 pixels | Cable lock slot type | Kensington |
| HD type * | 4K Ultra HD | Height adjustment * | ✓ |
| Native aspect ratio * | 16:9 | Adjustable height (max) | 13 cm |
| Display technology * | LED | Pivot | ✓ |
| Panel type * | IPS | Pivot angle | -90 - 90° |
| Touchscreen * | ✗ | Swivelling | ✓ |
| Display brightness (typical) | 300 cd/m ² | Swivel angle range | 0 - 90° |
| Response time (MPRT) | 0.5 ms | Tilt adjustment | ✓ |
| Anti-glare screen | ✓ | Tilt angle range | -3 - 20° |
| Screen shape * | Flat | | |
| Contrast ratio (typical) * | 1000:1 | Power | |
| Contrast ratio (dynamic) | 80000000:1 | Energy efficiency class (SDR) * | F |
| Maximum refresh rate * | 160 Hz | Energy efficiency class (HDR) * | F |
| Viewing angle, horizontal | 178° | Energy consumption (SDR) per 1000 hours * | 26 kWh |
| Viewing angle, vertical | 178° | Energy consumption (HDR) per 1000 hours * | 35 kWh |
| Display number of colours * | 1.07 billion colours | Power consumption (typical) * | 46 W |
| Pixel pitch | 0.155 x 0.155 mm | Power consumption (standby) * | 0.5 W |
| Display diagonal (metric) | 69 cm | Power consumption (max) | 47 W |
| High Dynamic Range (HDR) supported | ✓ | AC input voltage | 100 - 240 V |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) | AC input frequency | 50/60 Hz |
| Surface hardness | 3H | Power supply type | External |
| Colour depth | 10 bit | Operational conditions | |
| sRGB coverage (typical) | 99% | Operating temperature (T-T) | 0 - 40 °C |
| NTSC coverage (typical) | 91% | Operating relative humidity (H-H) | 20 - 90% |
| DCI-P3 coverage | 94% | Weight & dimensions | |
| Performance | | Width (with stand) | 614.1 mm |
| NVIDIA G-SYNC * | ✓ | Depth (with stand) | 571.6 mm |
| AMD FreeSync * | ✓ | Height (with stand) | 243.1 mm |
| AMD FreeSync type | FreeSync Premium | Weight (with stand) | 6.3 kg |
| Flicker-free technology | ✓ | Width (without stand) | 614.1 mm |
| Low Blue Light technology | ✓ | Depth (without stand) | 66.5 mm |
| Multimedia | | Height (without stand) | 365.6 mm |
| Number of speakers | 2 | Weight (without stand) | 4.4 kg |
| RMS rated power | 4 W | | |

| | | | |
|-------------------------------|------------|----------------------------------|------------|
| Multimedia | | Packaging data | |
| Built-in speaker(s) * | ✓ | Package width | 908 mm |
| Built-in camera * | ✗ | Package depth | 177 mm |
| Design | | Package height | 508 mm |
| Market positioning * | Gaming | Package weight | 9.6 kg |
| Product colour * | Black | Other features | |
| Ports & interfaces | | Weight | 6.3 kg |
| Built-in USB hub * | ✗ | Logistics data | |
| HDMI * | ✓ | Products per master (outer) case | 1 pc(s) |
| HDMI ports quantity | 2 | Pallet gross width | 120 cm |
| HDMI version | 2.1 | Pallet gross length | 100 cm |
| DisplayPorts quantity | 1 | Pallet gross height | 2.19 m |
| Audio output | ✓ | Harmonized System (HS) code | 8528521000 |
| Ergonomics | | | |
| VESA mounting * | ✓ | | |
| Panel mounting interface | 75 x 75 mm | | |



0766907032673



766907032673

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.