



## DELL UltraSharp U2725QE computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black, Silver

Brand : DELL

Product family: UltraSharp

Product code: DELL-U2725QE

Product name : U2725QE

- 68.6cm (27") 4K Ultra HD 3840 x 2160 Edge LED IPS

- 8ms, 16:9, 450cd/m<sup>2</sup>, 3000:1

- USB, HDMI, DisplayPort

68.6cm (27") 4K Ultra HD 3840 x 2160 Edge LED IPS, 16:9, 450cd/m<sup>2</sup>, 1.07B, 8ms, 178°/178°, 3000:1

DELL UltraSharp U2725QE computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black, Silver:

A 27" monitor featuring the world's first enhanced IPS Black with 3000:1 contrast ratio with enhanced eye comfort from improved ComfortView Plus, an ambient light sensor and 120Hz refresh rate.

DELL UltraSharp U2725QE. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black, Silver



Display		Ergonomics		
Display diagonal *	68.6 cm (27")	VESA mounting *	✓	
Display resolution *	3840 x 2160 pixels	Panel mounting interface	100 x 100 mm	
HD type *	4K Ultra HD	Wall mountable	✓	
Native aspect ratio *	16:9	Cable management	✓	
Display technology *	LCD	Cable lock slot *	✓	
Panel type *	IPS	Cable lock slot type	Kensington	
LED backlight	✓	Height adjustment *	✓	
Backlight type	Edge LED	Adjustable height (max)	15 cm	
Touchscreen *	✗	Pivot	✓	
Display brightness (peak)	600 cd/m <sup>2</sup>	Pivot angle	-90 - 90°	
Display brightness (typical)	450 cd/m <sup>2</sup>	Swivelling	✓	
Response time *	8 ms	Swivel angle range	-45 - 45°	
Response time measurement type	GTG (Gray to Gray)	Tilt adjustment	✓	
Anti-glare screen	✓	Tilt angle range	-5 - 21°	
Screen shape *	Flat	On Screen Display (OSD)	✓	
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800 (WXGA), 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1440, 3840 x 2160	Power		
	Supported video modes	480p, 576p, 720p, 1080p, 2160p	Energy efficiency class (SDR) *	F
	Contrast ratio (typical) *	3000:1	Energy efficiency class (HDR) *	G
	Maximum refresh rate *	120 Hz	Energy consumption (SDR) per 1000 hours *	25 kWh
Viewing angle, horizontal	178°	Energy consumption (HDR) per 1000 hours *	44 kWh	
Viewing angle, vertical	178°	Power consumption (typical) *	25.4 W	
Display number of colours *	1.07 billion colours	Power consumption (standby) *	0.5 W	
Response time (fast)	5 ms	Power consumption (max)	325 W	
Pixel pitch	0.1554 x 0.1554 mm	Power consumption (off)	0.3 W	
Pixel density	163 ppi	AC input voltage	100 - 240 V	
Viewable size, horizontal	59.7 cm	AC input frequency	50/60 Hz	
Viewable size, vertical	33.6 cm	Input current	4 A	
		Energy efficiency scale	A to G	

<b>Display</b>		<b>Operational conditions</b>	
Viewable size diagonal	68.5 cm	Operating temperature (T-T)	0 - 40 °C
Digital horizontal frequency	30 - 275 kHz	Storage temperature (T-T)	-20 - 60 °C
Digital vertical frequency	48 - 120 Hz	Operating relative humidity (H-H)	10 - 80%
Display diagonal (metric)	68.47 cm	Storage relative humidity (H-H)	5 - 90%
High Dynamic Range (HDR) supported	✓	Operating altitude	0 - 5000 m
High Dynamic Range (HDR) technology	DisplayHDR 600	Non-operating altitude	5000 - 12192 m
Surface hardness	3H	<b>Weight &amp; dimensions</b>	
sRGB coverage (typical)	100%	Width (with stand)	612.4 mm
DCI-P3 coverage	99%	Depth (with stand)	189 mm
<b>Performance</b>		Height (with stand)	535.7 mm
NVIDIA G-SYNC *	✗	Weight (with stand)	6.74 kg
AMD FreeSync *	✗	Width (without stand)	612.4 mm
Flicker-free technology	✓	Depth (without stand)	55.6 mm
Low Blue Light technology	✓	Height (without stand)	353.5 mm
<b>Multimedia</b>		Weight (without stand)	5.22 kg
Built-in speaker(s) *	✗	Bezel width (side)	7.85 mm
Built-in camera *	✗	Bezel width (top)	7.85 mm
<b>Design</b>		Bezel width (bottom)	1 cm
Market positioning *	Office	<b>Packaging data</b>	
Product colour *	Black, Silver	Package width	819.9 mm
Front bezel colour	Black	Package depth	154.9 mm
Detachable stand	✓	Package height	454.9 mm
Feet colour	Silver	Package weight	9.73 kg
<b>Ports &amp; interfaces</b>		<b>Packaging content</b>	
Built-in USB hub *	✓	Stand included	✓
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Cables included	AC, DisplayPort, Thunderbolt, USB Type-A to USB Type-C
USB upstream port type	USB Type-C	DisplayPort cable length	1.8 m
Number of USB Type-C upstream ports quantity	1	<b>Sustainability</b>	
USB Type-A downstream ports quantity	5	Sustainability certificates	ENERGY STAR, TCO
USB Type-C downstream ports quantity	2	Doesn't contain	Arsenic, Mercury, PVC/BFR
USB Type-C DisplayPort Alternate Mode	✓	<b>Carbon footprint</b>	
USB Power Delivery (USB PD)	✓	Total carbon footprint (kg of CO2e)	289
USB Power Delivery up to	120 W	Carbon emissions, manufacturing (kg of CO2e)	138.72
HDMI *	✓	Carbon emissions, logistics (kg of CO2e)	18.21
HDMI ports quantity	1	Carbon emissions, energy usage (kg of CO2e)	124.85
DisplayPorts quantity	1	Carbon emissions, end-of-life (kg of CO2e)	7.23
DisplayPort out quantity	1	PAIA version	GaBi version 1, 2024
DisplayPort out version	1.4	<b>Other features</b>	
DisplayPort version	1.4	RJ-45 ports quantity	1
Thunderbolt 4 ports quantity	2	Compliance certificates	RoHS
Headphone out *	✓		
Headphone connectivity	3.5 mm		
HDCP	✓		
HDCP version	2.2		
<b>Network</b>			
Ethernet LAN	✓		



5397184923405



0884116484578



884116484578



5715063802533



5715328116009

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.