


Samsung Galaxy Tab S10 FE+ 5G (13.1")

Brand : Samsung

Product family: Galaxy Tab

Product name : Galaxy Tab S10 FE+ 5G (13.1")

Product code: SM-X626BZSREUB



- Circle to Search
- Large Display
- Intelligent Notes with S Pen

13.1", 2880 x 1800, 8GB RAM, 128GB ROM, 13MP/12MP, 5G, Wi-Fi, Bluetooth 5.3, 10090 mAh
Samsung Galaxy Tab S10 FE+ 5G (13.1"). Display diagonal: 33.3 cm (13.1"), Display resolution: 2880 x 1800 pixels. Internal storage capacity: 128 GB. Processor frequency: 2.6 GHz, Processor family: Samsung Exynos, Processor model: 1580. Internal memory: 8 GB. Rear camera resolution (numeric): 13 MP, Rear camera type: Single camera, Front camera resolution (numeric): 12 MP. Top Wi-Fi standard: Wi-Fi 6 (802.11ax). Assisted GPS (A-GPS). Card reader integrated. Weight: 668 g. Product colour: Silver

| Display | | Design | |
|------------------------------------|----------------------|--|---------------|
| Display diagonal * | 33.3 cm (13.1") | Device type * | Mobile tablet |
| Display resolution * | 2880 x 1800 pixels | Form factor * | Slate |
| Panel type * | TFT | Product colour * | Silver |
| HD type | WQXGA+ | Performance | |
| Display number of colours | 16 million colours | Assisted GPS (A-GPS) * | ✓ |
| Processor | | GLONASS | ✓ |
| Processor manufacturer * | Samsung | BeiDou | ✓ |
| Processor family * | Samsung Exynos | GPS (satellite) | ✓ |
| Processor model * | 1580 | Galileo | ✓ |
| Processor cores | 8 | Quasi-Zenith Satellite System (QZSS) | ✓ |
| Processor boost frequency | 2.9 GHz | Accelerometer | ✓ |
| Processor frequency * | 2.6 GHz | Ambient light sensor | ✓ |
| Memory | | Gyroscope | ✓ |
| Internal memory * | 8 GB | Hall sensor | ✓ |
| Storage | | Electronic compass | ✓ |
| Internal storage capacity * | 128 GB | Position location * | ✓ |
| Card reader integrated * | ✓ | Security | |
| Compatible memory cards | MicroSD (TransFlash) | Fingerprint reader | ✓ |
| Maximum memory card size | 2 TB | Software | |
| User memory | 105.7 GB | Platform * | Android |
| Camera | | Battery | |
| Rear camera type * | Single camera | Battery capacity * | 10090 mAh |
| Rear camera resolution (numeric) * | 13 MP | Removable battery | ✗ |
| Auto focus | ✓ | Continuous video playback time | 21 h |
| Rear camera flash | ✗ | Power | |
| Video recording | ✓ | USB Type-C charging port * | ✓ |
| Maximum video resolution | 3840 x 2160 pixels | USB Power Delivery (USB PD) | ✓ |
| Resolution at capture speed | 3840x2160@30fps | USB Type-C required charging power (min) * | 15 W |
| Video capturing speed | 30 fps | USB Type-C required charging power (max) * | 45 W |
| Front camera * | ✓ | Endurance | |
| Front camera resolution (numeric) | 12 MP | Energy efficiency class * | F |
| Network | | Energy efficiency scale | A to G |
| Mobile network generation | 5G | Battery endurance per cycle * | 5946 min |
| Mobile network connection * | ✓ | | |
| 3G standards | UMTS | | |
| 4G standard | LTE-TDD & LTE-FDD | | |
| 5G standard | Sub6 FDD, Sub6 TDD | | |
| Bluetooth | ✓ | | |
| Bluetooth version | 5.3 | | |

| Network | | Endurance | |
|--------------------------------|--|--|--------------------|
| Top Wi-Fi standard * | Wi-Fi 6 (802.11ax) | Battery endurance in cycles * | 2000 |
| Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) | Repeated free fall reliability class * | E |
| Wi-Fi Direct | ✓ | Repairability class * | C |
| Near Field Communication (NFC) | ✗ | International Protection (IP) code * | IP68 |
| 3G bands supported | 850,900,1900,2100 MHz | Weight & dimensions | |
| 4G bands supported | 700,800,850,900,1500,1800,1900,2100,2300,2500,2600 MHz | Width | 300.6 mm |
| MIMO | ✓ | Depth | 6 mm |
| 5G bands supported | 600,700,800,850,900,1800,2100,2300,2500,2600,3500,3700 MHz | Height | 194.7 mm |
| Dual SIM support | ✓ | Weight | 668 g |
| SIM card type | NanoSIM | Packaging content | |
| Ports & interfaces | | Stylus pen | ✓ |
| USB 2.0 Type-C ports quantity | 1 | AC adapter included * | ✗ |
| Headphone connectivity | USB | Other features | |
| | | Video capture resolution (max) | 3840 x 2160 pixels |
| | | Security update term | 30 April 2032 |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2025. Prints or copies of Information are only valid on the printed Publication date