



## HP Thunderbolt 4 Ultra 180W G6 Dock

**Brand :** HP

**Product code:** 9X481UT#ABB

**Product name :** Thunderbolt 4 Ultra 180W G6 Dock

Thunderbolt 4 Ultra 180W G6 Dock

[HP Thunderbolt 4 Ultra 180W G6 Dock:](#)

### Supercharge your workflow

Work without interruptions and maximize productivity with ultimate power delivery from the HP Thunderbolt 4 Ultra 180W G6 Dock. Effortlessly manage, connect and power the devices you love with state-of-the-art security and connectivity.

HP Thunderbolt 4 Ultra 180W G6 Dock. Connectivity technology: Wired, Host interface: Thunderbolt 4, USB Power Delivery up to: 180 W. Ethernet LAN data rates: 10,100,1000,2500 Mbit/s. Product colour: Grey, HD type: 8K Ultra HD, Maximum refresh rate: 360 Hz. Power supply: 230 W. Windows operating systems supported: Windows 10, Windows 11, Mac operating systems supported: MacOS, Other operating systems supported: ChromeOS



| Ports & interfaces                                |                         | Software                               |                                                                                                                                |
|---------------------------------------------------|-------------------------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Connectivity technology *                         | Wired                   | Other operating systems supported      | ChromeOS                                                                                                                       |
| Host interface *                                  | Thunderbolt 4           | Operational conditions                 |                                                                                                                                |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 2                       | Operating temperature (T-T)            | 0 - 35 °C                                                                                                                      |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity   | 3                       | Storage temperature (T-T)              | -20 - 60 °C                                                                                                                    |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity   | 1                       | Operating relative humidity (H-H)      | 10 - 90%                                                                                                                       |
| USB Power Delivery (USB PD)                       | ✓                       | Storage relative humidity (H-H)        | 5 - 95%                                                                                                                        |
| USB Power Delivery up to                          | 180 W                   | Operating altitude                     | -15 - 3048 m                                                                                                                   |
| HDMI ports quantity *                             | 1                       | Non-operating altitude                 | -15 - 12192 m                                                                                                                  |
| HDMI version                                      | 2.1                     | Sustainability                         |                                                                                                                                |
| DisplayPorts quantity                             | 2                       | Sustainable technologies and materials | 35% post-consumer recycled plastic                                                                                             |
| DisplayPort version                               | 1.4                     | Weight & dimensions                    |                                                                                                                                |
| Thunderbolt 4 ports quantity                      | 1                       | Width                                  | 121 mm                                                                                                                         |
| Microphone in *                                   | ✗                       | Depth                                  | 121 mm                                                                                                                         |
| DC-in jack                                        | ✗                       | Height                                 | 49.5 mm                                                                                                                        |
| Network                                           |                         | Weight                                 | 790 g                                                                                                                          |
| Ethernet LAN *                                    | ✓                       | Packaging data                         |                                                                                                                                |
| Ethernet LAN (RJ-45) ports                        | 1                       | Package width                          | 396 mm                                                                                                                         |
| Ethernet LAN data rates                           | 10,100,1000,2500 Mbit/s | Package depth                          | 171 mm                                                                                                                         |
| Performance                                       |                         | Package height                         | 95 mm                                                                                                                          |
| Card reader integrated *                          | ✗                       | Package weight                         | 1.14 kg                                                                                                                        |
| HD type                                           | 8K Ultra HD             | Packaging content                      |                                                                                                                                |
| Maximum refresh rate                              | 360 Hz                  | Warranty card                          | ✓                                                                                                                              |
| Cable lock slot                                   | ✓                       | Cables included                        | AC                                                                                                                             |
| Cable lock slot type                              | Nano                    | Technical details                      |                                                                                                                                |
| Product colour *                                  | Grey                    | Box contents                           | HP Thunderbolt 4 Ultra 180W G6 Dock; 230 W power adapter; Thunderbolt 4 cable (1 m); Power cord; Product notice; Warranty card |
| LED indicators                                    | Power                   | Logistics data                         |                                                                                                                                |
| Country of origin                                 | China, Thailand, Mexico | Master (outer) cases per pallet layer  | 28 pc(s)                                                                                                                       |
| HP segment                                        | Business                | Other features                         |                                                                                                                                |
| Power                                             |                         | Compatible operating systems           | Windows 10; Windows 11; macOS; Linux; ThinPro; ChromeOS                                                                        |
| Power supply                                      | 230 W                   |                                        |                                                                                                                                |
| Wireless charging                                 | ✗                       |                                        |                                                                                                                                |

| Software                            |                        | Other features                           |                                              |
|-------------------------------------|------------------------|------------------------------------------|----------------------------------------------|
| Windows operating systems supported | Windows 10, Windows 11 | Pallet dimensions (W x D x H) (imperial) | 1199.9 x 1000 x 140 mm (47.2 x 39.4 x 5.51") |
| Mac operating systems supported     | MacOS                  | Pallet dimensions (W x D x H)            | 1200 x 1000 x 140 mm                         |
| Linux operating systems supported   | ✓                      | UNSPSC-code                              | 43211602                                     |
|                                     |                        | Special features                         | Intel vPro support                           |



0198415314925



198415314925

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.