





DELL P7525QT 189.2 cm (74.5") LCD 3840 x 2160 pixels 4K Ultra HD



Brand : DELL

Product code: DELL-P7525QT

Product name : P7525QT


- 189.2cm (74.5") 4K Ultra HD 3840 x 2160 IPS
- 8ms, 16:9, 1200:1
- DisplayPort
- 189.2cm (74.5") 4K Ultra HD 3840 x 2160 IPS, 16:9, 1.07B, 8ms, 178°/178°, 1200:1

DELL P7525QT 189.2 cm (74.5") LCD 3840 x 2160 pixels 4K Ultra HD:


Bring the team together on a 75-inch 4K touch monitor built for enhanced collaboration featuring up to 90W power via USB-C, palm rejection and 20-point InGlass Touch.
 DELL P7525QT. Display diagonal: 189.2 cm (74.5"), Display technology: LCD, Display resolution: 3840 x 2160 pixels. RMS rated power: 20 W. Product colour: Black, Screen shape: Flat, Panel mounting interface: 400 x 400 mm. USB version: 2.0/3.2 Gen 1 (3.1 Gen 1), USB Power Delivery up to: 90 W. Energy efficiency class (SDR): F, Energy consumption (SDR) per 1000 hours: 128 kWh, Power consumption (typical): 128 W

Display		Computer system	
Display diagonal *	189.2 cm (74.5")	Mac operating systems supported	✓
Display technology *	LCD	Linux operating systems supported	✓
Panel type	IPS	Performance	
LED backlight	✓	On Screen Display (OSD)	✓
LED backlighting type	Edge-LED	Power	
Display resolution *	3840 x 2160 pixels	Power consumption (typical)	128 W
Display brightness	400 cd/m ²	Power consumption (max)	410 W
HD type *	4K Ultra HD	Power consumption (standby)	0.5 W
Touchscreen *	✓	AC input voltage	100 - 240 V
Multi-touch	✓	AC input frequency	50/60 Hz
Native aspect ratio *	16:9	Energy efficiency scale	A to G
Native refresh rate	60 Hz	Energy efficiency class (SDR) *	F
Response time	8 ms	Energy consumption (SDR) per 1000 hours *	128 kWh
Contrast ratio (typical)	1200:1	Power supply type	Internal
Viewing angle, horizontal	178°	Operational conditions	
Viewing angle, vertical	178°	Operating temperature (T-T)	0 - 40 °C
Display number of colours	1.07 billion colours	Storage temperature (T-T)	-20 - 60 °C
Pixel pitch	0.4296 x 0.4296 mm	Operating relative humidity (H-H)	10 - 80%
Display diagonal (metric)	189.27 cm	Storage relative humidity (H-H)	5 - 90%
Surface hardness	3H	Weight & dimensions	
Anti-glare screen	✓	Display width	1745.9 mm
NTSC coverage (typical)	72%	Display depth	87.8 mm
Audio		Display height	1027.2 mm
Built-in speaker(s)	✓	Display weight	59.1 kg
Number of built-in speakers	2	Packaging data	
RMS rated power	20 W	Package weight	82.4 kg
Design		Packaging content	
Product colour *	Black	Remote control included	✓
Screen shape	Flat	Stylus pen	✓
VESA mounting *	✓	Cables included	DisplayPort, HDMI, USB, USB Type-C to USB Type-C
Panel mounting interface	400 x 400 mm		
Bezel width (bottom)	5.11 cm		
Bezel width (side)	4.81 cm		
Bezel width (top)	4.81 cm		

Ports & interfaces		Sustainability	
HDMI ports quantity *	2	Sustainability certificates	ENERGY STAR
HDMI version	2.0	Network	
DVI port *	✗	Ethernet LAN *	✓
DisplayPorts quantity	2	Ethernet LAN (RJ-45) ports	1
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Wi-Fi *	✗
Number of USB Type-B upstream ports quantity	3	Technical details	
Number of USB Type-C upstream ports quantity	1	Compliance certificates	RoHS
USB Type-A downstream ports quantity	3	Carbon footprint	
USB Type-C downstream ports quantity	1	Total carbon footprint (kg of CO2e)	2120
RS-232 interface	✓	Total carbon emissions, standard deviation (kg of CO2e)	602
USB port *	✓	Carbon emissions, manufacturing (kg of CO2e)	720.8
USB Type-C DisplayPort Alternate Mode	✓	Carbon emissions, logistics (kg of CO2e)	415.52
USB Power Delivery (USB PD)	✓	Carbon emissions, energy usage (kg of CO2e)	937.04
USB Power Delivery up to	90 W	Carbon emissions, end-of-life (kg of CO2e)	46.64
USB charging port	✓	PAIA version	PAIA 1.4.7, 2025
Computer system			
Windows operating systems supported	✓		



5397184923528



0884116484554



884116484554

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.