



DELL E Series E2725HM computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: E Series

Product code: DELL-E2725HM

Product name : E2725HM

- 68.6cm (27") Full HD 1920 x 1080 Edge LED IPS
- 8ms, 16:9, 300cd/m², 1000:1
- VGA, HDMI, DisplayPort
- 68.6cm (27") Full HD 1920 x 1080 Edge LED IPS, 16:9, 300cd/m², 16.7M, 8ms, 178°/178°, 1000:1

DELL E Series E2725HM computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black:

Get the essentials to enhance productivity with this 27-inch fixed-stand monitor certified by TÜV Rheinland® for 3-star eye comfort.

DELL E Series E2725HM. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black




Display		Power	
Display diagonal *	68.6 cm (27")	Energy efficiency class (HDR) *	Not available
Display resolution *	1920 x 1080 pixels	Energy consumption (SDR) per 1000 hours *	15 kWh
HD type *	Full HD	Power consumption (typical) *	14.8 W
Native aspect ratio *	16:9	Power consumption (standby) *	0.3 W
Display technology *	LCD	Power consumption (max)	28 W
Panel type *	IPS	Power consumption (off)	0.3 W
LED backlight	✓	AC input voltage	100 - 240 V
Backlight type	Edge LED	AC input frequency	50/60 Hz
Touchscreen *	✗	Input current	1.5 A
Display brightness (typical)	300 cd/m ²	Power supply type	Internal
Response time *	8 ms	Energy efficiency scale	A to G
Response time measurement type	GTG (Gray to Gray)		
Anti-glare screen	✓	Operational conditions	
Screen shape *	Flat	Operating temperature (T-T)	0 - 40 °C
Contrast ratio (typical) *	1000:1	Storage temperature (T-T)	-20 - 60 °C
Maximum refresh rate *	100 Hz	Operating relative humidity (H-H)	10 - 80%
Viewing angle, horizontal	178°	Storage relative humidity (H-H)	5 - 90%
Viewing angle, vertical	178°	Operating altitude	0 - 5000 m
Display number of colours *	16.7 million colours	Non-operating altitude	0 - 12192 m
Response time (fast)	5 ms		
Pixel pitch	0.3114 x 0.3114 mm	Weight & dimensions	
Pixel density	81 ppi	Width (with stand)	611.1 mm
Surface hardness	3H	Depth (with stand)	188.3 mm
NTSC coverage (typical)	72%	Height (with stand)	454.3 mm
		Weight (with stand)	4.55 kg
		Width (without stand)	611.1 mm
		Depth (without stand)	49.2 mm
		Height (without stand)	361.9 mm
		Weight (without stand)	3.57 kg
		Bezel width (side)	6.61 mm
		Bezel width (top)	6.6 mm
		Bezel width (bottom)	1.34 cm
Performance			
NVIDIA G-SYNC *	✗		
AMD FreeSync *	✗		
Multimedia			
Built-in speaker(s) *	✗		
Built-in camera *	✗		

Design		Packaging data	
Market positioning *	Office	Package weight	6.69 kg
Product colour *	Black	Packaging content	
Front bezel colour	Black	Stand included	✓
Feet colour	Black	Cables included	DisplayPort
Ports & interfaces		Quick start guide	✓
Built-in USB hub *	✗	DisplayPort cable length	1.8 m
VGA (D-Sub) ports quantity	1	Sustainability	
HDMI *	✓	Sustainability certificates	ENERGY STAR, EPEAT Climate +, EPEAT Gold, TCO
HDMI ports quantity	1	Doesn't contain	Arsenic, Mercury, PVC/BFR
HDMI version	1.4	Carbon footprint	
DisplayPorts quantity	1	Total carbon footprint (kg of CO2e)	171
DisplayPort version	1.2	Carbon emissions, manufacturing (kg of CO2e)	81.23
Headphone out *	✗	Carbon emissions, logistics (kg of CO2e)	12.48
HDCP	✓	Carbon emissions, energy usage (kg of CO2e)	72.85
HDCP version	1.4	Carbon emissions, end-of-life (kg of CO2e)	4.28
Ergonomics		PAIA version	GaBi version 1, 2024
VESA mounting *	✓	Other features	
Panel mounting interface	100 x 100 mm	Compliance certificates	RoHS
Cable lock slot *	✓	Brand-specific features	
Cable lock slot type	Kensington	Dell Display Manager (DDM) compatibility	✓
Height adjustment *	✗		
Tilt adjustment	✓		
Tilt angle range	-5 - 21°		
On Screen Display (OSD)	✓		
LED indicators	✓		
Power			
Energy efficiency class (SDR) *	D		



5397184962442



0884116487470



884116487470

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.