



DELL SE2225HM computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product code: DELL-SE2225HM

Product name : SE2225HM

- 54.6cm (21.5") Full HD 1920 x 1080 Edge LED VA
- 8ms, 16:9, 250cd/m², 3000:1
- VGA, HDMI

54.6cm (21.5") Full HD 1920 x 1080 Edge LED VA, 16:9, 250cd/m², 16.7M, 8ms, 178°/178°, 3000:1

DELL SE2225HM computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LCD Black:

Breeze through everyday tasks on this 21.5-inch monitor with a smooth 100Hz refresh rate and certified by TÜV Rheinland® for 3-star eye comfort.

DELL SE2225HM. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	54.6 cm (21.5")	Tilt adjustment	✓
Display resolution *	1920 x 1080 pixels	Tilt angle range	-5 - 21°
HD type *	Full HD	On Screen Display (OSD)	✓
Native aspect ratio *	16:9	Plug and Play	✓
Display technology *	LCD	LED indicators	✓
Panel type *	VA		
LED backlight	✓	Power	
Backlight type	Edge LED	Energy efficiency class (SDR) *	D
Touchscreen *	✗	Energy efficiency class (HDR) *	Not available
Display brightness (typical)	250 cd/m ²	Energy consumption (SDR) per 1000 hours *	12 kWh
Response time *	8 ms	Power consumption (typical) *	11.7 W
Response time measurement type	GTG (Gray to Gray)	Power consumption (standby) *	0.3 W
Anti-glare screen	✓	Power consumption (max)	20.7 W
Screen shape *	Flat	Power consumption (off)	0.3 W
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz
Supported video modes	480p, 576p, 720p, 1080p	Input current	1 A
Contrast ratio (typical) *	3000:1	Power supply type	Internal
Maximum refresh rate *	100 Hz	Energy efficiency scale	A to G
Viewing angle, horizontal	178°	Operational conditions	
Viewing angle, vertical	178°	Operating temperature (T-T)	0 - 40 °C
Display number of colours *	16.7 million colours	Storage temperature (T-T)	-20 - 60 °C
Response time (fast)	5 ms	Operating relative humidity (H-H)	10 - 80%
Pixel pitch	0.2493 x 0.241 mm	Storage relative humidity (H-H)	5 - 90%
Pixel density	102 ppi	Operating altitude	0 - 5000 m
Horizontal scan range	30 - 82 kHz	Non-operating altitude	5000 - 12192 m
Vertical scan range	50 - 76 Hz	Weight & dimensions	
Viewable size, horizontal	47.9 cm	Width (with stand)	492.9 mm
Viewable size, vertical	26 cm	Depth (with stand)	211.8 mm

Display		Weight & dimensions	
Digital horizontal frequency	30 - 111 kHz	Height (with stand)	395.8 mm
Digital vertical frequency	50 - 100 Hz	Weight (with stand)	2.67 kg
Surface hardness	3H	Width (without stand)	492.9 mm
NTSC coverage (typical)	72%	Depth (without stand)	44.9 mm
Performance		Height (without stand)	286.5 mm
NVIDIA G-SYNC *	✗	Weight (without stand)	2.23 kg
AMD FreeSync *	✗	Bezel width (side)	7.05 mm
Flicker-free technology	✓	Bezel width (top)	7.05 mm
Low Blue Light technology	✓	Bezel width (bottom)	1.85 cm
Multimedia		Packaging data	
Built-in speaker(s) *	✗	Package weight	4.38 kg
Built-in camera *	✗	Packaging content	
Design		Stand included	✓
Market positioning *	Office	Cables included	AC, HDMI
Product colour *	Black	Power adapter included	✗
Front bezel colour	Black	Remote control included	✗
Feet colour	Black	Stylus included	✗
Ports & interfaces		Quick start guide	✓
Built-in USB hub *	✗	HDMI cable length	1.8 m
VGA (D-Sub) ports quantity	1	Sustainability	
HDMI *	✓	Sustainability certificates	ENERGY STAR
HDMI ports quantity	1	Doesn't contain	PVC/BFR
Headphone out *	✗	Carbon footprint	
HDCP	✓	Total carbon footprint (kg of CO2e)	97.6
HDCP version	1.4	Carbon emissions, manufacturing (kg of CO2e)	57.78
Network		Carbon emissions, logistics (kg of CO2e)	8.2
Wi-Fi	✗	Carbon emissions, energy usage (kg of CO2e)	30.06
Ergonomics		Carbon emissions, end-of-life (kg of CO2e)	1.46
VESA mounting *	✓	PAIA version	GaBi version 1, 2024
Panel mounting interface	100 x 100 mm		
Wall mountable	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✗		
Pivot	✗		
Swivelling	✗		



5397184962534



0884116492603



884116492603

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.