



## DELL Plus S3225QS computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Silver

**Brand :** DELL

**Product family:** Plus

**Product code:** DELL-S3225QS

**Product name :** S3225QS

- 80.0cm (31.5") 4K Ultra HD 3840 x 2160 Edge LED VA  
 - 8ms, 16:9, 300cd/m<sup>2</sup>, 3000:1  
 - HDMI, DisplayPort  
 80.0cm (31.5") 4K Ultra HD 3840 x 2160 Edge LED VA, 16:9, 300cd/m<sup>2</sup>, 1.07B, 8ms, 178°/178°, 3000:1


**DELL Plus S3225QS computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Silver:**

31.5-inch 4K monitor with up to 120Hz refresh rate and dual 5W speakers for elevated entertainment. DELL Plus S3225QS. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Silver




| Display                        |  | Ergonomics                                |                |
|--------------------------------|--|---|----------------|
| Display diagonal *             | 80 cm (31.5")  | Pivot                                     | ✓              |
| Display resolution *           | 3840 x 2160 pixels   | Pivot angle                               | -4 - 4°        |
| HD type *                      | 4K Ultra HD  | Swivelling                                | ✗              |
| Native aspect ratio *          | 16:9   | Tilt adjustment                           | ✓              |
| Display technology *           | LCD  | Tilt angle range                          | -5 - 21°       |
| Panel type *                   | VA   | On Screen Display (OSD)                   | ✓              |
| LED backlight                  | ✓  | Plug and Play                             | ✓              |
| Backlight type                 | Edge LED   | LED indicators                            | Power          |
| Touchscreen *                  | ✗  | Power                                     |                |
| Display brightness (typical)   | 300 cd/m <sup>2</sup>  | Energy efficiency class (SDR) *           | F              |
| Response time *                | 8 ms   | Energy efficiency class (HDR) *           | G              |
| Response time measurement type | GTG (Gray to Gray)   | Energy consumption (SDR) per 1000 hours * | 32 kWh         |
| Anti-glare screen              | ✓  | Energy consumption (HDR) per 1000 hours * | 50 kWh         |
| Screen shape *                 | Flat   | Power consumption (typical) *             | 32 W           |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1280 x 960, 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160 | Power consumption (standby) *             | 0.3 W          |
|                                |  | Power consumption (max)                   | 85 W           |
| Supported video modes          | 480p, 576p, 720p, 1080i, 2160p   | Power consumption (off)                   | 0.3 W          |
| Contrast ratio (typical) *     | 3000:1   | AC input voltage                          | 100 - 240 V    |
| Maximum refresh rate *         | 120 Hz   | AC input frequency                        | 50/60 Hz       |
| Viewing angle, horizontal      | 178°   | Input current                             | 1.5 A          |
| Viewing angle, vertical        | 178°   | Power supply type                         | Internal       |
| Display number of colours *    | 1.07 billion colours   | Energy efficiency scale                   | A to G         |
| Response time (fast)           | 5 ms   | Operational conditions                    |                |
| Pixel pitch                    | 0.18159 x 0.18159 mm   | Operating temperature (T-T)               | 0 - 40 °C      |
| Pixel density                  | 139 ppi  | Storage temperature (T-T)                 | -20 - 60 °C    |
| Viewable size, horizontal      | 69.7 cm  | Operating relative humidity (H-H)         | 10 - 80%       |
| Viewable size, vertical        | 39.2 cm  | Storage relative humidity (H-H)           | 5 - 90%        |
| Digital horizontal frequency   | 25 - 300 kHz   | Operating altitude                        | 0 - 5000 m     |
|                                |  | Non-operating altitude                    | 5000 - 12192 m |

|                                     |                               |  |                           |
|-------------------------------------|-------------------------------|--|---------------------------|
| <b>Display</b>                      |                               | <b>Weight &amp; dimensions</b>               |                           |
| Digital vertical frequency          | 48 - 120 Hz                   | Width (with stand)                           | 712.5 mm                  |
| High Dynamic Range (HDR) supported  | ✓                             | Depth (with stand)                           | 221.8 mm                  |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) | Height (with stand)                          | 545.7 mm                  |
| Surface hardness                    | 3H                            | Weight (with stand)                          | 8.5 kg                    |
| sRGB coverage (typical)             | 99%                           | Width (without stand)                        | 712.5 mm                  |
| DCI-P3 coverage                     | 95%                           | Depth (without stand)                        | 61.4 mm                   |
| <b>Performance</b>                  |                               | Height (without stand)                       | 412.8 mm                  |
| NVIDIA G-SYNC *                     | ✗                             | Weight (without stand)                       | 5.97 kg                   |
| AMD FreeSync *                      | ✓                             | Bezel width (side)                           | 7.62 mm                   |
| AMD FreeSync type                   | FreeSync Premium              | Bezel width (top)                            | 7.62 mm                   |
| <b>Multimedia</b>                   |                               | Bezel width (bottom)                         | 1.3 cm                    |
| Number of speakers                  | 2                             | <b>Packaging data</b>                        |                           |
| RMS rated power                     | 10 W                          | Package weight                               | 13.7 kg                   |
| Built-in speaker(s) *               | ✓                             | <b>Packaging content</b>                     |                           |
| Built-in camera *                   | ✗                             | Stand included                               | ✓                         |
| <b>Design</b>                       |                               | Cables included                              | AC, HDMI                  |
| Market positioning *                | Office                        | Power adapter included                       | ✗                         |
| Product colour *                    | Silver                        | Remote control included                      | ✗                         |
| Front bezel colour                  | Black                         | Stylus included                              | ✗                         |
| Detachable stand                    | ✓                             | Quick start guide                            | ✓                         |
| Feet colour                         | Silver                        | <b>Sustainability</b>                        |                           |
| <b>Ports &amp; interfaces</b>       |                               | Sustainability certificates                  | ENERGY STAR               |
| Built-in USB hub *                  | ✗                             | Doesn't contain                              | Arsenic, Mercury, PVC/BFR |
| HDMI *                              | ✓                             | <b>Carbon footprint</b>                      |                           |
| HDMI ports quantity                 | 2                             | Total carbon footprint (kg of CO2e)          | 344                       |
| HDMI version                        | 2.1                           | Carbon emissions, manufacturing (kg of CO2e) | 142.42                    |
| DisplayPorts quantity               | 1                             | Carbon emissions, logistics (kg of CO2e)     | 25.46                     |
| Headphone out *                     | ✗                             | Carbon emissions, energy usage (kg of CO2e)  | 155.49                    |
| HDCP                                | ✓                             | Carbon emissions, end-of-life (kg of CO2e)   | 20.3                      |
| HDCP version                        | 1.4/2.2                       | PAIA version                                 | GaBi version 1, 2024      |
| <b>Network</b>                      |                               | <b>Other features</b>                        |                           |
| Wi-Fi                               | ✗                             | Compliance certificates                      | RoHS                      |
| <b>Ergonomics</b>                   |                               |  |                           |
| VESA mounting *                     | ✓                             |  |                           |
| Panel mounting interface            | 100 x 100 mm                  |  |                           |
| Wall mountable                      | ✓                             |  |                           |
| Cable management                    | ✓                             |  |                           |
| Cable lock slot *                   | ✓                             |  |                           |
| Cable lock slot type                | Kensington                    |  |                           |
| Height adjustment *                 | ✓                             |  |                           |
| Adjustable height (max)             | 10 cm                         |  |                           |



5397184962374



0884116485131



884116485131

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.