

ernitec

Ernitec 0070-24143-HB3000-INDOOR-P Signage Display 109.2 cm (43") LCD 3000 cd/m² 4K Ultra HD 24/7

Brand : Ernitec

Product code: 0070-24143-HB3000-INDOOR-P

Product name : 0070-24143-HB3000-INDOOR-P

- 4K HD Solution
- 7/24 working Status Security monitor
- High brightness, High contrast, High definition
- Adapt newest 3D digital filtering and 3D digital noise reduction technology
- Picture fast response
- 178 ° wide viewing angle
- Metal chassis design, Anti-static, Anti-magnetic field, Anti-interference, no radiation
- Humanize Menu
- Convenient Controller
- HDMI cable included
- 5 Year Warranty

43" 24/7 4K UHD Monitor - High Brightness 3000 NITS - Indoor - Portrait

Ernitec 0070-24143-HB3000-INDOOR-P. Display diagonal: 109.2 cm (43"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 3000 cd/m², HD type: 4K Ultra HD. Operating hours (hours/days): 24/7



Display		Performance	
LED backlight	✓	Mean time between failures (MTBF)	50000 h
Display diagonal *	109.2 cm (43")	Power	
Display technology *	LCD	Power consumption (typical) *	100 W
Display resolution *	3840 x 2160 pixels	AC input voltage	100-240 V
Display brightness *	3000 cd/m ²	AC input frequency	50-60 Hz
HD type *	4K Ultra HD	Weight & dimensions	
Touchscreen *	✗	Width	972 mm
Native aspect ratio	16:9	Depth	88 mm
Response time	5 ms	Height	576 mm
Contrast ratio (typical)	4000:1	Weight	20 kg
Viewing angle, horizontal	178°	Packaging data	
Viewing angle, vertical	178°	Package width	1085 mm
Display number of colours	1.073 billion colours	Package depth	232 mm
Pixel pitch	0.2451 x 0.2451 mm	Package height	680 mm
Ports & interfaces		Package weight	22 kg
HDMI ports quantity *	3	Operational conditions	
HDMI version	2.0	Operating temperature (T-T)	-30 - 85 °C
DisplayPorts quantity *	1	Certificates	
USB ports quantity	1	Certification	EMC Class A
Audio		Features	
RMS rated power	6 W	Wall mountable	✓
Design		Other features	
VESA mounting *	✓	Display brightness (peak)	3000 cd/m ²
Panel mounting interface	200 x 200 mm	Quick start guide	✓
Performance		3D	✓
Analog signal format system	PAL	AC (power) in	✓
On Screen Display (OSD) languages	English		
Operating hours (hours/days)	24/7		

Other features

Aspect ratio	16:9
Power consumption (average)	120 W
Brightness	3000 cd/m ²
Package dimensions (WxDxH)	1085 x 232 x 680 mm
Dimensions (WxDxH)	972 x 88 x 576 mm



5715328106086

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.