



## TP-Link Deco BE68 (3-pack) Tri-band (2.4 GHz / 5 GHz / 6 GHz) Wi-Fi 7 (802.11be) White Internal

**Brand :** TP-Link

**Product code:** DECO BE68(3-PACK)

**Product name :** Deco BE68 (3-pack)

BE14000 Tri-Band Whole Home Mesh WiFi 7 System

TP-Link Deco BE68 (3-pack). Product colour: White, Antenna type: Internal, Product type: Mesh system. Wi-Fi band: Tri-band (2.4 GHz / 5 GHz / 6 GHz), Top Wi-Fi standard: Wi-Fi 7 (802.11be), WLAN data transfer rate (max): 8647 Mbit/s. Virtual assistant: Amazon Alexa & Google Assistant, Firewall security: SPI Firewall, Parental control features: Bedtime, Custom profiles, Family online time ranking, Family time, Off time, Professional content.... Certification: CE, FCC, RoHS. Width: 107.5 mm, Depth: 107.5 mm, Height: 176 mm



| Design                                        |                                                                                                                               | Features                                        |                                                                                                                                                                                         |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product type                                  | Mesh system                                                                                                                   | WPS push button                                 | ✓                                                                                                                                                                                       |
| Product colour *                              | White                                                                                                                         | Virtual assistant                               | Amazon Alexa & Google Assistant                                                                                                                                                         |
| Antenna type *                                | Internal                                                                                                                      | Quality of Service (QoS) support                | ✓                                                                                                                                                                                       |
| Antennas quantity                             | 8                                                                                                                             | Port forwarding                                 | ✓                                                                                                                                                                                       |
| Maximum coverage                              | 752.51 m²                                                                                                                     | Firewall security                               | SPI Firewall                                                                                                                                                                            |
| Reset button                                  | ✓                                                                                                                             | DHCP client                                     | ✓                                                                                                                                                                                       |
| Wireless LAN features                         |                                                                                                                               | DHCP server                                     | ✓                                                                                                                                                                                       |
| Wi-Fi band *                                  | Tri-band (2.4 GHz / 5 GHz / 6 GHz)                                                                                            | Universal Plug and Play (UPnP)                  | ✓                                                                                                                                                                                       |
| Top Wi-Fi standard *                          | Wi-Fi 7 (802.11be)                                                                                                            | Parental control                                | ✓                                                                                                                                                                                       |
| Wi-Fi standards                               | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be) | Parental control features                       | Bedtime, Custom profiles, Family online time ranking, Family time, Off time, Professional content filter library, SafeSearch, Time rewards, Weekly/monthly reports, Youtube restriction |
| WLAN data transfer rate (max) *               | 8647 Mbit/s                                                                                                                   | Works with Amazon Alexa                         | ✓                                                                                                                                                                                       |
| WLAN data transfer rate (first band)          | 8647 Mbit/s                                                                                                                   | Firmware upgradeable via                        | Network                                                                                                                                                                                 |
| WLAN data transfer rate (second band)         | 4324 Mbit/s                                                                                                                   | MU-MIMO technology                              | ✓                                                                                                                                                                                       |
| WLAN data transfer rate (third band)          | 688 Mbit/s                                                                                                                    | Ports & interfaces                              |                                                                                                                                                                                         |
| Networking standards                          | IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n, IEEE 802.1AX             | Ethernet LAN (RJ-45) ports *                    | 3                                                                                                                                                                                       |
| Security algorithms                           | WPA-Personal, WPA2-Personal, WPA3-Personal                                                                                    | Ethernet WAN                                    | ✓                                                                                                                                                                                       |
| Number of guest networks (5 GHz)              | 1                                                                                                                             | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1                                                                                                                                                                                       |
| Number of guest networks (2.4 GHz)            | 1                                                                                                                             | DC-in jack                                      | ✓                                                                                                                                                                                       |
| Point-to-point protocol over Ethernet (PPPoE) | ✓                                                                                                                             | Certificates                                    |                                                                                                                                                                                         |
| Dynamic IP                                    | ✓                                                                                                                             | Certification                                   | CE, FCC, RoHS                                                                                                                                                                           |
|                                               |                                                                                                                               | Operational conditions                          |                                                                                                                                                                                         |

| Wireless LAN features |                                                                                                                                                                 | Operational conditions            |             |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-------------|
| Static IP             | ✓                                                                                                                                                               | Operating temperature (T-T)       | 0 - 40 °C   |
| IGMP proxy            | ✓                                                                                                                                                               | Storage temperature (T-T)         | -40 - 60 °C |
| IGMP snooping         | ✓                                                                                                                                                               | Operating relative humidity (H-H) | 10 - 90%    |
| Tagged VLAN           | ✓                                                                                                                                                               | Storage relative humidity (H-H)   | 5 - 90%     |
| Dynamic DNS (DDNS)    | ✓                                                                                                                                                               | Weight & dimensions               |             |
| Guest access          | ✓                                                                                                                                                               | Width                             | 107.5 mm    |
| Apps supported        | TP-Link Deco                                                                                                                                                    | Depth                             | 107.5 mm    |
|                       | OpenVPN Server PPTP VPN Server<br>L2TP/IPSec VPN Server WireGuard<br>VPN Server OpenVPN Client PPTP<br>VPN Client L2TP/IPSec VPN Client<br>WireGuard VPN Client | Height                            | 176 mm      |
| VPN support           |                                                                                                                                                                 | Packaging content                 |             |
|                       |                                                                                                                                                                 | Number of products included       | 3 pc(s)     |
|                       |                                                                                                                                                                 | AC adapter included               | ✓           |
|                       |                                                                                                                                                                 | Number of units included          | 3 pc(s)     |



1210002621656



1210002600354

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.