

## Zebra CS60 Companion scanner

**Brand :** Zebra

**Product code:** CS6080-SR400004QVW

**Product name :** CS60 Companion scanner

- Scan Type: 2D, 1D
- Image Sensor: 1280x960 pixels
- Scan Range: Standard Range
- Corded/Cordless: Corded, Cordless
- Battery Capacity: 18 hours (745 mAh)

CS6080 Cordless, Bluetooth 5.0, LED, 1D/2D, 1280 x 960, Companion Scanner, Inductive, Area Imager, Standard Range, Midnight Black, Vibration Motor, 745 mAh, 2.3 x 4.6 cm x 10.9 cm, 83 g, Qi Pad Charger, USB-C Qi Pad Cable

### Zebra CS60 Companion scanner:

The ultra-versatile CS60 Companion scanner adapts to any workflow. As a cordless scanner, it is small enough to tuck in a pocket and offers the latest mobile technology including contactless charging. As a corded scanner, it provides compact scanning for the checkout counter, self-service kiosk and more.



Scanning		Performance	
Type *	Handheld bar code reader	Ambient lighting	✓
Scanner type *	1D/2D	Product colour *	Black
Sensor type *	LED	Vibration function	✓
Linear (1D) barcodes supported *	Codabar, Code 11, Code 128, Code 39, Code 93, EAN 128, EAN 2, EAN 5, EAN-13, EAN-8, GS1 DataBar, MSI-Plessey, U.P.C., UPC-A, UPC-E, UPC-E0, UPC-E1	<b>Power</b>	
2D (matrix & stacked) barcodes supported *	Aztec Code, Composite Codes, Data Matrix, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39	Power source type *	Battery
Optical sensor resolution (W x H)	1280 x 960 pixels	Battery technology	Lithium Polymer (LiPo)
Horizontal field of view	45°	Battery capacity	745 mAh
Vertical field of view	34°	Number of reads per charge	13000
Light levels (direct sunlight)	0 - 108000 lx	Battery life	18 h
Tilt reading angle	0 - 360°	Charging time	3 h
Pitch reading angle	-60 - 60°	<b>Weight &amp; dimensions</b>	
Yaw reading angle	-60 - 60°	Width	18 mm
<b>Ports &amp; interfaces</b>		Depth	43 mm
Connectivity technology *	Wireless	Height	9 mm
Standard interfaces *	Bluetooth	Weight *	83 g
Wireless range	100 m	<b>Packaging data</b>	
Bluetooth version	5.0	Charging base	✓
Bluetooth Low Energy (BLE)	✓	<b>Operational conditions</b>	
		Operating temperature (T-T)	0 - 50 °C
		Storage temperature (T-T)	-40 - 70 °C
		Operating relative humidity (H-H)	5 - 95%
		Storage relative humidity (H-H)	5 - 95%

Performance		Operational conditions	
International Protection (IP) code	IP65	Drop resistance	1.8 m
LED indicators	✓	Technical details	
Buzzer	✓	Warranty period	3 year(s)
		Compliance certificates	Mfi, REACH, RoHS, Trade Agreements Act (TAA)

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.