



DELL Pro Max 14 MC14250 Intel Core Ultra 7 265H Mobile workstation 35.6 cm (14") Full HD+ 16 GB LPDDR5x-SDRAM 512 GB SSD NVIDIA RTX PRO 500 Blackwell Wi-Fi 7 (802.11be) Windows 11 Pro UK English Black



Brand : DELL

Product family: Pro

Product code: WX0C7

Product name : MC14250

- Windows 11 Pro 64-bit
 - Intel Core Ultra 7 265H (24MB Cache)
 - 14" Full HD+ 1920 x 1200 WVA, NVIDIA RTX PRO 500 Blackwell (6GB GDDR7)
 - 16GB LPDDR5x-SDRAM (1 x 16) & 512GB SSD
- Intel Core Ultra 7 265H (24MB Cache), 16GB LPDDR5x-SDRAM, 512GB SSD, 14" Full HD+ 1920 x 1200 WVA, Intel Arc 140T, NVIDIA RTX PRO 500 Blackwell (6GB GDDR7), LAN, WLAN, Webcam, Windows 11 Pro 64-bit

[DELL Pro Max 14 MC14250 Intel Core Ultra 7 265H Mobile workstation 35.6 cm \(14"\) Full HD+ 16 GB LPDDR5x-SDRAM 512 GB SSD NVIDIA RTX PRO 500 Blackwell Wi-Fi 7 \(802.11be\) Windows 11 Pro UK English Black:](#)

Productivity, anywhere

Experience performance and portability with the Dell Pro Max 14 laptop. Designed for power users, light design and creative applications in the office or on the go.

| Design | | Camera | |
|-----------------------------------|-----------------------------|---|---|
| Colour name | Magnetite | Front camera HD type | Full HD |
| Product type * | Mobile workstation | Video capturing speed | 30 fps |
| Product colour * | Black | Infrared (IR) camera | ✓ |
| Form factor * | Clamshell | Privacy camera | ✓ |
| Intel® vPro™ Platform Eligibility | ✓ | Privacy type | Privacy shutter |
| Certified refurbished | ✗ | Network | |
| Display | | Top Wi-Fi standard * | Wi-Fi 7 (802.11be) |
| Display diagonal * | 35.6 cm (14") | Wi-Fi standards | 802.11a, Wi-Fi 5 (802.11ac), Wi-Fi 7 (802.11be), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) |
| Display resolution * | 1920 x 1200 pixels | Mobile network connection * | ✗ |
| Touchscreen * | ✗ | Wi-Fi band | Tri-band (2.4 GHz / 5 GHz / 6 GHz) |
| HD type | Full HD+ | Wi-Fi data rate (max) | 5760 Mbit/s |
| Panel type | WVA | Antenna type | 2x2 |
| LED backlight | ✓ | WLAN controller model | Intel Wi-Fi 7 BE201 |
| Native aspect ratio | 16:10 | WLAN controller manufacturer | Intel |
| Anti-glare screen | ✓ | Ethernet LAN | ✓ |
| Display brightness | 300 cd/m ² | Ethernet LAN data rates | 10,100,1000 Mbit/s |
| Pixel density | 162 ppi | Bluetooth | ✓ |
| Display response rise/fall | 35 ms | Ports & interfaces | |
| Maximum refresh rate | 60 Hz | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 2 |
| Contrast ratio (typical) | 800:1 | Ethernet LAN (RJ-45) ports | 1 |
| Processor | | HDMI ports quantity * | 1 |
| Processor manufacturer * | Intel | HDMI version | 2.1 |
| Processor family * | Intel Core Ultra 7 | Thunderbolt 4 ports quantity | 2 |
| Processor generation | Intel Core Ultra (Series 2) | Intel® Thunderbolt 4 | ✓ |
| Processor model * | 265H | Combo headphone/mic port | ✓ |
| Processor cores | 16 | USB Type-C DisplayPort Alternate Mode | ✓ |
| Processor threads | 16 | PowerShare | ✓ |
| Processor boost frequency | 5.3 GHz | | |
| Performance cores | 6 | | |
| Efficient cores | 8 | | |
| Low Power Efficient-cores | 2 | | |

| | | | |
|--|--|--|--|
| Processor | | Performance | |
| Performance-core Max Turbo Frequency | 5.3 GHz | Motherboard chipset | Intel SoC |
| Efficient-core Max Turbo Frequency | 4.5 GHz | Accelerometer | ✓ |
| Low Power Efficient-core Max Turbo Frequency | 2.5 GHz | Hall sensor | ✓ |
| Performance-core base frequency | 2.2 GHz | Keyboard | |
| Efficient-core base frequency | 1.7 GHz | Pointing device | Touchpad |
| Low Power Efficient-core Base Frequency | 700 MHz | Numeric keypad * | ✗ |
| Processor cache | 24 MB | Keyboard backlit | ✓ |
| Processor base power | 28 W | Keyboard language | UK English |
| Maximum turbo power | 115 W | Copilot key | ✓ |
| Neural processor unit (NPU) | | Software | |
| Neural processor unit (NPU) | Intel AI Boost | Operating system architecture | 64-bit |
| Sparsity support | ✓ | Trial software | Activate Your Microsoft 365 For A 30 Day Trial |
| Windows Studio effects support | ✓ | Operating system installed * | Windows 11 Pro |
| AI software frameworks supported by NPU | DirectML, OpenVINO, Windows ML, ONNX RT, WebNN | Brand-specific features | |
| Total processor performance up to | 97 TOPs | Brand specific technologies | Control Vault 3+, Express Charge Boost capable, HDR Camera |
| NPU performance up to | 13 TOPs | Battery | |
| GPU performance up to | 75 TOPs | Battery technology | Lithium Polymer (LiPo) |
| Memory | | Number of battery cells | 4 |
| Internal memory * | 16 GB | Battery capacity * | 72 Wh |
| Internal memory type | LPDDR5x-SDRAM | Battery voltage | 15.6 V |
| Memory form factor | LPCAMM | Battery recharge time | 3 h |
| Memory layout (slots x size) | 1 x 16 GB | Fast charging | ✓ |
| Maximum internal memory * | 64 GB | Battery weight | 270 g |
| Memory channels | Dual-channel | Power | |
| Memory data transfer rate | 7467 MT/s | USB Type-C charging port * | ✓ |
| Non-ECC | ✓ | USB Type-C required charging power (min) * | 45 W |
| Storage | | USB Type-C required charging power (max) * | 71 W |
| Total storage capacity * | 512 GB | USB Power Delivery (USB PD) | ✓ |
| Storage media * | SSD | Security | |
| Total SSDs capacity | 512 GB | Cable lock slot | ✓ |
| Number of SSDs installed | 1 | Cable lock slot type | Wedge |
| SSD capacity | 512 GB | Fingerprint reader | ✓ |
| SSD interface | PCI Express 4.0 | Smart card reader | ✓ |
| NVMe | ✓ | Trusted Platform Module (TPM) | ✓ |
| SSD form factor | M.2 | Trusted Platform Module (TPM) version | 2.0 |
| SSD performance class | 35 | Operational conditions | |
| M.2 SSD size | 2230 (22 x 30 mm) | Operating temperature (T-T) | 0 - 35 °C |
| Optical drive type * | ✗ | Storage temperature (T-T) | -40 - 65 °C |
| Graphics | | Operating relative humidity (H-H) | 10 - 90% |
| Discrete graphics card model * | NVIDIA RTX PRO 500 Blackwell | Storage relative humidity (H-H) | 0 - 95% |
| Discrete graphics card memory | 6 GB | Operating altitude | -15.2 - 3048 m |
| Discrete graphics memory type | GDDR7 | Non-operating altitude | -15.2 - 10668 m |
| On-board graphics card * | ✓ | Operating shock | 110 G |
| On-board GPU manufacturer | Intel | Non-operating shock | 160 G |
| Discrete graphics card * | ✓ | Operating vibration | 0.66 G |
| On-board graphics card family | Intel Arc Graphics | Non-operating vibration | 1.3 G |
| On-board graphics card model * | Intel Arc 140T | Sustainability | |
| Audio | | Sustainability certificates | ENERGY STAR, EPEAT Climate +, EPEAT Gold |
| Audio chip | Realtek ALC3329 | Weight & dimensions | |
| Audio system | MaxxAudio Pro | Width | 313 mm |
| Number of built-in speakers | 2 | | |
| Speakers manufacturer | Waves | | |
| Speaker power | 2 W | | |
| Built-in microphone | ✓ | | |

| Audio | | Weight & dimensions | |
|-----------------------------------|--------------------|--|----------------------|
| Number of microphones | 2 | Depth | 227.3 mm |
| Camera | | Height (front) | 1.48 cm |
| Front camera | ✓ | Height (rear) | 1.89 cm |
| Front camera resolution (numeric) | 2.07 MP | Weight * | 1.83 kg |
| Front camera resolution | 1920 x 1080 pixels | Carbon footprint | |
| | | Total carbon footprint (kg of CO2e) | 101 |
| | | Carbon emissions, manufacturing (kg of CO2e) | 72.62 |
| | | Carbon emissions, logistics (kg of CO2e) | 5.25 |
| | | Carbon emissions, energy usage (kg of CO2e) | 22.02 |
| | | Carbon emissions, end-of-life (kg of CO2e) | 1.01 |
| | | PAIA version | GaBi version 1, 2024 |
| | | Packaging content | |
| | | AC adapter included * | ✗ |



5397184985991

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.