



DELL Pro Max 18 Plus MB18250 Intel Core Ultra 7 265HX Mobile workstation 45.7 cm (18") Quad HD+ 32 GB DDR5-SDRAM 1 TB SSD NVIDIA RTX PRO 2000 Blackwell Wi-Fi 7 (802.11be) Windows 11 Pro UK English Black



Brand : DELL **Product family:** Pro Max **Product code:** KYP4M
Product name : MB18250

- Windows 11 Pro 64-bit
 - Intel Core Ultra 7 265HX (30MB Cache)
 - 18" Quad HD+ 2560 x 1600 WVA, NVIDIA RTX PRO 2000 Blackwell (8GB GDDR7)
 - 32GB DDR5-SDRAM (2 x 16) & 1000GB SSD
- Intel Core Ultra 7 265HX (30MB Cache), 32GB DDR5-SDRAM, 1000GB SSD, 18" Quad HD+ 2560 x 1600 WVA, Intel Graphics, NVIDIA RTX PRO 2000 Blackwell (8GB GDDR7), LAN, Webcam, Windows 11 Pro 64-bit

DELL Pro Max 18 Plus MB18250 Intel Core Ultra 7 265HX Mobile workstation 45.7 cm (18") Quad HD+ 32 GB DDR5-SDRAM 1 TB SSD NVIDIA RTX PRO 2000 Blackwell Wi-Fi 7 (802.11be) Windows 11 Pro UK English Black:


Exceptional power. Elevated performance.

Maximise power and productivity with Dell Pro Max 18 Plus, a powerful, modern 18-inch laptop that combines exceptional screen space and performance with scalability and advanced on-device AI.

Design		Camera	
Colour name	Magnetite	Video capturing speed	30 fps
Product type *	Mobile workstation	Infrared (IR) camera	✓
Product colour *	Black	Privacy camera	✓
Form factor *	Clamshell	Privacy type	Privacy shutter
Intel® vPro™ Platform Eligibility	✓	Network	
Display		Top Wi-Fi standard *	Wi-Fi 7 (802.11be)
Display diagonal *	45.7 cm (18")	Mobile network connection *	✗
Display resolution *	2560 x 1600 pixels	Wi-Fi band	Tri-band (2.4 GHz / 5 GHz / 6 GHz)
Touchscreen *	✗	Wi-Fi data rate (max)	5760 Mbit/s
HD type	Quad HD+	WLAN controller model	Intel Wi-Fi 7 BE200
Panel type	WVA	WLAN controller manufacturer	Intel
Display technology marketing name	ComfortView Plus	Ethernet LAN	✓
Native aspect ratio	16:10	Ethernet LAN data rates	10,1000,2500,100 Mbit/s
Anti-glare screen	✓	Bluetooth	✓
Display brightness	500 cd/m ²	Near Field Communication (NFC)	✓
Pixel density	168 ppi	Ports & interfaces	
RGB colour space	DCI-P3	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Colour gamut	100%	Ethernet LAN (RJ-45) ports	1
Display response rise/fall	30 ms	HDMI ports quantity *	1
Maximum refresh rate	120 Hz	HDMI version	2.1
Contrast ratio (typical)	1000:1	Thunderbolt 4 ports quantity	1
Processor		Thunderbolt 5 ports quantity	2
Processor manufacturer *	Intel	Intel® Thunderbolt 4	✓
Processor family *	Intel Core Ultra 7	Intel® Thunderbolt 5	✓
Processor generation	Intel Core Ultra (Series 2)	Combo headphone/mic port	✓
Processor model *	265HX	USB Type-C DisplayPort Alternate Mode	✓
Processor cores	20	PowerShare	✓
Processor threads	20	Performance	
Processor boost frequency	5.3 GHz	Ambient light sensor	✓
Performance cores	8		
Efficient cores	12		

Processor		Performance	
Performance-core Max Turbo Frequency	5.3 GHz	Accelerometer	✓
Efficient-core Max Turbo Frequency	4.6 GHz	Hall sensor	✓
Performance-core base frequency	2.6 GHz	Keyboard	
Efficient-core base frequency	2.3 GHz	Pointing device	Touchpad
Processor cache	30 MB	Numeric keypad *	✓
Processor base power	55 W	Keyboard backlit	✓
Maximum turbo power	160 W	Keyboard language	UK English
Neural processor unit (NPU)		Copilot key	✓
Neural processor unit (NPU)	Intel AI Boost	Software	
Sparsity support	✓	Operating system architecture	64-bit
Windows Studio effects support	✓	Trial software	Activate Your Microsoft 365 For A 30 Day Trial
AI software frameworks supported by NPU	DirectML, OpenVINO, Windows ML, ONNX RT, WebNN	Operating system installed *	Windows 11 Pro
Total processor performance up to	33 TOPs	Brand-specific features	
NPU performance up to	13 TOPs	Brand specific technologies	Express Charge Boost capable, TNR, HDR Camera, Control Vault 3+
GPU performance up to	8 TOPs	Battery	
Memory		Battery technology	Lithium-Ion (Li-Ion)
Internal memory *	32 GB	Number of battery cells	6
Internal memory type	DDR5-SDRAM	Battery capacity *	96 Wh
Memory form factor	CSODIMM	Battery voltage	11.7 V
Memory layout (slots x size)	2 x 16 GB	Battery recharge time	3 h
Maximum internal memory *	64 GB	Fast charging	✓
Memory channels	Dual-channel	Power	
Memory data transfer rate	6400 MT/s	USB Type-C charging port *	✓
Non-ECC	✓	USB Type-C required charging power (min) *	90 W
Storage		USB Power Delivery (USB PD)	✓
Total storage capacity *	1 TB	Security	
Storage media *	SSD	Cable lock slot	✓
Total SSDs capacity	1 TB	Cable lock slot type	Noble
Number of SSDs installed	1	Fingerprint reader	✓
SSD capacity	1 TB	Smart card reader	✓
SSD memory type	TLC	Trusted Platform Module (TPM)	✓
SSD interface	PCI Express 4.0	Trusted Platform Module (TPM) version	2.0
NVMe	✓	Dell ControlVault	✓
SSD form factor	M.2	Operational conditions	
Self-Encrypting Drive (SED)	✓	Operating temperature (T-T)	0 - 35 °C
Optical drive type *	✗	Storage temperature (T-T)	-40 - 65 °C
Card reader integrated	✓	Operating relative humidity (H-H)	10 - 90%
Compatible memory cards	SD, SDHC, SDXC	Storage relative humidity (H-H)	0 - 95%
Graphics		Operating altitude	-15.2 - 3048 m
Discrete GPU manufacturer	NVIDIA	Non-operating altitude	-15.2 - 10668 m
Discrete graphics card model *	NVIDIA RTX PRO 2000 Blackwell	Operating shock	110 G
Discrete graphics card memory	8 GB	Non-operating shock	160 G
Discrete graphics memory type	GDDR7	Operating vibration	0.66 G
On-board graphics card *	✓	Non-operating vibration	1.3 G
On-board GPU manufacturer	Intel	Weight & dimensions	
Discrete graphics card *	✓	Width	402 mm
On-board graphics card family	Intel® Graphics	Depth	279.9 mm
On-board graphics card model *	Intel® Graphics	Height (front)	1.79 cm
Audio		Height (rear)	1.96 cm
Audio chip	Cirrus Logic CS42L43	Weight *	3.25 kg
Number of built-in speakers	2	Camera	
Speaker power	2.5 W		
Built-in microphone	✓		

Camera		Carbon footprint	
Front camera	✓	Total carbon footprint (kg of CO2e)	207
Front camera resolution (numeric)	8.29 MP	Carbon emissions, manufacturing (kg of CO2e)	152.56
Front camera resolution	1920 x 1080 pixels	Carbon emissions, logistics (kg of CO2e)	9.32
Front camera HD type	Full HD	Carbon emissions, energy usage (kg of CO2e)	37.26
		Carbon emissions, end-of-life (kg of CO2e)	7.87
		PAIA version	GaBi version 1, 2025
		Packaging content	
		AC adapter included *	✗



5397321002048

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.