

ernitec

Ernitec 32 Surveillance monitor for 24/7 Use, 4K, 1 x HDMI 2.0, 1 x VGA, 1 x BNC out, 2 x BNC IN, 2 x Speakers - Water and Vandal proof computer monitor 81.3 cm (32") 3840 x 2160 pixels 4K Ultra HD LCD Black



Brand : Ernitec

Product code: 0070-24232-WATERPROOF_OLD

Product name : 32 Surveillance monitor for 24/7 Use, 4K, 1 x HDMI 2.0, 1 x VGA, 1 x BNC out, 2 x BNC IN, 2 x Speakers - Water and Vandal proof


- 24/7 display
- Security monitor
- EU + UK Power cord included
- HDMI cable included
- Waterproof IP65 in front and IP22 on connectors
- Vandalproof on the front IK10
- Installation under roof or built-in

32" 24/7 4K UHD Surveillance monitor. Metal chassis design - Water & vandal proof. 1x HDMI, 1x VGA, 1x BNC out, 2x BNC IN

Ernitec 32 Surveillance monitor for 24/7 Use, 4K, 1 x HDMI 2.0, 1 x VGA, 1 x BNC out, 2 x BNC IN, 2 x Speakers - Water and Vandal proof computer monitor 81.3 cm (32") 3840 x 2160 pixels 4K Ultra HD LCD Black:

PRODUCT CHARACTERISTICS

- 4K UHD solution
 - Industrial-grade LED screen
 - Designed for CCTV
 - High brightness, high contrast, high definition
 - Adapts to the latest 3D digital filtering and 3D digital noise reduction technology
 - Picture fast response
 - 178° wide viewing angle
 - High fidelity digital processing, brilliant and vivid video
 - 24/7 working status, working continuously for 5 years
 - Metal chassis design, anti-static, anti-magnetic field, anti-interference, no radiation
- VESA size: 200x200



Display		Power	
Display diagonal *	81.3 cm (32")	Power consumption (max)	40 W
Display resolution *	3840 x 2160 pixels	Power consumption (average)	40 W
HD type *	4K Ultra HD	Packaging data	
Native aspect ratio *	16:9	Package dimensions (WxDxH)	875 x 197 x 570 mm
Display technology *	LCD	Package width	875 mm
LED backlight	✓	Package depth	197 mm
Display brightness (typical)	350 cd/m ²	Package height	570 mm
Response time *	5 ms	Package weight	13.2 kg
Aspect ratio	16:9	Packaging content	
Contrast ratio (typical) *	1300:1	Stand included	✗
Viewing angle, horizontal	178°	Power adapter included	✗
Viewing angle, vertical	178°	Screws included	✓
Design		Quick start guide	✓
Market positioning *	Industrial	Other features	
Product colour *	Black	Dimensions (WxDxH)	736 x 88 x 440 mm
Ports & interfaces		Picture enhancement	DNiE digital image processing
VGA (D-Sub) ports quantity	1	Brightness	350 cd/m ²
HDMI ports quantity	1	Comb filter	3D
HDMI version	2.0	USB ports quantity	1
AC (power) in	✓	Weight	11.5 kg
BNC input ports	2		

Ergonomics

VESA mounting *	✓
Panel mounting interface	200 x 200 mm

Other features

Height	440 mm
Width	736 mm
Depth	87.5 mm
Glass protection	✓
Mean time between failures (MTBF)	50000 h



5715063290743

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.