



## LG Monitor U4 24U411B-B 24-inch IPS Full HD 144Hz Monitor

**Brand :** LG

**Product code:** 24U411B-B.AEK

**Product name :** LG Monitor U4 24U411B-B 24-inch IPS Full HD 144Hz Monitor

- LG 24-inch Full HD IPS display for a wider and more efficient workspace.
- sRGB 99% (Typ.) with HDR10 — rich, vibrant colours and enhanced contrast for true-to-life visuals.
- Clear and smooth with a 144Hz refresh rate.
- Virtually borderless design — maximises screen space with a clean, modern look.
- LG Switch — seamlessly control multiple devices with one keyboard and mouse for an efficient, streamlined workspace.

LG Monitor U4 24U411B-B 24-inch IPS Full HD 144Hz sRGB 99% HDR10 PC Monitor

LG Monitor U4 24U411B-B 24-inch IPS Full HD 144Hz Monitor. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Display surface: Matt, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



### Versatile performance with ultra-slim design



\*The images simulated.

| Display                             |                                           | Ports & interfaces                        |              |
|-------------------------------------|-------------------------------------------|-------------------------------------------|--------------|
| Display diagonal *                  | 61 cm (24")                               | Headphone connectivity                    | 3.5 mm       |
| Display resolution *                | 1920 x 1080 pixels                        | HDCP                                      | ✓            |
| HD type *                           | Full HD                                   | HDCP version                              | 2.2          |
| Native aspect ratio *               | 16:9                                      | Network                                   |              |
| Display technology *                | LCD                                       | Bluetooth                                 | ✗            |
| Panel type *                        | Fast IPS                                  | Ergonomics                                |              |
| Touchscreen *                       | ✗                                         | VESA mounting *                           | ✓            |
| Display brightness (typical)        | 250 cd/m²                                 | Panel mounting interface                  | 100 x 100 mm |
| Response time *                     | 5 ms                                      | Height adjustment *                       | ✗            |
| Response time measurement type      | GTG (Gray to Gray)                        | Pivot                                     | ✗            |
| Response time (MPRT)                | 1 ms                                      | Tilt adjustment                           | ✓            |
| Display surface                     | Matt                                      | Power                                     |              |
| Screen shape *                      | Flat                                      | Energy efficiency class (SDR) *           | D            |
| Contrast ratio (typical) *          | 1500:1                                    | Energy efficiency class (HDR) *           | E            |
| Maximum refresh rate *              | 144 Hz                                    | Energy consumption (SDR) per 1000 hours * | 14.1 kWh     |
| Viewing angle, horizontal           | 178°                                      | Energy consumption (HDR) per 1000 hours * | 18 kWh       |
| Viewing angle, vertical             | 178°                                      | Power consumption (typical) *             | 18 W         |
| Display number of colours *         | 16.7 million colours                      | Power consumption (standby) *             | 0.5 W        |
| Response time (fast)                | 1 ms                                      | Power consumption (off)                   | 0.3 W        |
| Digital horizontal frequency        | 31.469 - 162 kHz                          | AC input voltage                          | 100 - 240 V  |
| Digital vertical frequency          | 59.94 - 144 Hz                            | Energy efficiency scale                   | A to F       |
| Display diagonal (metric)           | 60 cm                                     | Weight & dimensions                       |              |
| High Dynamic Range (HDR) supported  | ✓                                         | Width (with stand)                        | 539.4 mm     |
| High Dynamic Range (HDR) technology | HDR Effect, High Dynamic Range 10 (HDR10) | Depth (with stand)                        | 220 mm       |
| Colour depth                        | 8 bit                                     |                                           |              |
| Colour gamut standard               | sRGB                                      |                                           |              |
| sRGB coverage (typical)             | 99%                                       |                                           |              |

| Performance                 |          | Weight & dimensions         |                                                 |
|-----------------------------|----------|-----------------------------|-------------------------------------------------|
| NVIDIA G-SYNC *             | ✗        | Height (with stand)         | 412 mm                                          |
| AMD FreeSync *              | ✓        | Weight (with stand)         | 3.2 kg                                          |
| VESA Adaptive Sync support  | ✗        | Width (without stand)       | 539.4 mm                                        |
| Flicker-free technology     | ✓        | Depth (without stand)       | 38.7 mm                                         |
| Multimedia                  |          | Height (without stand)      | 317 mm                                          |
| Built-in speaker(s) *       | ✗        | Weight (without stand)      | 2.3 kg                                          |
| Built-in camera *           | ✗        | Packaging data              |                                                 |
| Design                      |          | Package width               | 620 mm                                          |
| Market positioning *        | Consumer | Package depth               | 385 mm                                          |
| Product colour *            | Black    | Package height              | 135 mm                                          |
| Feet colour                 | Black    | Package weight              | 4.3 kg                                          |
| Ports & interfaces          |          | Package type                | Box                                             |
| Built-in USB hub *          | ✗        | Packaging content           |                                                 |
| USB Power Delivery (USB PD) | ✗        | Stand included              | ✓                                               |
| VGA (D-Sub) ports quantity  | 1        | Cables included             | HDMI                                            |
| HDMI *                      | ✓        | Power adapter included      | ✓                                               |
| HDMI ports quantity         | 1        | Quick start guide           | ✓                                               |
| HDMI version                | 2.0      | Other features              |                                                 |
| Headphone out *             | ✓        | Country of origin           | China                                           |
|                             |          | Brand specific technologies | Black Stabiliser, Eye care, Crosshair, DAS Mode |
|                             |          | Low input lag               | ✓                                               |
|                             |          | Motion blur reduction       | ✓                                               |
|                             |          | Warranty period             | 2 year(s)                                       |



8806096834725

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.