

Epson TM-H6000III (034BA): USB+DMD, w/o PS, EDG, MICR

Brand : Epson

Product code: C31C625034BA

Product name : Epson TM-H6000III (034BA): USB+DMD, w/o PS, EDG, MICR

Epson TM-H6000III (034BA): USB+DMD, w/o PS, EDG, MICR

Epson TM-H6000III (034BA): USB+DMD, w/o PS, EDG, MICR:

Multi-function POS printer

SLIP+IMPACT HYBRID PACKAGED PRINTER * MICR; UB-U02III; Epson Dark Grey (EDG); no Power Supply
Epson TM-H6000III (034BA): USB+DMD, w/o PS, EDG, MICR. Print speed: 200 mm/sec, Colour.
Connectivity technology: Wired. Supported paper width: 79 mm. Product colour: Dark Grey



Printing		Weight & dimensions	
Colour *	✓	Weight	5.3 kg
Print speed *	200 mm/sec	Packaging data	
Print speed	63 lpm	Quantity per pack	1 pc(s)
Paper handling		Package width	285 mm
Media thickness	0.06 - 0.09 mm	Package depth	382 mm
Supported paper width	79 mm	Package height	305 mm
Ports & interfaces		Package weight	6.6 kg
Connectivity technology *	Wired	Logistics data	
USB 1.1 ports quantity	1	Products per pallet layer	8 pc(s)
Standard interfaces	USB	Products per pallet layer (UK)	10 pc(s)
Performance		Products per pallet (UK)	50 pc(s)
Built-in barcodes	PDF417, UPC-A, UPC-E	Pallet length (UK)	120 cm
Character pitch	20 cpi	Pallet width (UK)	100 cm
Sound pressure level (printing)	52 dB	Pallet height (UK)	167.5 cm
Certification	VCC1, FCC class A, CE	Pallet gross width	80 cm
Design		Pallet gross length	120 cm
Product colour *	Dark Grey	Pallet gross height	167.5 cm
Operational conditions		Products per pallet	40 pc(s)
Operating relative humidity (H-H)	10 - 90%	Technical details	
Storage relative humidity (H-H)	10 - 90%	Box contents	Main unit, Power cable, Power switch cover, Ribbon cartridge (slip), Thermal roll paper, User manual
Operating temperature (T-T)	5 - 45 °C	Interface	Drawer kick-out, Customer Display, USB 2.0
Storage temperature (T-T)	-10 - 50 °C		

Weight & dimensions		Other features	
Width	186 mm	Dimensions (WxDxH)	186 x 298 x 185 mm
Height	185 mm	Compatibility	PS-180
		Safety	UL/C-UL/TÜV/EN 60950
		Country of origin	China



8715946320113

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.