



Jabra Evolve3 45 MS - USB-A with Dongle - Mono

Brand : Jabra

Product code: 34599-899-999

Product name : Evolve3 45 MS - USB-A with Dongle - Mono

Evolve3 45 MS - USB-A with Dongle - Mono

[Jabra Evolve3 45 MS - USB-A with Dongle - Mono:](#)

The lightest headset for modern office work, Evolve3 45 weighs about the same as a deck of cards.* Paired with air-soft ear cups, you might even forget you're wearing it. And while it feels barely there, your voice is unmistakably clear. Three microphones and a precisely placed mic arm capture every word, so you stay unstoppable call after call.

Jabra Evolve3 45 MS - USB-A with Dongle - Mono. Product type: Headset. Connectivity technology: Wireless, Bluetooth. Recommended usage: Office/Call center. Headphone frequency: 20 - 20000 Hz. Wireless range: 30 m. Weight: 102 g. Product colour: Black



Performance		Battery	
Product type *	Headset	Battery capacity	290 mAh
Wearing style *	Head-band	Continuous audio playback time	42 h
Recommended usage *	Office/Call center	Continuous audio playback time (ANC on)	28 h
Headset type *	Monaural	Rechargeable battery	✓
Product colour *	Black	Talk time	21 h
LED indicators	Call	Fast charging	✗
Virtual surround	✗	Fast charging time	10 min
Heart rate monitor	✗	Talk time (ANC on)	16 h
Motion sensor	✗	Replaceable battery	✓
Bone conduction sensor	✗	Wireless charging	✗
Over the Air Updates (OTA)	✗	Music player	
On/off switch	✗	FM radio	✗
Optimized for	Microsoft Teams	Operational conditions	
Hearing protection technologies	Jabra PeakStop, Jabra IntelliTone	Operating temperature (T-T)	-10 - 45 °C
Phonebook access profile (PBAP)	✗	Storage temperature (T-T)	-10 - 50 °C
Number of simultaneously connected devices (max)	2	Weight & dimensions	
Daisy chain	✗	Width	173 mm
HD voice	✗	Depth	61 mm
Auto-connect	✗	Height	173 mm
In-ear pressure relief	✗	Weight	102 g
Housing material	Polycarbonate (PC), Acrylonitrile butadiene styrene (ABS), Silicone	Charging case weight	221 g
Refurbished	✗	Packaging data	
Unified communications	✗	Package width (imperial)	16 cm (6.3")
Power bass	✗	Package depth (imperial)	4.5 cm (1.77")
Push-to-Talk (PTT)	✗	Package height (imperial)	19.1 cm (7.52")
		Package width	160 mm

Performance		Packaging data	
Works with Amazon Alexa	✗	Package depth	45 mm
Steel hinges	✗	Package height	191 mm
Certification	Certified for Microsoft Teams (variant dependent);Premium Microphone for Open Office;Zoom certified;Works with Google Meet;Works with all leading UC platforms;Microsoft Swift Pair;Android Fast Pair;Android Find Hub;Apple Find My;Apple MFi;AuracastTM	Packaging content	
		Charging stand	✗
		Charging case	✗
		AC adapter included *	✗
		Carrying case	✗
Ports & interfaces		Technical details	
Connectivity technology *	Wireless	Easy pairing	✗
USB connectivity	✓	Multipoint connectivity	✓
USB connector	USB Type-A	Power	
Bluetooth	✓	USB Type-C charging port *	✗
Bluetooth profiles	A2DP, AAC, LC3, SBC, AVRCP, HSP, HFP, SPP, PBP, TMAP	Supplier features	
Bluetooth version	5.3	Charging time	100 min
Frequency response (music mode)	20 - 20000 Hz	Certificates	
Frequency response (talk mode)	100 - 14500 Hz	Certified for Microsoft Teams	✓
Wireless range	30 m	Other features	
Headphones		Automatic volume adjustment	✗
Maximum input power	40 mW	Bluetooth Low Energy (BLE)	✓
Ear coupling *	Supraaural	USB cable length	1.2 m
Headphone frequency	20 - 20000 Hz	Voice guidance	✗
Impedance	16 Ω	Depth (imperial)	6.1 cm (2.4")
Driver unit	2 cm	Height (imperial)	17.3 cm (6.8")
Noise canceling	✓	Width (imperial)	17.3 cm (6.8")
Noise reduction	✗	Applications supported	Jabra Plus;Jabra Direct;Jabra Xpress
HearThrough	✓	Speakerphone	✗
Microphone		Auto power off	✗
Microphone type *	Boom	Near Field Communication (NFC)	✗
Microphone frequency	100 - 14500 Hz	Battery life (fast charging)	2 h
Microphone sensitivity	-38 dB	Operating temperature (T-T)	14 - 113 °F
Number of microphones	3	Protective pouch	✗
Microphone mute	✗	Voice control	✗
Battery		Digital Signal Processing (DSP)	✗
Battery operated	✓		Headset;Link 390 Bluetooth adapter;usb-c to usb-c cable;Carry pouch;Charging stand (SKU dependent);Warranty and warning leaflets
Battery type	Built-in battery	Packaging content	
Battery technology	Lithium-Ion (Li-Ion)		



0706487029373



706487029373



5706991036145

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.