



DELL Pro P P4326QEB computer monitor 108 cm (42.5") 3840 x 2160 pixels 4K Ultra HD LCD Black, Grey

Brand : DELL

Product family: Pro P

Product code: DELL-P4326QEB

Product name : P4326QEB

- 108.0cm (42.5") 4K Ultra HD 3840 x 2160 Edge LED IPS
- 8ms, 16:9, 1000:1
- USB, HDMI
108.0cm (42.5") 4K Ultra HD 3840 x 2160 Edge LED IPS, 16:9, 1.07B, 8ms, 178°/178°, 1000:1

DELL Pro P P4326QEB computer monitor 108 cm (42.5") 3840 x 2160 pixels 4K Ultra HD LCD Black, Grey:

Experience next-generation group collaboration, optimised for effortless conferencing with a 43-inch 4K monitor, integrated webcam, speakers, and microphone.

DELL Pro P P4326QEB. Display diagonal: 108 cm (42.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black, Grey



Display		Ports & interfaces	
Display diagonal *	108 cm (42.5")	HDCP	✓
Display resolution *	3840 x 2160 pixels	HDCP version	2.2
HD type *	4K Ultra HD	Ergonomics	
Native aspect ratio *	16:9	VESA mounting *	✓
Display technology *	LCD	Panel mounting interface	100 x 100,200 x 200 mm
Panel type *	IPS	Cable management	✓
LED backlight	✓	Cable lock slot *	✓
Backlight type	Edge LED	Cable lock slot type	Kensington
Touchscreen *	✗	Height adjustment *	✓
Display brightness (peak)	350 cd/m²	Adjustable height (max)	6 cm
Response time *	8 ms	Swivelling	✓
Anti-glare screen	✓	Swivel angle range	-20 - 20°
Screen shape *	Flat	Tilt adjustment	✓
Supported graphics resolutions	720 x 400, 640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 800 (WXGA), 1280 x 1024 (SXGA), 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2048 x 1152, 2048 x 1280, 2560 x 1440, 3840 x 2160	Tilt angle range	-5 - 10°
		On Screen Display (OSD)	✓
		Plug and Play	✓
		LED indicators	✓
		Power	
Supported video modes	480p, 576p, 720p, 1080p, 2160p	Energy efficiency class (SDR) *	F
Contrast ratio (typical) *	1000:1	Energy efficiency class (HDR) *	Not available
Maximum refresh rate *	60 Hz	Energy consumption (SDR) per 1000 hours *	49 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	49.2 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.5 W
Display number of colours *	1.07 billion colours	Power consumption (max)	230 W
Pixel pitch	0.2451 x 0.2451 mm	Power consumption (off)	0.3 W
Pixel density	104 ppi	AC input voltage	120 - 240 V
Viewable size, horizontal	94.1 cm	AC input frequency	50/60 Hz
Viewable size, vertical	52.9 cm	Power supply type	Internal
Digital horizontal frequency	30 - 140 kHz	Energy efficiency scale	A to G
Digital vertical frequency	23 - 76 Hz		

Display		Operational conditions	
Surface hardness	3H	Operating temperature (T-T)	0 - 40 °C
sRGB coverage (typical)	99%	Storage temperature (T-T)	-20 - 60 °C
Performance		Operating relative humidity (H-H)	10 - 80%
NVIDIA G-SYNC *	✗	Storage relative humidity (H-H)	5 - 90%
AMD FreeSync *	✗	Operating altitude	0 - 5000 m
Flicker-free technology	✓	Non-operating altitude	0 - 12190 m
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	967.2 mm
Number of speakers	2	Depth (with stand)	258.8 mm
RMS rated power	16 W	Height (with stand)	721.2 mm
Built-in speaker(s) *	✓	Weight (with stand)	17.5 kg
Built-in microphone	✓	Width (without stand)	967.2 mm
Built-in camera *	✓	Depth (without stand)	67.5 mm
Design		Height (without stand)	630.9 mm
Market positioning *	Business	Weight (without stand)	12.7 kg
Product colour *	Black, Grey	Bezel width (side)	1.3 cm
Detachable stand	✓	Bezel width (top)	1.3 cm
Feet colour	Grey	Bezel width (bottom)	5.01 cm
Ports & interfaces		Sustainability	
Built-in USB hub *	✓	Sustainability certificates	ENERGY STAR, EPEAT
USB upstream port type	USB Type-C, USB Type-B	Doesn't contain	PVC/BFR, Arsenic, Mercury
Number of downstream ports	2	Other features	
Number of USB Type-B upstream ports quantity	1	RJ-45 ports quantity	1
Number of USB Type-C upstream ports quantity	1	Compliance certificates	RoHS
USB Power Delivery (USB PD)	✓		
USB Power Delivery up to	96 W		
HDMI *	✓		
HDMI ports quantity	1		
Headphone out *	✗		



5397321043171



0884116701620



884116701620

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.