

Epson LX-350 Dot Matrix Printer

Brand : Epson

Product code: C11CC24032

Product name : LX-350 Dot Matrix Printer

- High reliability: MTBF of 10,000 operating hours
 - Power-efficient: 1.1W on standby, 27W powered on
 - Economical: Ribbon yield of 4m characters
 - Easy integration: Parallel, Serial and USB interfaces
 - Compact design: Fits neatly onto desks
- LX-350, 240 x 144 DPI, NLQ, RS-232, USB 2.0 B, 27W, 4100g

Epson LX-350 Dot Matrix Printer:

The highly reliable Epson LX-350 has a mean time between failure of 10,000 operating hours, and is ideal for front and back office applications needing continuous paper or multi-part stationery.

A very economical printer to run, the LX-350 helps save money with its high ribbon yield of 4 million characters and its low power consumption. Using just 1.1W in sleep mode and 27W when powered on, the LX-350 is qualified by ENERGY STAR for its excellent energy efficiency.

Easy to integrate, the LX-350 has Parallel, Serial and USB interfaces as standard, and will fit neatly onto desks thanks to its compact design and cable management system.



Printing		System requirements	
Maximum resolution *	240 x 144 DPI	Windows operating systems supported	Windows 2000, Windows 2000 Professional, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Maximum printing width (columns) *	80		
Colour *	✗		
Maximum number of copies	4 copies		
Print speed	HighSpeed-Draft: 10 cpi: 347 chars/s, 12 cpi: 357 chars/s, Draft: 10 cpi: 260 chars/s, 12 cpi: 312 chars/s, NLQ: 10 cpi: 65 chars/s, 12 cpi: 78 chars/s		
Paper handling		Bundled software	Epson Status Monitor
Paper tray media types	Envelopes, Roll		
Features			
Product colour *	Black		
Buffer size *	128 KB		
Sound pressure level (printing) *	53 dB		
RAM capacity	128 KB		
Country of origin	Indonesia		
Ports & interfaces		Weight & dimensions	
Standard interfaces *	Parallel, RS-232, USB 2.0		
Endurance			
Print head *	9-pin	Width	348 mm
Print head life	400 million characters	Depth	275 mm
Ribbon life	4 million characters	Height	154 mm
Ribbon life (black, draft)	4 million characters	Weight	4.1 kg
Mean time between failures (MTBF)	10000 h	Packaging data	
Power		Quantity per pack	1 pc(s)
Power consumption (typical)	27 W	Package width	360 mm
Power consumption (standby)	1.1 W	Package depth	420 mm
Operational conditions		Package height	215 mm
Operating temperature (T-T)	5 - 35 °C	Package weight	5.2 kg
Storage temperature (T-T)	5 - 35 °C		

Operational conditions		Other features	
Operating relative humidity (H-H)	10 - 80%	Print technology	Dot matrix
Storage relative humidity (H-H)	10 - 80%	Box contents	Driver and utilities, Main unit, Power cable, Ribbon, Setup guide, Software (CD), User manual (CD), Warranty document
		Needles	9 Needles
		Compatible operating systems	Windows 2000, Windows 7, Windows 8, Windows Vista, Windows XP
Technical details			
		Number of pins	9
		Sustainability certificates	ENERGY STAR
		Power consumption	27 Watt, 1.1 Watt (standby)
Logistics data			
		Products per pallet	45 pc(s)
		Pallet gross length	120 cm
		Pallet gross width	80 cm
		Pallet gross height	2.08 m
		Products per pallet layer	5 pc(s)
		Products per pallet layer (UK)	6 pc(s)
		Products per pallet (UK)	54 pc(s)
		Pallet length (UK)	120 cm
		Pallet width (UK)	100 cm
		Pallet height (UK)	2.08 m



8715946502946

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.