

Epson TM-T70II 180 x 180 DPI Wired Thermal POS printer

Brand : Epson

Product code: C31CD38032A0

Product name : TM-T70II

Thermal Line, 250 mm/sec, ANK, 180x180 DPI, 80 mm, 56/42, Black, 24V, 1.7 kg
 Epson TM-T70II. Print technology: Thermal, Type: POS printer, Maximum resolution: 180 x 180 DPI.
 Maximum roll diameter: 8.3 cm, Supported paper width: 79.5 mm, Maximum printing width: 7.95 cm.
 Connectivity technology: Wired, USB connector: USB Type-B, Standard interfaces: Serial, USB 2.0. Sound pressure level (printing): 55 dB, Mean time between failures (MTBF): 360000 h, Autocutter durability: 1.7 million cuts. Product colour: Grey



Printing		Operational conditions	
Maximum resolution	180 x 180 DPI	Operating temperature (T-T)	5 - 45 °C
Print speed	250 mm/sec	Storage temperature (T-T)	-10 - 50 °C
Character density	20 cpi	Operating relative humidity (H-H)	10 - 90%
Print technology *	Thermal	Storage relative humidity (H-H)	10 - 90%
Type *	POS printer	Weight & dimensions	
Paper handling		Width	125 mm
Maximum roll diameter	8.3 cm	Depth	194 mm
Supported paper width	79.5 mm	Height	114 mm
Maximum printing width	7.95 cm	Weight	1.7 kg
Ports & interfaces		Packaging data	
USB port *	✓	Quantity per pack	1 pc(s)
USB 2.0 ports quantity	1	Package width	192 mm
USB connector	USB Type-B	Package depth	253 mm
Serial interface *	✓	Package height	240 mm
Connectivity technology *	Wired	Package weight	2.6 kg
Serial ports quantity	1	Logistics data	
Standard interfaces	Serial, USB 2.0	Harmonized System (HS) code	84433210
Network		Products per pallet	112 pc(s)
Ethernet LAN *	✗	Products per pallet layer	16 pc(s)
Wi-Fi *	✗	Pallet gross width	80 cm
Features		Pallet gross length	120 cm
Sound pressure level (printing)	55 dB	Pallet gross height	181.6 cm
Mean time between failures (MTBF)	360000 h	Products per pallet (UK)	168 pc(s)
Autocutter durability	1.7 million cuts	Products per pallet layer (UK)	24 pc(s)
Country of origin	China	Pallet width (UK)	100 cm
Safety	EN, TÜV, GOST-R	Pallet length (UK)	120 cm
Certification	CE, GOST-R, EN55022	Pallet height (UK)	181.6 cm
Design		Other features	
Product colour *	Grey	Buffer size	4 KB
Power		LED indicators	✓
Power source type *	AC	Mean cycles between failures (MCBF)	65000000
AC input voltage	24 V		
Power consumption	2000 mA		



8715946536644

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.