

Epson TM-L90 (412): Serial+Built-in USB, PS, EDG

Brand : Epson

Product code: C31C412412

Product name : Epson TM-L90 (412): Serial+Built-in USB, PS, EDG

- Versatile: Ideal for label and barcode printing. Supports greyscale printing.
- Fast print speeds: Thermal printing up to 150mm/sec
- Easy installation: Mounts horizontally, vertically or with a wall bracket
- Easy operation: Drop in paper loading and built-in-USB interface
- Media flexibility: Label and receipt paper, from 38mm to 80mm wide

Epson TM-L90 (412): Serial+Built-in USB, PS, EDG

Epson TM-L90 (412): Serial+Built-in USB, PS, EDG. Print technology: Direct thermal, Maximum resolution: 180 x 180 DPI, Print speed: 150 mm/sec. Connectivity technology: Wired, USB port. Product colour: Grey



| Printing | | Weight & dimensions | |
|-----------------------------------|------------------------------|--------------------------------|-----------|
| Print technology * | Direct thermal | Width | 145 mm |
| Colour * | ✗ | Depth | 195 mm |
| Maximum resolution * | 180 x 180 DPI | Height | 148 mm |
| Print speed * | 150 mm/sec | Weight | 1.6 kg |
| Printing colours | Black | Packaging data | |
| Maximum printing width * | 1.41 mm | Quantity per pack | 1 pc(s) |
| Maximum print height | 3.39 mm | Package width | 190 mm |
| Paper handling | | Package depth | 250 mm |
| Autocutter | ✓ | Package height | 240 mm |
| Maximum roll diameter | 9 cm | Package weight | 2.8 kg |
| Autocutter durability | 2000000 million cuts | Packaging content | |
| Ports & interfaces | | AC adapter included | ✓ |
| Connectivity technology * | Wired | Logistics data | |
| Wi-Fi * | ✗ | Products per pallet layer | 16 pc(s) |
| USB port * | ✓ | Products per pallet layer (UK) | 24 pc(s) |
| USB 2.0 ports quantity | 1 | Products per pallet (UK) | 168 pc(s) |
| RS-232 ports | 1 | Pallet length (UK) | 120 cm |
| Performance | | Pallet width (UK) | 100 cm |
| Print head life | 150000000 million characters | Pallet height (UK) | 179.5 cm |
| Certification | TÜV, CE | Harmonized System (HS) code | 84433210 |
| Design | | Pallet gross width | 80 cm |
| Product colour * | Grey | Pallet gross length | 120 cm |
| Operational conditions | | Pallet gross height | 179.5 cm |
| Operating relative humidity (H-H) | 5 - 45% | Products per pallet | 112 pc(s) |
| Storage relative humidity (H-H) | -10 - 50% | Other features | |
| Operating temperature (T-T) | 10 - 90 °C | Buffer size | 4 KB |
| | | Country of origin | China |

Operational conditions

Storage temperature (T-T) 10 - 90 °C

Other features

Cabling technology 10/100Base-T(X)



8715946533568

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.