



## Lindy 10m USB 3.0 Active Extension Pro Hub

**Brand :** Lindy

**Product code:** 43159

**Product name :** 10m USB 3.0 Active Extension Pro Hub

- High performance hub with active cable that provides an extended 10m connection between a computer and up to 4 USB 3.0 devices
- Can be used standalone or as part of the Lindy Active Extension System Pro to create bespoke extension systems of over 40m (depending on the cable configurations used)
- Supports the full USB 3.0 SuperSpeed bandwidth for speeds of 5Gbps
- Easy to use □ connects to the deviceandrsquo;s existing USB cable (2m maximum)
- 2 year warranty

10m USB 3.0 Active Extension Pro Hub

Lindy 10m USB 3.0 Active Extension Pro Hub. Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-A, Hub interfaces: USB 3.2 Gen 1 (3.1 Gen 1) Type-A. Data transfer rate: 5000 Mbit/s, Product colour: Black, Housing material: Plastic. Power note: 3.5/1.35mm DC. Width: 80 mm, Depth: 38 mm, Height: 15 mm. Quantity per pack: 1 pc(s), Package width: 240 mm, Package depth: 200 mm



Ports & interfaces		Features	
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Certification	CE, UKCA, FCC, RoHS, REACH, California Proposition 65
Hub interfaces *	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	<b>Power</b>	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Power note	3.5/1.35mm DC
Ports quantity *	4	<b>Weight &amp; dimensions</b>	
DC-in jack	✓	Width	80 mm
<b>Features</b>		Depth	38 mm
Data transfer rate *	5000 Mbit/s	Height	15 mm
Product colour	Black	Weight	790 g
Housing material	Plastic	Connector 1 dimensions (WxDxH)	15 x 42 x 8 mm
LED indicators	✓	<b>Packaging data</b>	
Cable type	Round cable	Quantity per pack	1 pc(s)
Plating material	Nickel	Package width	240 mm
AWG wire size	24/24/20	Package depth	200 mm
Cable jacket material	Polyvinyl chloride (PVC)	Package height	70 mm
Cable length	10 m	Package weight	900 g
Cable diameter	7 mm	Package type	Box
Conductor material	Tinned copper	<b>Packaging content</b>	
Contact material	Brass	Manual	✓
Connector contacts plating	Gold	<b>Operational conditions</b>	
Plug and Play	✓	Operating temperature (T-T)	0 - 50 °C
Bend radius (min)	3.6 cm	Operating temperature (T-T)	-20 - 60 °F
Transmission medium	Twisted pair	<b>Design</b>	
Nominal attenuation	0.064MHz - 0.08dB 0.256MHz - 0.11dB 0.512MHz - 0.13dB 0.772MHz - 0.15dB 1.0MHz - 0.20dB 4MHz - 0.39dB 8MHz - 0.57dB 12MHz - 0.67dB 24MHz - 0.95dB 48MHz - 1.35dB 96MHz - 1.90dB 200MHz - 3.20dB 400MHz - 5.80dB	Cable shielding	Aluminum mylar foil
		<b>Logistics data</b>	
		Harmonized System (HS) code	84719000



4002888431590



5053866596458

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.