



APC Rack PDU 2G, Metered, ZeroU, 22.0kW(32A), 230V, (30) C13 & (12) C19, 10ft Cord

Brand : APC

Product code: AP8886X630

Product name : Rack PDU 2G, Metered, ZeroU, 22.0kW(32A), 230V, (30) C13 & (12) C19, 10ft Cord

- 1-Year Secure Network Management Card subscription included
Rack PDU 2G, Metered, ZeroU, 22.0kW(32A), 230V, (30) C13 & (12) C19, 10ft Cord

APC Rack PDU 2G, Metered, ZeroU, 22.0kW(32A), 230V, (30) C13 & (12) C19, 10ft Cord:

Feature-rich custom-configured or pre-integrated cabinets tailored to your specific needs.
APC Rack PDU 2G, Metered, ZeroU, 22.0kW(32A), 230V, (30) C13 & (12) C19, 10ft Cord. PDU types: Metered, Rack capacity: 0U, Type: Three-phase. AC outlets quantity: 42 AC outlet(s), AC outlet types: C13 coupler, C19 coupler. Cable length: 3 m. Nominal input voltage: 400 V, Maximum current: 32 A, AC input frequency: 50 / 60 Hz. Compliance certificates: RoHS, REACH, WEEE, Certification: VCCI class A; VDE



Design		Operational conditions	
PDU types *	Metered	Storage relative humidity (H-H)	5 - 95%
Type	Three-phase	Operating altitude	0 - 3048 m
Rack capacity *	0U	Non-operating altitude	0 - 15240 m
Mounting	Vertical	Weight & dimensions	
Product colour	Black	Width	56 mm
Display	LCD	Depth	51 mm
Ports & interfaces		Height	1829 mm
AC outlets quantity *	42 AC outlet(s)	Weight	8.72 kg
AC outlet types *	C13 coupler, C19 coupler	Packaging data	
Features		Package width	170 mm
Cable length	3 m	Package depth	112 mm
Power		Package height	2050 mm
Nominal input voltage *	400 V	Technical details	
AC input frequency	50 / 60 Hz	Sustainable packaging	✗
Maximum current *	32 A	Packaging recycled materials	Recycled cardboard
Nominal output voltage	230 V	SCIP number	1cdb2fed-a06f-4574-913d-8df8e70936b2
Load capacity	22000 VA	Removable battery	✓
Certificates		Preferred mounting position	no preference
Waste Electrical and Electronic Equipment (WEEE) compliance	✓	Take-back system	✗
Compliance certificates	RoHS, REACH, WEEE	Packaging without single use plastic	✗
Certification	VCCI class A; VDE	Other features	
Sustainability		Electrical input connection	IEC 60309 32 A 3P + N + E
Sustainability compliance	✓	Logistics data	
Operational conditions		Country of origin	India
Operating temperature (T-T)	0 - 50 °C	Customs product code (TARIC)	8537109899
		Total carbon footprint (kg of CO2e)	1838.8393087993

Operational conditions

Storage temperature (T-T)	-25 - 65 °C
Operating relative humidity (H-H)	5 - 95%



0731304296263



731304296263

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.