

Epson TM-T88VI-iHub (751): PS, Black, EU

Brand : Epson

Product code: C31CE94751

Product name : Epson TM-T88VI-iHub (751): PS, Black, EU

- Fast print speeds: Print at speeds of up to 350mm/s
- Proven reliability: Epson's proven track record for reliability
- Coexistence: Allows PC, mobile and web connection at the same time
- Server direct print: Print directly from web server to any connected receipt printer
- Beacon support: Lets mobile devices print to the nearest available printer

Epson TM-T88VI-iHub (751): PS, Black, EU

Epson TM-T88VI-iHub (751): PS, Black, EU. Print technology: Direct thermal, Type: POS printer, Maximum resolution: 180 x 180 DPI. Maximum roll diameter: 8.3 cm, Supported paper width: 80 mm, Media thickness: 0.05 - 0.08 mm. Connectivity technology: Wired, USB connector: USB Type-B, Serial interface type: RS-232. Internal memory: 512 MB, Flash memory: 512 MB, Mean time between failures (MTBF): 350000 h. Product colour: Black

Printing		Power	
Maximum resolution	180 x 180 DPI	AC input voltage	24 V
Print speed	350 mm/sec	Operational conditions	
Character size	1.41 x 3.93 mm	Operating temperature (T-T)	5 - 45 °C
Character density	18 cpi	Operating relative humidity (H-H)	10 - 90%
Printing characters	Text, Graphic, Barcode	System requirements	
Character sets	ANK	Pre-installed software	Device Data Notification, Server Direct Print, Webserver, ePOS-Device, ePOS-Display, ePOS-Print
Print technology *	Direct thermal	Weight & dimensions	
Type *	POS printer	Width	145 mm
Paper handling		Depth	195 mm
Maximum roll diameter	8.3 cm	Height	148 mm
Supported paper width	80 mm	Weight	1.6 kg
Media thickness	0.05 - 0.08 mm	Packaging data	
Ports & interfaces		Quantity per pack	1 pc(s)
USB port *	✓	Package width	195 mm
USB 2.0 ports quantity	4	Package depth	240 mm
USB connector	USB Type-B	Package height	235 mm
Serial interface *	✓	Package weight	2.62 kg
Serial interface type	RS-232	Packaging content	
Connectivity technology *	Wired	AC adapter included	✓
Near Field Communication (NFC)	✓	Print technology	
Ethernet LAN (RJ-45) ports	1	Column capacity	58/80
Standard interfaces	NFC, RS-232, USB 2.0	Logistics data	
Network		Pallet weight (UK)	0 g
Ethernet LAN *	✓	Harmonized System (HS) code	84433210
Wi-Fi *	✗	Products per master (outer) case	4 pc(s)
Features		Master (outer) case width	400 mm
Internal memory *	512 MB	Master (outer) case length	490 mm
Flash memory	512 MB	Master (outer) case height	255 mm
Mean time between failures (MTBF)	350000 h	Master (outer) case gross weight	0 g
Cutter	✓	Products per pallet	128 pc(s)
Half-cutter	✓	Products per pallet layer	16 pc(s)
Autocutter durability	3 million cuts	Pallet gross width	80 cm
Built-in processor	✓	Pallet gross length	120 cm
Processor family	Cortex-A5	Pallet gross height	15 cm
Processor frequency	0.384 GHz		
Print head life	200 km		

Features		Logistics data	
Country of origin	China	Pallet gross weight	0 g
Mounting position	Horizontal/Vertical	Products per pallet (UK)	192 pc(s)
Wall mountable	✓	Products per pallet layer (UK)	24 pc(s)
Ribbon life	20 million characters	Pallet width (UK)	100 cm
Built-in sensors details	Paper Near End Sensor, Cover Open Sensor, Papier-Sensor	Pallet length (UK)	120 cm
Certification	CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11	Pallet height (UK)	15 cm
Design		Technical details	
Product colour *	Black	Lifetime	20000000 lines
Power		Other features	
Power source type *	AC	Paper dimensions	58 / 80
		Mean cycles between failures (MCBF)	70000000
		Print head life	200.000.000 Impulse



8715946638119

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.