## Epson TM-T88VI-iHub 180 x 180 DPI Wired Direct thermal POS printer

**Brand :** Epson **Product code:** C31CE94751

Product name: TM-T88VI-iHub

Intelligent receipt printer, Thermal line printing, 350 mm/sec, ANK, 180 DPI Epson TM-T88VI-iHub. Print technology: Direct thermal, Type: POS printer, Maximum resolution: 180 x 180 DPI. Maximum roll diameter: 8.3 cm, Supported paper width: 80 mm, Media thickness: 0.05 - 0.08 mm. Connectivity technology: Wired, USB connector: USB Type-B, Serial interface type: RS-232. Internal memory: 512 MB, Flash memory: 512 MB, Mean time between failures (MTBF): 350000 h. Product colour: Black





Printing		Power	
Print speed 350 mm Character size 1.41 x 3 Character density 18 cpi	180 x 180 DPI	AC input voltage	24 V
	Text, Graphic, Barcode	Operational conditions	
		Operating temperature (T-T)	5 - 45 °C
		Operating relative humidity (H-H)	10 - 90%
		System requirements	
Print technology * Type *	Direct thermal POS printer	Pre-installed software	Device Data Notification, Server Direct Print, Webserver, ePOS- Device, ePOS-Display, ePOS-Print
Paper handling		Weight & dimensions	
Maximum roll diameter	8.3 cm	Width	145 mm
Supported paper width	80 mm	Depth	195 mm
Media thickness	0.05 - 0.08 mm	Height	148 mm
Ports & interfaces		Weight	1.6 kg
USB port *	✓	Packaging data	
USB 2.0 ports quantity	4	Quantity per pack	1 pc(s)
USB connector	USB Type-B  ✓	Package width	195 mm
Serial interface * Serial interface type	RS-232	Package depth	240 mm
Connectivity technology *	Wired	Package height	235 mm
Near Field Communication (NFC)	✓	Package weight	2.62 kg
Ethernet LAN (RJ-45) ports	1	Packaging content	
Standard interfaces	NFC, RS-232, USB 2.0	AC adapter included	✓
Network		Print technology	
Ethernet LAN *	<b>✓</b>	Column capacity	58/80
Wi-Fi *	×	Logistics data	
Features		Pallet weight (UK)	0 g
Internal memory * Flash memory Mean time between failures (MTBF) Cutter Half-cutter	512 MB 512 MB 350000 h	Harmonized System (HS) code Products per master (outer) case Master (outer) case width Master (outer) case length Master (outer) case height Master (outer) case gross weight	84433210 4 pc(s) 400 mm 490 mm 255 mm 0 g

Features		Logistics data	
Autocutter durability	3 million cuts	Products per pallet	128 pc(s)
Built-in processor	✓	Products per pallet layer	16 pc(s)
Processor family	Cortex-A5	Pallet gross width	80 cm
Processor frequency	0.384 GHz	Pallet gross length	120 cm
Print head life	200 km	Pallet gross height	15 cm
Country of origin	China	Pallet gross weight	0 g
Mounting position	Horizontal/Vertical	Products per pallet (UK)	192 pc(s)
Wall mountable	<b>✓</b>	Products per pallet layer (UK)	24 pc(s)
Ribbon life	20 million characters	Pallet width (UK)	100 cm
Built-in sensors details	Paper Near End Sensor, Cover Open Sensor, Papier-Sensor	Pallet length (UK) Pallet height (UK)	120 cm 15 cm
Certification	CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3,	Technical details	
	IEC61000-4-4, IEC61000-4-5,	Lifetime	20000000 lines
	IEC61000-4-6, IEC61000-4-11	Other features	
Design		Paper dimensions	58 / 80
Product colour *	Black	Mean cycles between failures	7000000
Power		(MCBF)	7000000
Power source type *	AC	Print head life	200.000.000 Impulse



8715946638119

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.