

Epson TM-J7200 (301) W/O MICR,BLACK,INC PSU,EU

Brand : Epson

Product code: C31CF69301

Product name : Epson TM-J7200 (301) W/O MICR,BLACK,INC PSU,EU



- Versatile inkjet POS printer: Faster, better quality and more versatile
- Low TCO: Similar overall costs to previous dot matrix model
- Durable prints: Print is now more resistant to water and light
- Simple maintenance: Ink and paper rolls are very easy to replace
- Backwards compatible: Crisp, clear text and glossy photos

Epson TM-J7200 (301) W/O MICR,BLACK,INC PSU,EU

Epson TM-J7200 (301) W/O MICR,BLACK,INC PSU,EU. Print technology: Inkjet, Type: POS printer, Print speed: 98 mm/sec. Supported paper width: 58 - 83 mm, Media thickness: 0.06 - 0.09 mm, Maximum paper size (slip): 230 x 297 mm. Connectivity technology: Wired, USB connector: USB Type-B. Sound pressure level (printing): 55 dB, Mean time between failures (MTBF): 180000 h, Autocutter durability: 1.5 million cuts. Product colour: Black

| Printing | | Power | |
|-----------------------------------|------------------------|-----------------------------------|-------------|
| Colour | ✗ | Power consumption (standby) | 70000 mA |
| Print speed | 98 mm/sec | Operational conditions | |
| Print speed (graphic) | 98 mm/sec | Operating temperature (T-T) | 10 - 35 °C |
| Print speed (receipt) | 98 mm/sec | Storage temperature (T-T) | -20 - 40 °C |
| Print speed (slip) | 85 mm/sec | Operating relative humidity (H-H) | 20 - 80% |
| Printing characters | Text, Graphic, Barcode | Storage relative humidity (H-H) | 20 - 85% |
| Character sets | ANK | Weight & dimensions | |
| Alphanumeric memory | 95 | Width | 195 mm |
| Print technology * | Inkjet | Depth | 260 mm |
| Type * | POS printer | Height | 188 mm |
| Paper handling | | Weight | 5.1 kg |
| Supported paper width | 58 - 83 mm | Packaging data | |
| Media thickness | 0.06 - 0.09 mm | Cables included | AC |
| Maximum paper size (slip) | 230 x 297 mm | Quantity per pack | 1 pc(s) |
| Ports & interfaces | | Package width | 297 mm |
| USB port * | ✓ | Package depth | 390 mm |
| USB 2.0 ports quantity | 1 | Package height | 305 mm |
| USB connector | USB Type-B | Package weight | 7.2 kg |
| Connectivity technology * | Wired | Logistics data | |
| Ethernet LAN (RJ-45) ports | 1 | Pallet weight (UK) | 0 g |
| Network | | Harmonized System (HS) code | 84433210 |
| Ethernet LAN * | ✓ | Products per pallet | 48 pc(s) |
| Wi-Fi * | ✗ | Products per pallet layer | 8 pc(s) |
| Features | | Pallet gross width | 80 cm |
| Sound pressure level (printing) | 55 dB | Pallet gross length | 120 cm |
| Mean time between failures (MTBF) | 180000 h | Pallet gross height | 171 cm |
| Half-cutter | ✗ | Pallet gross weight | 0 g |
| Autocutter durability | 1.5 million cuts | Products per pallet (UK) | 60 pc(s) |
| Country of origin | China | Products per pallet layer (UK) | 10 pc(s) |
| | | Pallet width (UK) | 100 cm |

| Features | | Logistics data | |
|---------------------------|---|-------------------------------------|---------------|
| Printer receipt unit life | 3700000000 lines | Pallet length (UK) | 120 cm |
| Printer slip unit life | 5000000 lines | Pallet height (UK) | 171 cm |
| Safety | TÜV, TÜV (EN60950-1) | Technical details | |
| Certification | CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11 | Font styles | ANK |
| | | Voltage | 24 V |
| Design | | Other features | |
| Product colour * | Black | Paper dimensions | 58 mm - 83 mm |
| Power | | Mean cycles between failures (MCBF) | 5000000 |
| Power source type * | DC | | |
| AC input voltage | 24 V | | |



8715946639031

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.