

**Epson TM-J7700(301) W/O MICR, BLACK, INC PSU, EU****Brand :** Epson**Product code:** C31CF70301**Product name :** TM-J7700(301) W/O MICR, BLACK, INC PSU, EU


- Versatile inkjet POS printer: Faster, better quality and more versatile
- Low TCO: Similar overall costs to previous dot matrix model
- Durable prints: Print is now more resistant to water and light
- Simple maintenance: Ink and paper rolls are very easy to replace
- Backwards compatible: Crisp, clear text and glossy photos

TM-J7700(301) W/O MICR, BLACK, INC PSU, EU

Epson TM-J7700(301) W/O MICR, BLACK, INC PSU, EU. Print technology: Inkjet, Type: POS printer, Print speed: 98 mm/sec. Supported paper width: 58 - 83 mm, Media thickness: 0.06 - 0.09 mm, Maximum paper size (slip): 230 x 297 mm. Connectivity technology: Wired, USB connector: USB Type-B. Ethernet LAN data rates: 10,100 Mbit/s. Sound pressure level (printing): 55 dB, Mean time between failures (MTBF): 180000 h, Autocutter durability: 1.5 million cuts

<b>Printing</b>		<b>Power</b>	
Colour	✗	AC input voltage	24 V
Print speed	98 mm/sec	Power consumption (standby)	70000 mA
<b>Paper handling</b>		<b>Operational conditions</b>	
Supported paper width	58 - 83 mm	Operating temperature (T-T)	10 - 35 °C
Media thickness	0.06 - 0.09 mm	Storage temperature (T-T)	-20 - 40 °C
Maximum paper size (slip)	230 x 297 mm	Operating relative humidity (H-H)	20 - 80%
<b>Ports &amp; interfaces</b>		Storage relative humidity (H-H)	20 - 85%
USB port *	✓	<b>Weight &amp; dimensions</b>	
USB 2.0 ports quantity	1	Width	251 mm
USB connector	USB Type-B	Depth	260 mm
Connectivity technology *	Wired	Height	188 mm
Ethernet LAN (RJ-45) ports	1	Weight	5.8 kg
<b>Network</b>		<b>Packaging data</b>	
Ethernet LAN *	✓	Cables included	AC
Ethernet LAN data rates	10,100 Mbit/s	Quantity per pack	1 pc(s)
Wi-Fi *	✗	Package width	350 mm
<b>Features</b>		Package depth	390 mm
Sound pressure level (printing)	55 dB	Package height	310 mm
Mean time between failures (MTBF)	180000 h	Package weight	7.88 kg
<b>Logistics data</b>			
		Pallet weight (UK)	0 g
		Harmonized System (HS) code	84433210
		Products per pallet	36 pc(s)
		Products per pallet layer	6 pc(s)
		Pallet gross width	80 cm
		Pallet gross length	120 cm
		Pallet gross height	111 cm
		Pallet gross weight	0 g

<b>Features</b>		<b>Logistics data</b>	
Half-cutter	✗	Products per pallet (UK)	36 pc(s)
Autocutter durability	1.5 million cuts	Products per pallet layer (UK)	6 pc(s)
Country of origin	China	Pallet width (UK)	100 cm
Printer receipt unit life	3700000000 lines	Pallet length (UK)	120 cm
Printer slip unit life	5000000 lines	Pallet height (UK)	111 cm
Safety	TÜV, TÜV (EN60950-1)	<b>Technical details</b>	
Certification	CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11	Font styles	ANK
<b>Design</b>		<b>Other features</b>	
Product colour *	Black	Paper dimensions	58 mm - 83 mm
		Mean cycles between failures (MCBF)	5000000



8715946639062

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.