Epson PS-180: Universal Power Supply

Brand : Epson

Product code: C32C825341

Product name : PS-180: Universal Power Supply

PS-180: Universal Power Supply

Epson PS-180: Universal Power Supply:

Universal Power Supply W/O AC Cable; Black
Epson PS-180: Universal Power Supply. Purpose: Printer, Power supply type: Indoor, Compatibility: - TM-L90 Liner-Free - TM-L500A (115): W/O LCD, PS Short,COMBO IF - TM-L500A (114): W/O LCD,Tray,PS....
Product colour: Black. Package width: 90 mm, Package depth: 190 mm, Package height: 85 mm.
Quantity per pack: 1 pc(s). Products per pallet layer: 40 pc(s), Products per pallet layer (UK): 80 pc(s),
Products per pallet (UK): 1080 pc(s)

Features

Purpose *	Printer
Power supply type *	Indoor

Features

Compatibility: - TM-L90 Liner-Free - TM-L500A (115): W/O LCD, PS Short,COMBO IF - TM-L500A (114): W/O LCD,Tray,PS Short,COMBO IF - Epson TM-U950P (253): Parallel, w/o PS, ECW, modified paper guide - Epson TM-U950P (252): Parallel, w/o PS, ECW - Epson TM-U950 Series - Epson TM-U950 (285): Serial, w/o PS, ECW, modified paper guide - Epson TM-U950 (283): Serial, w/o PS, ECW - Epson TM-U675P (032): Parallel, w/o PS, ECW, Auto cutter - Epson TM-U675P (012): Parallel, w/o PS, ECW - Epson TM-U675 (043): Serial, w/o PS, ECW, MICR, Auto cutter - Epson TM-U675 (012): Serial, w/o PS, ECW - Epson TM-U590 Series - Epson TM-U590 (112): Serial, al/o PS, ECW - Epson TM-U295P (262): Parallel, w/o PS, EDG - Epson TM-U295 Series - Epson TM-U295 (292): Serial, w/o PS, EDG - Epson TM-U230P (136): Parallel, PS, EDG - Epson TM-U230P (017): Parallel, w/o PS, ECW - Epson TM-U230 (157): Ethernet, PS, EDG - Epson TM-U230 (156): Ethernet, PS, EDG - Epson TM-U230 (136): Serial, PS, EDG - Epson TM-U230 (039): Ethernet, w/o PS, ECW - Epson TM-U230 (038): Ethernet, PS, ECW - Epson TM-U230 (037): Ethernet, w/o PS, ECW - Epson TM-U230 (036): Ethernet, PS, ECW - Epson TM-U230 (016): Serial, PS, ECW - Epson TM-U220PD (052): Parallel, PS, EDG - Epson TM-U220PD (002): Parallel, PS, ECW - Epson TM-U220PB (057): Parallel, PS, EDG - Epson TM-U220PB (007): Parallel, PS, ECW - Epson TM-U220PA (057): Parallel, PS, EDG - Epson TM-U220PA (007): Parallel, PS, ECW - Epson TM-U220D Series - Epson TM-U220D (052B0): USB+DMD, PS, EDG, EU - Epson TM-U220D (052): Serial, PS, EDG - Epson TM-U220D (012A0): USB+DMD, PS, ECW - Epson TM-U220D (002): Serial, PS, ECW - Epson TM-U220B Series - Epson TM-U220B (057BE): UB-E04, PS, NE sensor, EDG - Epson TM-U220B (057A0): USB, PS, NE sensor, EDG - Epson TM-U220B (057): Serial, PS, NE sensor, EDG - Epson TM-U220B (007A3): UB-E04, PS, NE sensor, ECW - Epson TM-U220B (007A0): USB, PS, NE sensor, ECW - Epson TM-U220B (007): Serial, PS, NE sensor, ECW - Epson TM-U220A Series - Epson TM-U220A (057): Serial, PS, EDG - Epson TM-U220A (007): Serial, PS, ECW - Epson TM-T90P (011): Parallel, w/o PS, ECW - Epson TM-T90 (022): Serial, PS, EDG - Epson TM-T90 (011): Serial, w/o PS, ECW - Epson TM-T88VI (115): Powered USB, w/o PS, w/o cable, Black - Epson TM-T88V Series - Epson TM-T88V (953): Bluetooth + Built-in USB, PS, EDG, EU - Epson TM-T88V (837): Parallel, w/o PS, ECW - Epson TM-T88V (833): Parallel, PS, EDG, EU - Epson TM-T88V (813): Parallel, PS, ECW, EU - Epson TM-T88V (654): Ethernet UB-E04, PS, EDG, Buzzer, EU - Epson TM-T88V (653): Ethernet UB-E04, PS, ECW, Buzzer, EU - Epson TM-T88V (321B1): Wifi, PS, EDG, UK - Epson TM-T88V (321B0): Wifi, PS, EDG, EU - Epson TM-T88V (236): Ethernet, PS, EDG, Buzzer, UK - Epson TM-T88V (231A0): Serial, PS, EDG, Buzzer, EU - Epson TM-T88V (225): Ethernet, PS, ECW, Buzzer, UK - Epson TM-T88V (224): Ethernet, PS, ECW, Buzzer, EU - Epson TM-T88V (221A0): Serial, PS, ECW, Buzzer, EU - Epson TM-T88V (151): Bluetooth, PS, ECW, EU - Epson TM-T88V (052): Powered USB, w/o PS, ECW - Epson TM-T88V (051): Powered USB, w/o PS, EDG - Epson TM-T88V (050): Powered USB, w/o PS, Black - Epson TM-T88V (042): Serial, PS, EDG, EU - Epson TM-T88V (041): Serial, w/o PS, EDG - Epson TM-T88V (034): Serial, w/o PS, ECW - Epson TM-T88V (031B1): Wifi, PS, ECW, UK - Epson TM-T88V (031B0): Wifi, PS, ECW, EU - Epson TM-T88V (031): Serial, w/o PS, ECW - Epson TM-T88V (012): Serial, PS, ECW, EU - Epson TM-T88IV Restick Series - Epson TM-T88IV ReStick (366): Serial, PS, EDG, Buzzer, EU - Epson TM-T88IV ReStick (356): Serial, PS, EDG, 58mm, Buzzer, EU - Epson TM-T88IV ReStick (346A1): USB, PS, EDG, Buzzer, EU - Epson TM-T88IV ReStick (345A2): USB, PS, ECW, Buzzer, EU - Epson TM-T88IV ReStick (336A2): Parallel, PS, EDG, 58mm, Buzzer, EU - Epson TM-T88IV ReStick (336A1): USB, PS, EDG, 58mm, Buzzer, EU - Epson TM-T88IV ReStick (335A2): USB, PS, ECW, 58mm, Buzzer, EU - Epson TM-T88IV (831): Parallel, w/o PS, EDG - Epson TM-T88IV (436): Serial, w/o PS, EDG, low power, low peak 9600 bps - Epson TM-T88IV (321BB): Ethernet, PS, EDG - Epson TM-T88IV (231A2): Ethernet, PS, EDG, Buzzer - Epson TM-T88IV (221A2): Ethernet, PS, ECW, Buzzer - Epson TM-T88IV (081): Serial, w/o PS, EDG - Epson TM-T88IV (061BB): Ethernet, PS, ECW - Epson TM-T88IV (061B1): Ethernet, PS, ECW - Epson TM-T70 (024A1): Ethernet, PS, EDG - Epson TM-T70 (024A0): Ethernet, PS, EDG - Epson TM-T70 (023A0): Powered USB, w/o PS, ECW - Epson TM-T70 (001): Parallel, PS, ECW - Epson TM-T260F (012): w/o IF, EDG (58mm*2) - Epson TM-L90P (022): Parallel, PS, EDG - Epson TM-L90P (012): Parallel, PS, ECW - Epson TM-L90P (011): Parallel, w/o PS, ECW - Epson TM-L90 Liner-free Series - Epson TM-L90 (192): Ethernet, PS, EDG - Epson TM-L90 (191): Ethernet, PS, EDG - Epson TM-L90 (022BA): Ethernet, PS, EDG - Epson TM-L90 (021): Serial, w/o PS, EDG - Epson TM-L90 (011): Serial, w/o PS, ECW - Epson TM-L60IIP (011): Parallel, w/o PS, ESG - Epson TM-L500A Ticket - Epson TM-L500A Series - Epson TM-L500A (710A1): RFID, Combo, PS short, EDG, LCD, SFW - Epson TM-L500A (710): RFID, Combo, PS short, EDG, LCD - Epson TM-L500A (118A1): LCD, Combo, PS short, ACS, SFW - Epson TM-L500A (118): LCD, Combo, PS short, ACS - Epson TM-L500A (113A2): W/O LCD,Tray,PS,COMBO IF - ARINC F/W - Epson TM-L500A (113): W/O LCD,Tray,PS,COMBO IF - Epson TM-L500A (112A1): Combo, PS, EDG, LCD, Tray - SITA F/W - Epson TM-L500A (112): Combo, PS, EDG, LCD, Tray - Epson TM-L500A (107A1): Combo, PS short, EDG, LCD, Tray - SITA F/W - Epson TM-L500A (107): Combo, PS short, EDG, LCD, Tray - Epson TM-J7600 (062): Serial, w/o PS, EDG, SJIC6(K), SJIC7(G) - Epson TM-J7500P (361): Parallel, w/o PS, EDG, SJIC8(K) - Epson TM-J7500P (311): Parallel, w/o PS, ECW, SJIC8(K) - Epson TM-J7500 (361BA): USB, w/o PS, EDG, SJIC8(K) - Epson TM-J7500 (361): Serial, w/o PS, EDG, SJIC8(K) - Epson TM-J7500 (311BA): USB, w/o PS, ECW, SJIC8(K) - Epson TM-J7500 (311): Serial, w/o PS, ECW, SJIC8(K) - Epson TM-J7100P (061): Parallel, w/o PS, EDG, SJIC6(K), SJIC7(R) - Epson TM-J7100P (011): Parallel, w/o PS, ECW, SJIC6(K), SJIC7(R) - Epson TM-J7100 (063): Serial, w/o PS, EDG, SJIC6(K), SJIC7(B) - Epson TM-J7100 (062): Serial, w/o PS, EDG, SJIC6(K), SJIC7(G) - Epson TM-J7100 (061): Serial, w/o PS, EDG, SJIC6(K), SJIC7(R) - Epson TM-J7100 (033): Serial, w/o PS, ECW, SJIC6(K), SJIC7(B), MICR - Epson TM-J7100 (032): Serial, w/o PS, ECW, SJIC6(K), SJIC7(G), MICR - Epson TM-J7100 (031): Serial, w/o PS, ECW, SJIC6(K), SJIC7(R), MICR - Epson TM-J7100 (013): Serial, w/o PS, ECW, SJIC6(K), SJIC7(B) - Epson TM-J7100 (012): Serial, w/o PS, ECW, SJIC6(K), SJIC7(G) - Epson TM-J7000P (081): Parallel, w/o PS, EDG, SJIC8(K), MICR - Epson TM-J7000P (031): Parallel, w/o PS, ECW, SJIC8(K), MICR - Epson TM-J7000 (061): Serial, w/o PS, EDG, SJIC8(K) - Epson TM-J7000 (031): Serial, w/o PS, ECW, SJIC8(K), MICR - Epson TM-J7000 (011): Serial, w/o PS, ECW, SJIC8(K) - Epson TM-H6000IV Series - Epson TM-H6000IV (906): Serial, PS, EDG, EU - Epson TM-H6000IV (905): Serial, PS, ECW, EU - Epson TM-H6000IV (904): Serial, PS, EDG, MICR, EU - Epson TM-H6000IV (903): Serial, PS, ECW, MICR, EU - Epson TM-H6000IV (514): Parallel, w/o PS, EDG - Epson TM-H6000IV (174): Powered USB, w/o PS, EDG - Epson TM-H6000IV (173): Powered USB, w/o PS, ECW - Epson TM-H6000IV (044): Serial, w/o PS, EDG, E/P - Epson TM-H6000IV (036): Powered USB, w/o PS, EDG, MICR - Epson TM-H6000IV (034A0): Powered USB, w/o PS, EDG, MICR - Epson TM-H6000IV (034): Serial, w/o PS, EDG, MICR - Epson TM-H6000IV (033A0): Powered USB, w/o PS, ECW, MICR - Epson TM-H6000IV (033): Serial, w/o PS, ECW, MICR - Epson TM-H6000IV (024): Serial, w/o PS, EDG, MICR, E/P - Epson TM-H6000IV (023): Serial, w/o PS, ECW, MICR, E/P - Epson TM-H6000IV (015): Serial, w/o PS, EDG - Epson TM-H6000III (514): Parallel, w/o PS, EDG - Epson TM-H6000III (173): Powered USB, w/o PS, ECW - Epson TM-H6000III (044BA): Powered USB, w/o PS, EDG - Epson TM-H6000III (044): Serial, w/o PS, EDG, E/P - Epson TM-H6000III (034BA): USB+DMD, w/o PS, EDG, MICR - Epson TM-H6000III (034A0): Powered USB, w/o PS, EDG, MICR - Epson TM-H6000III (034): Serial, w/o PS, EDG, MICR - Epson TM-H6000III (033BA): USB+DMD, w/o PS, ECW, MICR - Epson TM-H6000III (033): Serial, w/o PS, ECW, MICR - Epson TM-H6000III (023): Serial, w/o PS, ECW, MICR, E/P - Epson TM-H6000III (015BA): USB+DMD, w/o PS, EDG - Epson TM-H6000III (014BA): USB+DMD, w/o PS, ECW - Epson TM-H5000IIP (012): Parallel, w/o PS, ECW - Epson TM-H5000II Series - Epson TM-H5000II (022): Serial, w/o PS, ECW, MICR - Epson TM-H5000II (012): Serial, w/o PS, ECW - Epson DM-D500BA: Stand-alone type with DP-501 (EDG) - Epson DM-D500BA: Stand-alone type with DP-501 (ECW) - Epson DM-D210BA: Stand-alone type with DP-210 (EDG) - Epson DM-D210BA: Stand-alone type with DP-210 (ECW) - Epson DM-D210 Series - Epson DM-D210 (711): Customer display head only (EDG) - Epson DM-D210 (701): Customer display head only (ECW) - Epson DM-D110BF: Stand-alone type with DP-110 and extension pole (ECW) - Epson DM-D110BA: Stand-alone type with DP-110 with IF (EDG) - Epson DM-D110BA: Stand-alone type with DP-110 (ECW) - Epson DM-D110 Series - Epson DM-D110 (714): Customer display head only (black) - Epson DM-D110 (712): Customer display head only (EDG) - Epson DM-D110 (704): Customer display head only (white) - Epson DM-D110 (101): Customer display head only Serial type (ECW) - DM-D110 (113): Customer Display, USB, Black - DM-D110 (103): Customer Display, USB, White

Design

Design

Product colour *	Black

Packaging data

Package width	90 mm
Package depth	190 mm
Package height	85 mm
Package weight	482 g

Packaging content

Quantity per pack *	1 pc(s)

Logistics data

Harmonized System (HS) code	85044095
Products per pallet layer	40 pc(s)
Products per pallet layer (UK)	80 pc(s)
Products per pallet (UK)	1080 pc(s)
Pallet length (UK)	120 cm
Pallet width (UK)	100 cm
Pallet height (UK)	3.3 m
Country of origin	China
Products per pallet	720 pc(s)
Pallet gross width	80 cm
Pallet gross length	120 cm
Pallet gross height	3.3 m

3540260032238

8715946115733

Catalog Object Cloud