

Epson PS-180: Universal Power Supply

Brand : Epson

Product code: C32C825341

Product name : PS-180: Universal Power Supply

PS-180: Universal Power Supply

[Epson PS-180: Universal Power Supply:](#)

Universal Power Supply W/O AC Cable; Black

Epson PS-180: Universal Power Supply. Purpose: Printer, Power supply type: Indoor, Compatibility: - TM-L90 Liner-Free - TM-L500A (115): W/O LCD, PS Short,COMBO IF - TM-L500A (114): W/O LCD,Tray,PS...

Product colour: Black. Package width: 90 mm, Package depth: 190 mm, Package height: 85 mm.

Quantity per pack: 1 pc(s). Products per pallet layer: 40 pc(s), Products per pallet layer (UK): 80 pc(s),

Products per pallet (UK): 1080 pc(s)

Features		Features
Purpose *	Printer	- TM-L90 Liner-Free - TM-L500A (115): W/O LCD, PS Short,COMBO IF - TM-L500A (114): W/O LCD,Tray,PS Short,COMBO IF - Epson TM-U950P (253): Parallel, w/o PS, ECW, modified paper guide - Epson TM-U950P (252): Parallel, w/o PS, ECW - Epson TM-U950 Series - Epson TM-U950 (285): Parallel, w/o PS, ECW, modified paper guide - Epson TM-U950 (283): Serial, w/o PS, ECW - Epson TM-U675P (032): Parallel, w/o PS, ECW, Auto cutter - Epson TM-U675P (012): Parallel, w/o PS, ECW - Epson TM-U675 (043): Serial, w/o PS, ECW, MICR, Auto cutter - Epson TM-U675 (012): Serial, w/o PS, ECW - Epson TM-U950 Series - Epson TM-U950 (112): Serial, w/o PS, ECW - Epson TM-U295P (262): Parallel, w/o PS, EDG - Epson TM-U295 Series - Epson TM-U295 (292): Serial, w/o PS, EDG - Epson TM-U295 (272): Serial, w/o PS, ECW - Epson TM-U230P (136): Parallel, PS, EDG - Epson TM-U230P (017): Parallel, w/o PS, ECW - Epson TM-U230 (157): Ethernet, PS, EDG - Epson TM-U230 (156): Ethernet, PS, EDG - Epson TM-U230 (136): Serial, PS, EDG - Epson TM-U230 (039): Ethernet, w/o PS, ECW - Epson TM-U230 (038): Ethernet, PS, ECW - Epson TM-U230 (037): Ethernet, w/o PS, ECW - Epson TM-U230 (036): Ethernet, PS, ECW - Epson TM-U230 (016): Serial, PS, ECW - Epson TM-U220P (052): Parallel, PS, EDG - Epson TM-U220PD (002): Parallel, PS, ECW - Epson TM-U220PB (057): Parallel, PS, EDG - Epson TM-U220PB (007): Parallel, PS, ECW - Epson TM-U220PA (057): Parallel, PS, EDG - Epson TM-U220PA (007): Parallel, PS, ECW - Epson TM-U220D Series - Epson TM-U220D (05280): USB+DMD, PS, EDG, EU - Epson TM-U220D (052): Serial, PS, EDG - Epson TM-U220D (012A0): USB+DMD, PS, ECW - Epson TM-U220D (002): Serial, PS, ECW - Epson TM-U220B Series - Epson TM-U220B (0578E): UB-E04, PS, NE sensor, EDG - Epson TM-U220B (057A0): USB, PS, NE sensor, EDG - Epson TM-U220B (057): Serial, PS, NE sensor, EDG - Epson TM-U220B (007A3): UB-E04, PS, NE sensor, ECW - Epson TM-U220B (007A0): USB, PS, NE sensor, ECW - Epson TM-U220B (007): Serial, PS, NE sensor, ECW - Epson TM-U220A Series - Epson TM-U220A (057): Serial, PS, EDG - Epson TM-U220A (007): Serial, PS, ECW - Epson TM-T90P (011): Parallel, w/o PS, ECW - Epson TM-T90 (022): Serial, PS, EDG - Epson TM-T90 (011): Serial, w/o PS, ECW - Epson TM-T88V (115): Powered USB, w/o PS, w/o cable, Black - Epson TM-T88V Series - Epson TM-T88V (953): Bluetooth + Built-in USB, PS, EDG, EU - Epson TM-T88V (837): Parallel, w/o PS, ECW - Epson TM-T88V (833): Parallel, PS, EDG, EU - Epson TM-T88V (813): Parallel, PS, ECW, EU - Epson TM-T88V (654): Ethernet UB-E04, PS, EDG, Buzzer, EU - Epson TM-T88V (653): Ethernet UB-E04, PS, ECW, Buzzer, EU - Epson TM-T88V (321B1): Wifi, PS, EDG - Epson TM-T88V (321B0): Wifi, PS, EDG, EU - Epson TM-T88V (236): Ethernet, PS, EDG, Buzzer, UK - Epson TM-T88V (231A0): Serial, PS, EDG, Buzzer, EU - Epson TM-T88V (225): Ethernet, PS, ECW, Buzzer, UK - Epson TM-T88V (224): Ethernet, PS, ECW, Buzzer, EU - Epson TM-T88V (221A0): Serial, PS, ECW, Buzzer, EU - Epson TM-T88V (151): Bluetooth, PS, ECW, EU - Epson TM-T88V (052): Powered USB, w/o PS, ECW - Epson TM-T88V (051): Powered USB, w/o PS, EDG - Epson TM-T88V (050): Powered USB, w/o PS, Black - Epson TM-T88V (042): Serial, PS, EDG, EU - Epson TM-T88V (041): Serial, w/o PS, EDG - Epson TM-T88V (034): Serial, w/o PS, ECW - Epson TM-T88V (031B1): Wifi, PS, ECW, UK - Epson TM-T88V (031B0): Wifi, PS, ECW, EU - Epson TM-T88V (031): Serial, w/o PS, ECW - Epson TM-T88V (012): Serial, PS, ECW, EU - Epson TM-T88V ReStick Series - Epson TM-T88V ReStick (366): Serial, PS, EDG, Buzzer, EU - Epson TM-T88V ReStick (356): Serial, PS, EDG, 58mm, Buzzer, EU - Epson TM-T88V ReStick (346A1): USB, PS, EDG, Buzzer, EU - Epson TM-T88V ReStick (345A2): USB, PS, ECW, Buzzer, EU - Epson TM-T88V ReStick (336A2): Parallel, PS, EDG, 58mm, Buzzer, EU - Epson TM-T88V ReStick (336A1): USB, PS, EDG, 58mm, Buzzer, EU - Epson TM-T88V ReStick (335A2): USB, PS, ECW, 58mm, Buzzer, EU - Epson TM-T88V (831): Parallel, w/o PS, EDG - Epson TM-T88V (436): Serial, w/o PS, EDG, low power, low peak 9600 bps - Epson TM-T88V (321BB): Ethernet, PS, EDG - Epson TM-T88V (231A2): Ethernet, PS, EDG, Buzzer - Epson TM-T88V (221A2): Ethernet, PS, ECW, Buzzer - Epson TM-T88V (081): Serial, w/o PS, EDG - Epson TM-T88V (061BB): Ethernet, PS, ECW - Epson TM-T88V (061B1): Ethernet, PS, ECW - Epson TM-T770 (024A1): Ethernet, PS, EDG - Epson TM-T770 (024A0): Ethernet, PS, EDG - Epson TM-T770 (023A0): Powered USB, w/o PS, ECW - Epson TM-T770 (001): Parallel, PS, ECW - Epson TM-T50F (012): w/o IF, EDG (58mm*2) - Epson TM-L90P (022): Parallel, PS, EDG - Epson TM-L90P (012): Parallel, PS, ECW - Epson TM-L90P (011): Parallel, w/o PS, ECW - Epson TM-L90 Liner-free Series - Epson TM-L90 (192): Ethernet, PS, EDG - Epson TM-L90 (191): Ethernet, PS, EDG - Epson TM-L90 (022BA): Ethernet, PS, EDG - Epson TM-L90 (021): Serial, w/o PS, EDG - Epson TM-L90 (011): Serial, w/o PS, ECW - Epson TM-L500P (011): Parallel, w/o PS, EDG - Epson TM-L500A Ticket - Epson TM-L500A Series - Epson TM-L500A (710A1): RFID, Combo, PS short, EDG, LCD, SFW - Epson TM-L500A (710): RFID, Combo, PS short, EDG, LCD - Epson TM-L500A (118A1): LCD, Combo, PS short, ACS, SFW - Epson TM-L500A (118): LCD, Combo, PS short, ACS - Epson TM-L500A (113A2): W/O LCD,Tray,PS,COMBO IF - ARINC F/W - Epson TM-L500A (113): W/O LCD,Tray,PS,COMBO IF - Epson TM-L500A (112A1): Combo, PS, EDG, LCD, Tray - SITA F/W - Epson TM-L500A (111): LCD, Tray - Epson TM-L500A (107A1): Combo, PS short, EDG, LCD, Tray - SITA F/W - Epson TM-L500A (107): Combo, PS short, EDG, LCD, Tray - Epson TM-J7600 (062): Serial, w/o PS, EDG, SJC6(K), SJC7(G) - Epson TM-J7500P (361): Parallel, w/o PS, EDG, SJC8(K) - Epson TM-J7500P (311): Parallel, w/o PS, ECW, SJC8(K) - Epson TM-J7500 (361BA): USB, w/o PS, EDG, SJC8(K) - Epson TM-J7500 (361): Serial, w/o PS, EDG, SJC8(K) - Epson TM-J7500 (311BA): USB, w/o PS, ECW, SJC8(K) - Epson TM-J7500 (311): Serial, w/o PS, ECW, SJC8(K) - Epson TM-J7100P (061): Parallel, w/o PS, EDG, SJC6(K), SJC7(R) - Epson TM-J7100P (011): Parallel, w/o PS, ECW, SJC6(K), SJC7(R) - Epson TM-J7100 (063): Serial, w/o PS, EDG, SJC6(K), SJC7(B) - Epson TM-J7100 (062): Serial, w/o PS, EDG, SJC6(K), SJC7(G) - Epson TM-J7100 (061): Serial, w/o PS, EDG, SJC6(K), SJC7(R) - Epson TM-J7100 (033): Serial, w/o PS, ECW, SJC6(K), SJC7(B), MICR - Epson TM-J7100 (032): Serial, w/o PS, ECW, SJC6(K), SJC7(G), MICR - Epson TM-J7100 (031): Serial, w/o PS, ECW, SJC6(K), SJC7(R), MICR - Epson TM-J7100 (013): Serial, w/o PS, ECW, SJC6(K), SJC7(B) - Epson TM-J7100 (012): Serial, w/o PS, ECW, SJC6(K), SJC7(G) - Epson TM-J7000P (081): Parallel, w/o PS, EDG, SJC8(K), MICR - Epson TM-J7000P (031): Parallel, w/o PS, ECW, SJC8(K), MICR - Epson TM-J7000 (061): Serial, w/o PS, EDG, SJC8(K) - Epson TM-J7000 (023): Serial, w/o PS, ECW, SJC8(K), MICR - Epson TM-J7000 (011): Serial, w/o PS, ECW, SJC8(K) - Epson TM-H6000IV Series - Epson TM-H6000IV (906): Serial, PS, EDG, EU - Epson TM-H6000IV (905): Serial, PS, ECW, EU - Epson TM-H6000IV (904): Serial, PS, EDG, MICR, EU - Epson TM-H6000IV (903): Serial, PS, ECW, MICR, EU - Epson TM-H6000IV (514): Parallel, w/o PS, EDG - Epson TM-H6000IV (174): Powered USB, w/o PS, EDG - Epson TM-H6000IV (173): Powered USB, w/o PS, ECW - Epson TM-H6000IV (044): Serial, w/o PS, EDG, E/P - Epson TM-H6000IV (036): Powered USB, w/o PS, EDG, MICR - Epson TM-H6000IV (034A0): Powered USB, w/o PS, EDG, MICR - Epson TM-H6000IV (034A0): Powered USB, w/o PS, EDG, MICR - Epson TM-H6000IV (033A0): Powered USB, w/o PS, ECW, MICR - Epson TM-H6000IV (033): Serial, w/o PS, ECW, MICR - Epson TM-H6000IV (024): Serial, w/o PS, EDG, MICR, E/P - Epson TM-H6000IV (023): Serial, w/o PS, ECW, MICR, E/P - Epson TM-H6000IV (015): Serial, w/o PS, ECW, SJC8(K) - Epson TM-H6000IV (014): Serial, w/o PS, ECW, SJC8(K), MICR - Epson TM-H6000III (514): Parallel, w/o PS, EDG - Epson TM-H6000III (513): Parallel, w/o PS, ECW - Epson TM-H6000III (212): Serial, w/o PS, ECW, Low Power - Epson TM-H6000III (173): Powered USB, w/o PS, ECW - Epson TM-H6000III (044BA): Powered USB, w/o PS, EDG - Epson TM-H6000III (044): Serial, w/o PS, EDG, E/P - Epson TM-H6000III (034BA): USB+DMD, w/o PS, EDG, MICR - Epson TM-H6000III (034A0): Powered USB, w/o PS, EDG, MICR - Epson TM-H6000III (034): Serial, w/o PS, EDG, MICR - Epson TM-H6000III (033BA): USB+DMD, w/o PS, ECW, MICR - Epson TM-H6000III (033): Serial, w/o PS, ECW, MICR - Epson TM-H6000III (023): Serial, w/o PS, ECW, MICR, E/P - Epson TM-H6000III (015BA): USB+DMD, w/o PS, EDG - Epson TM-H6000III (015BA): USB+DMD, w/o PS, EDG - Epson TM-H6000III (014BA): USB+DMD, w/o PS, ECW - Epson TM-H5000IIP (012): Parallel, w/o PS, ECW - Epson TM-H5000II Series - Epson TM-H5000II (022): Serial, w/o PS, ECW, MICR - Epson TM-H5000II (012): Serial, w/o PS, ECW - Epson TM-D500BA: Stand-alone type with DP-S01 (EDG) - Epson TM-D500BA: Stand-alone type with DP-S01 (ECW) - Epson TM-D210BA: Stand-alone type with DP-210 (EDG) - Epson TM-D210BA: Stand-alone type with DP-210 (ECW) - Epson DM-D210 Series - Epson DM-D210 (711): Customer display head only (IF EDG) - Epson DM-D210 (701): Customer display head only (ECW) - Epson DM-D110B: Stand-alone type with DP-110 and extension pole (ECW) - Epson DM-D110BA: Stand-alone type with DP-110 with IF (EDG) - Epson DM-D110BA: Stand-alone type with DP-110 (ECW) - Epson DM-D110 Series - Epson DM-D110 (714): Customer display head only (black) - Epson DM-D110 (712): Customer display head only (EDG) - Epson DM-D110 (704): Customer display head only (white) - Epson DM-D110 (101): Customer display head only Serial type (ECW) - DM-D110 (113): Customer Display, USB, Black - DM-D110 (103): Customer Display, USB, White
Power supply type *	Indoor	
		Compatibility

Design

Design

Product colour *	Black
------------------	-------

Packaging data

Package width	90 mm
Package depth	190 mm
Package height	85 mm
Package weight	482 g

Packaging content


Quantity per pack *	1 pc(s)
---------------------	---------

Logistics data

Harmonized System (HS) code	85044095
Products per pallet layer	40 pc(s)
Products per pallet layer (UK)	80 pc(s)
Products per pallet (UK)	1080 pc(s)
Pallet length (UK)	120 cm
Pallet width (UK)	100 cm
Pallet height (UK)	3.3 m
Country of origin	China
Products per pallet	720 pc(s)
Pallet gross width	80 cm
Pallet gross length	120 cm
Pallet gross height	3.3 m



3540260032238



8715946115733

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.