



## Canon imageFORMULA DR-C230 Sheet-fed scanner 600 x 600 DPI A4 Black

**Brand :** Canon

**Product family:**  
imageFORMULA

**Product code:** 2646C002

**Product name :** DR-C230

Canon imageFORMULA DR-C230. Maximum scan size: 216 x 356 mm, Optical scanning resolution: 600 x 600 DPI, Output colour depth: 24 bit. Scanner type: Sheet-fed scanner, Product colour: Black. Sensor type: CMOS CIS, Daily duty cycle (max): 3500 pages, Light source: RGB LED. Standard input capacity: 60 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plastic Card, Media thickness (min): 0.06 mm




| Scanning                           |                             | Ports & interfaces          |             |
|------------------------------------|-----------------------------|-----------------------------|-------------|
| Maximum scan size *                | 216 x 356 mm                | USB port *                  | ✓           |
| Optical scanning resolution *      | 600 x 600 DPI               | USB version                 | 2.0         |
| Colour scanning                    | ✓                           | Standard interfaces         | USB 2.0     |
| Duplex scanning *                  | ✓                           | Power                       |             |
| Output colour depth                | 24 bit                      | Power supply type *         | AC          |
| Output greyscale depth             | 8 bit                       | Power consumption (typical) | 19 W        |
| Greyscale levels                   | 256                         | Power consumption (off)     | 0.1 W       |
| ADF scan speed (b/w, A4)           | 30 ppm                      | AC input frequency          | 50 - 60 Hz  |
| ADF scan speed (colour, A4)        | 30 ppm                      | Sleep mode                  | ✓           |
| Duplex ADF scan speed (b/w, A4)    | 60 ipm                      | Input voltage               | 100-240 V   |
| Duplex ADF scan speed (colour, A4) | 60 ipm                      | Power consumption (sleep)   | 1.4 W       |
| Design                             |                             | Weight & dimensions         |             |
| Scanner type *                     | Sheet-fed scanner           | Width                       | 291 mm      |
| Product colour *                   | Black                       | Depth                       | 253 mm      |
|                                    |                             | Height                      | 231 mm      |
|                                    |                             | Weight                      | 2.8 kg      |
| Performance                        |                             | Packaging content           |             |
| Sensor type *                      | CMOS CIS                    | Cables included             | AC, USB     |
| Light source                       | RGB LED                     | AC adapter included         | ✓           |
| Daily duty cycle (max) *           | 3500 pages                  | Sustainability              |             |
| Scan drivers                       | ISIS, TWAIN                 | Sustainability certificates | ENERGY STAR |
| Input capacity                     |                             |                             |             |
| Standard input capacity            | 60 sheets                   |                             |             |
| Paper handling                     |                             |                             |             |
| Scanning media types supported     | Business Card, Plastic Card |                             |             |
| Multi feed detection               | ✓                           |                             |             |
| Maximum ISO A-series paper size *  | A4                          |                             |             |
| Media thickness (min)              | 0.06 mm                     |                             |             |
| Card thickness (max)               | 1.4 mm                      |                             |             |
| Maximum scan width                 | 21.6 cm                     |                             |             |

| Paper handling                |     | System requirements                 |   |
|-------------------------------|-----|-------------------------------------|---|
| Maximum scan length           | 3 m |                                     | Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64 |
|                               |     | Windows operating systems supported | Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016   |
| <b>Operational conditions</b> |     |                                     |   |
|                               |     | Operating temperature (T-T)         | 10 - 32.5 °C  |
|                               |     | Operating relative humidity (H-H)   | 20 - 80%  |
| <b>Other features</b>         |     |                                     |   |
|                               |     | Scan media weight                   | 27 - 209 g/m <sup>2</sup>   |
|                               |     | Compliance certificates             | RoHS  |



0013803300710



013803300710

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.