DELL UltraSharp U3219Q computer monitor 81.3 cm (32") 3840 x 2160 pixels 4K Ultra HD LCD Black, Grey

Brand : DELL   **Product family:** UltraSharp   **Product code:** DELL-U3219Q

Product name : U3219Q

- 81.3cm (32") 4K Ultra HD 3840 x 2160 LED IPS
- 8ms, 16:9, 400cd/m², 1300:1
- USB, HDMI, DisplayPort
81.3cm (32") 4K Ultra HD 3840 x 2160 LED IPS, 16:9, 400cd/m², 1.073B, 8ms, 178°/178°, 1300:1
DELL UltraSharp U3219Q. Display diagonal: 81.3 cm (32"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Grey

Display		Ergonomics	
Display diagonal *	81.3 cm (32")	Height adjustment *	✔
Display resolution *	3840 x 2160 pixels	Adjustable height (max)	15 cm
HD type *	4K Ultra HD	Pivot	✔
Native aspect ratio *	16:9	Pivot angle	-90 - 90°
Display technology *	LCD	Swivelling	✔
Panel type *	IPS	Swivel angle range	-30 - 30°
Backlight type	LED	Tilt adjustment	✔
Touchscreen *	✘	Tilt angle range	-5 - 21°
Display brightness (typical)	400 cd/m²	**Power**	
Response time *	8 ms	Energy efficiency class (SDR) *	G
Screen shape *	Flat	Energy efficiency class (HDR) *	G
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800 (WXGA), 1600 x 1200 (UXGA), 1920 x 1080 (HD 1080), 2048 x 1280, 2560 x 1440, 3840 x 2160	Energy consumption (SDR) per 1000 hours *	40 kWh
		Energy consumption (HDR) per 1000 hours *	33 kWh
		Power consumption (typical) *	39.8 W
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power consumption (standby) *	0.4 W
		Power consumption (max)	230 W
Aspect ratio	16:9	Power consumption (off)	0.3 W
Contrast ratio (typical) *	1300:1	Power consumption (PowerSave)	34 W
Maximum refresh rate *	60 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Input current	3 A
Display number of colours *	1.073 billion colours	Energy efficiency scale	A to G
Response time (fast)	5 ms	**Operational conditions**	
Pixel pitch	0.182 x 0.182 mm		
Pixel density	140 ppi	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	10 - 137 kHz	Storage temperature (T-T)	-20 - 60 °C
Vertical scan range	49 - 86 Hz	Operating relative humidity (H-H)	20 - 80%

Display

Viewable size, horizontal	69.7 cm
Viewable size, vertical	39.2 cm
Viewable size diagonal	80 cm
3D	✗

Performance

NVIDIA G-SYNC *	✗
AMD FreeSync *	✗
Flicker-free technology	✔

Multimedia

Built-in speaker(s) *	✗
Built-in camera *	✗

Design

Market positioning *	Business
Product colour *	Black, Grey

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B
Number of upstream ports	1
USB Type-A downstream ports quantity	4
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	✔
DVI port	✗
HDMI *	✔
HDMI ports quantity	1
HDMI version	2.0
DisplayPorts quantity	1
DisplayPort version	1.4
Audio input	✗
Audio output	✔
Headphone out *	✗
HDCP	✔
AC (power) in	✔

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Cable lock slot type	Kensington

Operational conditions

Storage relative humidity (H-H)	10 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m

Weight & dimensions

Width (with stand)	712.5 mm
Depth (with stand)	220 mm
Height (with stand)	618.1 mm
Weight (with stand)	9.3 kg
Width (without stand)	712.5 mm
Depth (without stand)	44.5 mm
Height (without stand)	414.5 mm
Weight (without stand)	5.8 kg
Bezel width (side)	7.6 mm
Bezel width (top)	7.6 mm
Bezel width (bottom)	1.47 cm

Packaging data

Package width	260.1 mm
Package depth	833.9 mm
Package height	545.1 mm

Packaging content

Stand included	✔
Cables included	AC, DisplayPort, USB, USB Type-C
Quick start guide	✔

Sustainability

Sustainability certificates	EPEAT Gold, ENERGY STAR
Doesn't contain	BRF, PVC

Other features

On/off switch	✔
TV tuner integrated	✗
Compliance certificates	REACH
Dell E-Value Code	u3219q
Certification	TCO

Logistics data

Harmonized System (HS) code	85285210

5397184092491

0884116310402

884116310402

5706998759078

0884116321408

884116321408

5704174212973

Catalog Object Cloud