



## DELL UltraSharp U3219Q computer monitor 81.3 cm (32") 3840 x 2160 pixels 4K Ultra HD LCD Black, Grey

**Brand :** DELL

**Product family:** UltraSharp

**Product code:** DELL-U3219Q

**Product name :** U3219Q



- 81.3cm (32") 4K Ultra HD 3840 x 2160 LED IPS

- 8ms, 16:9, 400cd/m<sup>2</sup>, 1300:1

- USB, HDMI, DisplayPort

81.3cm (32") 4K Ultra HD 3840 x 2160 LED IPS, 16:9, 400cd/m<sup>2</sup>, 1.073B, 8ms, 178°/178°, 1300:1

DELL UltraSharp U3219Q. Display diagonal: 81.3 cm (32"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Grey



### Display

|                                |  |
|--------------------------------|--|
| Display diagonal *             | 81.3 cm (32")  |
| Display resolution *           | 3840 x 2160 pixels   |
| HD type *                      | 4K Ultra HD  |
| Native aspect ratio *          | 16:9   |
| Display technology *           | LCD  |
| Panel type *                   | IPS  |
| Backlight type                 | LED  |
| Touchscreen *                  | ✗  |
| Display brightness (typical)   | 400 cd/m <sup>2</sup>  |
| Response time *                | 8 ms   |
| Screen shape *                 | Flat   |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800 (WXGA), 1600 x 1200 (UXGA), 1920 x 1080 (HD 1080), 2048 x 1280, 2560 x 1440, 3840 x 2160 |
| Supported video modes          | 480i, 480p, 576i, 576p, 720p, 1080i, 1080p   |
| Aspect ratio                   | 16:9   |
| Contrast ratio (typical) *     | 1300:1   |
| Maximum refresh rate *         | 60 Hz  |
| Viewing angle, horizontal      | 178°   |
| Viewing angle, vertical        | 178°   |
| Display number of colours *    | 1.073 billion colours  |
| Response time (fast)           | 5 ms   |
| Pixel pitch                    | 0.182 x 0.182 mm   |
| Pixel density                  | 140 ppi  |
| Horizontal scan range          | 10 - 137 kHz   |
| Vertical scan range            | 49 - 86 Hz   |

### Ergonomics

|                         |           |
|-------------------------|-----------|
| Adjustable height (max) | 15 cm     |
| Pivot                   | ✓         |
| Pivot angle             | -90 - 90° |
| Swivelling              | ✓         |
| Swivel angle range      | -30 - 30° |
| Tilt adjustment         | ✓         |
| Tilt angle range        | -5 - 21°  |


### Power

|   |             |
|---|-------------|
| Energy efficiency class (SDR) *                             | G           |
| Energy efficiency class (HDR) *                             | G           |
| Energy consumption (SDR) per 1000 hours *                   | 40 kWh      |
| Energy consumption (HDR) per 1000 hours *                   | 33 kWh      |
| Power consumption (typical) *                               | 39.8 W      |
| Power consumption (standby) *                               | 0.4 W       |
| Power consumption (max)                                     | 230 W       |
| Power consumption (off)                                     | 0.3 W       |
| Power consumption (PowerSave)                               | 34 W        |
| AC input voltage  | 100 - 240 V |
| AC input frequency  | 50 - 60 Hz  |
| Input current   | 3 A         |
| Energy efficiency scale                                     | A to G      |
| European Product Registry for Energy Labelling (EPREL) code | 344564      |


### Operational conditions

|                             |             |
|-----------------------------|-------------|
| Operating temperature (T-T) | 0 - 40 °C   |
| Storage temperature (T-T)   | -20 - 60 °C |

| <b>Display</b>                        |                       | <b>Operational conditions</b>     |                                  |
|---------------------------------------|-----------------------|-----------------------------------|----------------------------------|
| Viewable size, horizontal             | 69.7 cm               | Operating relative humidity (H-H) | 20 - 80%                         |
| Viewable size, vertical               | 39.2 cm               | Storage relative humidity (H-H)   | 10 - 90%                         |
| Viewable size diagonal                | 80 cm                 | Operating altitude                | 0 - 5000 m                       |
| 3D                                    | ✗                     | Non-operating altitude            | 5000 - 12192 m                   |
| <b>Performance</b>                    |                       | <b>Weight &amp; dimensions</b>    |                                  |
| NVIDIA G-SYNC *                       | ✗                     | Width (with stand)                | 712.5 mm                         |
| AMD FreeSync *                        | ✗                     | Depth (with stand)                | 220 mm                           |
| Flicker-free technology               | ✓                     | Height (with stand)               | 618.1 mm                         |
| <b>Multimedia</b>                     |                       | Weight (with stand)               | 9.3 kg                           |
| Built-in speaker(s) *                 | ✗                     | Width (without stand)             | 712.5 mm                         |
| Built-in camera *                     | ✗                     | Depth (without stand)             | 44.5 mm                          |
| <b>Design</b>                         |                       | Height (without stand)            | 414.5 mm                         |
| Market positioning *                  | Business              | Weight (without stand)            | 5.8 kg                           |
| Product colour *                      | Black, Grey           | Bezel width (side)                | 7.6 mm                           |
| <b>Ports &amp; interfaces</b>         |                       | Bezel width (top)                 | 7.6 mm                           |
| Built-in USB hub *                    | ✓                     | Bezel width (bottom)              | 1.47 cm                          |
| USB hub version                       | 3.2 Gen 1 (3.1 Gen 1) | <b>Packaging data</b>             |                                  |
| USB upstream port type                | USB Type-B            | Package width                     | 260.1 mm                         |
| Number of upstream ports              | 1                     | Package depth                     | 833.9 mm                         |
| USB Type-A downstream ports quantity  | 4                     | Package height                    | 545.1 mm                         |
| USB Type-C downstream ports quantity  | 1                     | <b>Packaging content</b>          |                                  |
| USB Type-C DisplayPort Alternate Mode | ✓                     | Stand included                    | ✓                                |
| DVI port                              | ✗                     | Cables included                   | AC, DisplayPort, USB, USB Type-C |
| HDMI *                                | ✓                     | Quick start guide                 | ✓                                |
| HDMI ports quantity                   | 1                     | <b>Sustainability</b>             |                                  |
| HDMI version                          | 2.0                   | Sustainability certificates       | EPEAT Gold, ENERGY STAR          |
| DisplayPorts quantity                 | 1                     | Doesn't contain                   | BRF, PVC                         |
| DisplayPort version                   | 1.4                   | <b>Other features</b>             |                                  |
| Audio input                           | ✗                     | On/off switch                     | ✓                                |
| Audio output                          | ✓                     | TV tuner integrated               | ✗                                |
| Headphone out *                       | ✗                     | Compliance certificates           | REACH                            |
| HDCP                                  | ✓                     | Dell E-Value Code                 | u3219q                           |
| AC (power) in                         | ✓                     | Certification                     | TCO                              |
| <b>Ergonomics</b>                     |                       | <b>Logistics data</b>             |                                  |
| VESA mounting *                       | ✓                     | Harmonized System (HS) code       | 85285210                         |
| Panel mounting interface              | 100 x 100 mm          |                                   |                                  |
| Cable lock slot *                     | ✓                     |                                   |                                  |
| Cable lock slot type                  | Kensington            |                                   |                                  |
| Height adjustment *                   | ✓                     |                                   |                                  |



5397184092491



0884116310402




884116310402



5706998759078



0884116321408



884116321408



5704174212973

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.